

ENGINEERING DRAWING (20A03101T)

Mr. P. KUMAR., M.Tech., (Ph.D)

Assistant Professor

Department of Mechanical Engineering
VEMU Institute of Technology

UNIT-1

ENGINEERING CURVES

Part- I {Conic Sections}

ELLIPSE

1. Concentric Circle Method
2. Rectangle Method
3. Oblong Method
4. Arcs of Circle Method
5. Rhombus Method
6. Basic Locus Method
(Directrix – focus)

PARABOLA

1. Rectangle Method
2. Method of Tangents
(Triangle Method)
3. Basic Locus Method
(Directrix – focus)

HYPERBOLA

1. Rectangular Hyperbola
(coordinates given)
2. Rectangular Hyperbola
(P-V diagram - Equation given)
3. Basic Locus Method
(Directrix – focus)





Methods of Drawing
Tangents & Normals
To These Curves.

CONIC SECTIONS

**ELLIPSE, PARABOLA AND HYPERBOLA ARE CALLED CONIC SECTIONS
BECAUSE**

**THESE CURVES APPEAR ON THE SURFACE OF A CONE
WHEN IT IS CUT BY SOME TYPICAL CUTTING PLANES.**

**OBSERVE
ILLUSTRATIONS
GIVEN BELOW..**



COMMON DEFINATION OF ELLIPSE, PARABOLA & HYPERBOLA:

These are the loci of points moving in a plane such that the ratio of it's distances from a *fixed point* And a *fixed line* always remains constant.

The Ratio is called **ECCENTRICITY. (E)**

- A) For Ellipse $E < 1$
- B) For Parabola $E = 1$
- C) For Hyperbola $E > 1$

Refer Problem nos. 6. 9 & 12

SECOND DEFINATION OF AN ELLIPSE:-

It is a locus of a point moving in a plane such that the SUM of it's distances from TWO fixed points always remains constant.

{ And this *sum equals* to the length of *major axis*. }

These TWO fixed points are FOCUS 1 & FOCUS 2

Refer Problem no.4
Ellipse by Arcs of Circles Method.


Problem 1 :-

Draw ellipse by concentric circle method.

Take major axis 100 mm and minor axis 70 mm long.

Steps:

1. Draw both axes as perpendicular bisectors of each other & name their ends as shown.
2. Taking their intersecting point as a center, draw two concentric circles considering both as respective diameters.
3. Divide both circles in 12 equal parts & name as shown.
4. From all points of outer circle draw vertical lines downwards and upwards respectively.
5. From all points of inner circle draw horizontal lines to intersect those vertical lines.
6. Mark all intersecting points properly as those are the points on ellipse.
7. Join all these points along with the ends of both axes in smooth possible curve. It is required ellipse.




Steps:

- 1 Draw a rectangle taking major and minor axes as sides.
 2. In this rectangle draw both axes as perpendicular bisectors of each other..
 3. For construction, select upper left part of rectangle. Divide vertical small side and horizontal long side into same number of equal parts.(here divided in four parts)
 4. Name those as shown..
 5. Now join all vertical points 1,2,3,4, to the upper end of minor axis. And all horizontal points i.e.1,2,3,4 to the lower end of minor axis.
 6. Then extend C-1 line upto D-1 and mark that point. Similarly extend C-2, C-3, C-4 lines up to D-2, D-3, & D-4 lines.
 7. Mark all these points properly and join all along with ends A and D in smooth possible curve. Do similar construction in right side part.along with lower half of the rectangle.Join all points in smooth curve.
- It is required ellipse.

Problem 2

*Draw ellipse by **Rectangle method**.*

Take major axis 100 mm and minor axis 70 mm long.




Problem 3:-

Draw ellipse by Oblong method.

Draw a parallelogram of 100 mm and 70 mm long sides with included angle of 75° . Inscribe Ellipse in it.


**STEPS ARE SIMILAR TO
THE PREVIOUS CASE
(RECTANGLE METHOD)
ONLY IN PLACE OF RECTANGLE,
HERE IS A PARALLELOGRAM.**



ELLIPSE

BY ARCS OF CIRCLE METHOD

As per the definition Ellipse is locus of point P moving in a plane such that the **SUM** of it's distances from two fixed points (F_1 & F_2) remains constant and equals to the length of major axis AB. (Note $A . 1 + B . 1 = A . 2 + B . 2 = AB$)



PROBLEM 4.

MAJOR AXIS AB & MINOR AXIS CD ARE 100 AND 70MM LONG RESPECTIVELY .DRAW ELLIPSE BY ARCS OF CIRCLES METHOD.

STEPS:


1. Draw both axes as usual. Name the ends & intersecting point
2. Taking AO distance i.e. half major axis, from C, mark F_1 & F_2 on AB . (focus 1 and 2.)
3. On line $F_1 - O$ taking any distance, mark points 1, 2, 3, & 4
4. Taking F_1 center, with distance A-1 draw an arc above AB and taking F_2 center, with B-1 distance cut this arc. Name the point p_1
5. Repeat this step with same centers but taking now A-2 & B-2 distances for drawing arcs. Name the point p_2
6. Similarly get all other P points.
With same steps positions of P can be located below AB.
7. Join all points by smooth curve to get an ellipse/

PROBLEM 5.

DRAW RHOMBUS OF 100 MM & 70 MM LONG
DIAGONALS AND INSCRIBE AN ELLIPSE IN IT.

STEPS:

1. Draw rhombus of given dimensions.
2. Mark mid points of all sides & name Those A,B,C,& D
3. Join these points to the ends of smaller diagonals.
4. Mark points 1,2,3,4 as four centers.
5. Taking 1 as center and 1-A radius draw an arc AB.
6. Take 2 as center draw an arc CD.
7. Similarly taking 3 & 4 as centers and 3-D radius draw arcs DA & BC.




PROBLEM 6:- POINT F IS 50 MM FROM A LINE AB. A POINT P IS MOVING IN A PLANE SUCH THAT THE **RATIO** OF IT'S DISTANCES FROM F AND LINE AB REMAINS CONSTANT AND EQUALS TO **2/3** DRAW LOCUS OF POINT P. { **ECCENTRICITY = 2/3** }

STEPS:

1. Draw a vertical line AB and point F 50 mm from it.
2. Divide 50 mm distance in 5 parts.
3. Name 2nd part from F as V. It is 20mm and 30mm from F and AB line resp. It is first point giving ratio of it's distances from F and AB $2/3$ i.e $20/30$
4. Form more points giving same ratio such as $30/45$, $40/60$, $50/75$ etc.
5. Taking 45, 60 and 75mm distances from line AB, draw three vertical lines to the right side of it.
6. Now with 30, 40 and 50mm distances in compass cut these lines above and below, with F as center.
7. Join these points through V in smooth curve.

This is required locus of P. It is an ELLIPSE.




PROBLEM 7: A BALL THROWN IN AIR ATTAINS 100 M HEIGHT AND COVERS HORIZONTAL DISTANCE 150 M ON GROUND.
Draw the path of the ball (projectile)-

PARABOLA RECTANGLE METHOD


STEPS:

1. Draw rectangle of above size and divide it in two equal vertical parts
 2. Consider left part for construction. Divide height and length in equal number of parts and name those 1,2,3,4,5 & 6
 3. Join vertical 1,2,3,4,5 & 6 to the top center of rectangle
 4. Similarly draw upward vertical lines from horizontal 1,2,3,4,5. And wherever these lines intersect previously drawn inclined lines in sequence Mark those points and further join in smooth possible curve.
 5. Repeat the construction on right side rectangle also. Join all in sequence.
- This locus is Parabola.**



Draw a parabola by tangent method given base 7.5m and axis 4.5m

Take scale 1cm = 0.5m




PROBLEM 9: Point F is 50 mm from a vertical straight line AB. Draw locus of point P, moving in a plane such that it always remains equidistant from point F and line AB.

PARABOLA DIRECTRIX-FOCUS METHOD

SOLUTION STEPS:

1. Locate center of line, perpendicular to AB from point F. This will be initial point P and also the vertex.
2. Mark 5 mm distance to its right side, name those points 1,2,3,4 and from those draw lines parallel to AB.
3. Mark 5 mm distance to its left of P and name it 1.
4. Take O-1 distance as radius and F as center draw an arc cutting first parallel line to AB. Name upper point P_1 and lower point P_2 .
($FP_1 = O1$)
5. Similarly repeat this process by taking again 5mm to right and left and locate P_3P_4 .
6. Join all these points in smooth curve.

It will be the locus of P equidistance from line AB and fixed point F.




Problem No.10: Point P is 40 mm and 30 mm from horizontal and vertical axes respectively. Draw Hyperbola through it.

HYPERBOLA THROUGH A POINT OF KNOWN CO-ORDINATES

Solution Steps:

- 1) Extend horizontal line from P to right side.
- 2) Extend vertical line from P upward.
- 3) On horizontal line from P, mark some points taking any distance and name them after P-1, 2,3,4 etc.
- 4) Join 1-2-3-4 points to pole O. Let them cut part [P-B] also at 1,2,3,4 points.
- 5) From horizontal 1,2,3,4 draw vertical lines downwards and
- 6) From vertical 1,2,3,4 points [from P-B] draw horizontal lines.
- 7) Line from 1 horizontal and line from 1 vertical will meet at P_1 . Similarly mark P_2, P_3, P_4 points.
- 8) Repeat the procedure by marking four points on upward vertical line from P and joining all those to pole O. Name this points P_6, P_7, P_8 etc. and join them by smooth curve.




Problem no.11: A sample of gas is expanded in a cylinder from 10 unit pressure to 1 unit pressure. Expansion follows law $PV = \text{Constant}$. If initial volume being 1 unit, draw the curve of expansion. Also Name the curve.

HYPERBOLA P-V DIAGRAM

Form a table giving few more values of P & V

$P \times V = C$		
10	\times	1 = 10
5	\times	2 = 10
4	\times	2.5 = 10
2.5	\times	4 = 10
2	\times	5 = 10
1	\times	10 = 10

Now draw a Graph of Pressure against Volume.
It is a PV Diagram and it is Hyperbola.
Take pressure on vertical axis and Volume on horizontal axis.



HYPERBOLA DIRECTRIX FOCUS METHOD


- 1 .Draw a vertical line AB and point F 50 mm from it.
- 2 .Divide 50 mm distance in 5 parts.
- 3 .Name 2nd part from F as V. It is 20mm and 30mm from F and AB line resp. It is first point giving ratio of it's distances from F and AB $\frac{2}{3}$ i.e 20/30
- 4 Form more points giving same ratio such as 30/45, 40/60, 50/75 etc.
- 5.Taking 45,60 and 75mm distances from line AB, draw three vertical lines to the right side of it.
6. Now with 30, 40 and 50mm distances in compass cut these lines above and below, with F as center.
7. Join these points through V in smooth curve.

This is required locus of P.It is an ELLIPSE.



***TO DRAW TANGENT & NORMAL
TO THE CURVE FROM A GIVEN POINT (Q)***

1. JOIN POINT Q TO F_1 & F_2
2. BISECT ANGLE F_1QF_2 THE ANGLE BISECTOR IS NORMAL
3. A PERPENDICULAR LINE DRAWN TO IT IS TANGENT TO THE CURVE.




Problem 14:

TO DRAW TANGENT & NORMAL TO THE CURVE FROM A GIVEN POINT (Q)

1. JOIN POINT Q TO F.
2. CONSTRUCT 90° ANGLE WITH THIS LINE AT POINT F
3. EXTEND THE LINE TO MEET DIRECTRIX AT T
4. JOIN THIS POINT TO Q AND EXTEND. THIS IS TANGENT TO ELLIPSE FROM Q
5. TO THIS TANGENT DRAW PERPENDICULAR LINE FROM Q. IT IS NORMAL TO CURVE.

ELLIPSE TANGENT & NORMAL




Problem 15:

TO DRAW TANGENT & NORMAL TO THE CURVE FROM A GIVEN POINT (Q)

1. JOIN POINT **Q** TO **F**.
2. CONSTRUCT 90° ANGLE WITH THIS LINE AT POINT **F**
3. EXTEND THE LINE TO MEET DIRECTRIX AT **T**
4. JOIN THIS POINT TO **Q** AND EXTEND. THIS IS TANGENT TO THE CURVE FROM **Q**
5. TO THIS TANGENT DRAW PERPENDICULAR LINE FROM **Q**. IT IS NORMAL TO CURVE.

PARABOLA TANGENT & NORMAL




Problem 16

TO DRAW TANGENT & NORMAL TO THE CURVE FROM A GIVEN POINT (Q)

1. JOIN POINT **Q** TO **F**.
2. CONSTRUCT 90° ANGLE WITH THIS LINE AT POINT **F**
3. EXTEND THE LINE TO MEET DIRECTRIX AT **T**
4. JOIN THIS POINT TO **Q** AND EXTEND. THIS IS TANGENT TO CURVE FROM **Q**
5. TO THIS TANGENT DRAW PERPENDICULAR LINE FROM **Q**. IT IS NORMAL TO CURVE.

HYPERBOLA TANGENT & NORMAL



ENGINEERING CURVES

Part-II

(Point undergoing two types of displacements)

INVOLUTE

1. Involute of a circle

a)String Length = πD

b)String Length $> \pi D$

c)String Length $< \pi D$

2. Pole having Composite shape.

3. Rod Rolling over a Semicircular Pole.

CYCLOID

1. General Cycloid

2. Trochoid
(superior)

3. Trochoid
(Inferior)

4. Epi-Cycloid

5. Hypo-Cycloid

SPIRAL

1. Spiral of One Convolution.

2. Spiral of Two Convolutions.

HELIX

1. On Cylinder

2. On a Cone

AND

**Methods of Drawing
Tangents & Normals
To These Curves.**

DEFINITIONS



CYCLOID:

IT IS A LOCUS OF A POINT ON THE PERIPHERY OF A CIRCLE WHICH ROLLS ON A STRAIGHT LINE PATH.

INVOLUTE:

IT IS A LOCUS OF A FREE END OF A STRING WHEN IT IS WOUND ROUND A CIRCULAR POLE

SPIRAL:

IT IS A CURVE GENERATED BY A POINT WHICH REVOLVES AROUND A FIXED POINT AND AT THE SAME MOVES TOWARDS IT.

HELIX:

IT IS A CURVE GENERATED BY A POINT WHICH MOVES AROUND THE SURFACE OF A RIGHT CIRCULAR CYLINDER / CONE AND AT THE SAME TIME ADVANCES IN AXIAL DIRECTION AT A SPEED BEARING A CONSTANT RATIO TO THE SPEED OF ROTATION.

(for problems refer topic Development of surfaces)

SUPERIOR TROCHOID:

IF THE POINT IN THE DEFINITION OF CYCLOID IS OUTSIDE THE CIRCLE

INFERIOR TROCHOID:

IF IT IS INSIDE THE CIRCLE


EPI-CYCLOID

IF THE CIRCLE IS ROLLING ON ANOTHER CIRCLE FROM OUTSIDE


HYPO-CYCLOID,

IF THE CIRCLE IS ROLLING FROM INSIDE THE OTHER CIRCLE,

Problem: Draw involute of an equilateral triangle of 35 mm sides.



Problem: Draw involute of a square of 25 mm sides




Problem no 17: Draw Involute of a circle.

String length is equal to the circumference of circle.

INVOLUTE OF A CIRCLE

Solution Steps:

- 1) Point or end P of string AP is exactly πD distance away from A. Means if this string is wound round the circle, it will completely cover given circle. B will meet A after winding.
- 2) Divide πD (AP) distance into 8 number of equal parts.
- 3) Divide circle also into 8 number of equal parts.
- 4) Name after A, 1, 2, 3, 4, etc. up to 8 on πD line AP as well as on circle (in anticlockwise direction).
- 5) To radius C-1, C-2, C-3 up to C-8 draw tangents (from 1,2,3,4,etc to circle).
- 6) Take distance 1 to P in compass and mark it on tangent from point 1 on circle (means one division less than distance AP).
- 7) Name this point P1
- 8) Take 2-P distance in compass and mark it on the tangent from point 2. Name it point P2.
- 9) Similarly take 3 to P, 4 to P, 5 to P up to 7 to P distance in compass and mark on respective tangents and locate P3, P4, P5 up to P8 (i.e. A) points and join them in smooth curve it is an INVOLUTE of a given circle.



Problem 18: Draw Involute of a circle.

String length is MORE than the circumference of circle.

INVOLUTE OF A CIRCLE


String length MORE than πD

Solution Steps:

In this case string length is more than πD .

But remember!

Whatever may be the length of string, mark πD distance horizontal i.e. along the string and divide it in 8 number of equal parts, and not any other distance. Rest all steps are same as previous INVOLUTE. Draw the curve completely.



Problem 19: Draw Involute of a circle.

String length is LESS than the circumference of circle.

INVOLUTE OF A CIRCLE


String length LESS than πD

Solution Steps:

In this case string length is Less than πD .

But remember!

Whatever may be the length of string, mark πD distance horizontal i.e. along the string and divide it in 8 number of equal parts, and not any other distance. Rest all steps are same as previous INVOLUTE. Draw the curve completely.




PROBLEM 21 : Rod AB 85 mm long rolls over a semicircular pole without slipping from it's initially vertical position till it becomes up-side-down vertical. Draw locus of both ends A & B.


Solution Steps?

If you have studied previous problems properly, you can surely solve this also. Simply remember that this being a rod, it will roll over the surface of pole. Means when one end is approaching, other end will move away from pole.

OBSERVE ILLUSTRATION CAREFULLY!



Problem 22: Draw locus of a point on the periphery of a circle which rolls on straight line path. Take circle diameter as 50 mm. Draw normal and tangent on the curve at a point 40 mm above the directing line.




Solution Steps:

- 1) From center C draw a horizontal line equal to πD distance.
- 2) Divide πD distance into 12 number of equal parts and name them C_1, C_2, C_3 etc.
- 3) Divide the circle also into 12 number of equal parts and in anticlockwise direction, after P name 1, 2, 3 up to 12.
- 4) From all these points on circle draw horizontal lines. (parallel to locus of C)
- 5) With a fixed distance C-P in compass, C_1 as center, mark a point on horizontal line from 1. Name it P.
- 6) Repeat this procedure from C_2, C_3, C_4 up to C_{12} as centers. Mark points P_2, P_3, P_4, P_5 up to P_{12} on the horizontal lines drawn from 1, 2, 3, 4, 5, 6, 7 respectively.
- 7) Join all these points by curve. **It is Cycloid.**

PROBLEM 25: DRAW LOCUS OF A POINT ON THE PERIPHERY OF A CIRCLE WHICH ROLLS ON A CURVED PATH. Take diameter of rolling Circle 50 mm And radius of directing circle i.e. curved path, 75 mm.

Solution Steps:


- 1) When smaller circle will roll on larger circle for one revolution it will cover πD distance on arc and it will be decided by included arc angle θ .
- 2) Calculate θ by formula $\theta = (r/R) \times 3600$.
- 3) Construct angle θ with radius OC and draw an arc by taking O as center OC as radius and form sector of angle θ .
- 4) Divide this sector into 12 number of equal angular parts. And from C onward name them C_1, C_2, C_3 up to C_{12} .
- 5) Divide smaller circle (Generating circle) also in 12 number of equal parts. And next to P in anticlockwise direction name those 1, 2, 3, up to 12.
- 6) With O as center, O-1 as radius draw an arc in the sector. Take O-2, O-3, O-4, O-5 up to O-12 distances with center O, draw all concentric arcs in sector. Take fixed distance C-P in compass, C_1 center, cut arc of 1 at P_1 . Repeat procedure and locate P_2, P_3, P_4, P_5 unto P_{12} (as in cycloid) and join them by smooth curve. This is EPI – CYCLOID.



PROBLEM 26: DRAW LOCUS OF A POINT ON THE PERIPHERY OF A CIRCLE WHICH ROLLS FROM THE INSIDE OF A CURVED PATH. Take diameter of rolling circle 50 mm and radius of directing circle (curved path) 75 mm.

Solution Steps:

- 1) Smaller circle is rolling here, inside the larger circle. It has to rotate anticlockwise to move ahead.
- 2) Same steps should be taken as in case of EPI – CYCLOID. Only change is in numbering direction of 12 number of equal parts on the smaller circle.
- 3) From next to P in clockwise direction, name 1,2,3,4,5,6,7,8,9,10,11,12
- 4) Further all steps are that of epi – cycloid. **This is called HYPO – CYCLOID.**



OP=Radius of directing circle=75mm
 PC=Radius of generating circle=25mm
 $\theta = r/R \times 360^\circ = 25/75 \times 360^\circ = 120^\circ$


Problem 27: Draw a spiral of one convolution. Take distance PO 40 mm.

SPIRAL

IMPORTANT APPROACH FOR CONSTRUCTION!
FIND TOTAL ANGULAR AND TOTAL LINEAR DISPLACEMENT
AND DIVIDE BOTH IN TO SAME NUMBER OF EQUAL PARTS.

Solution Steps

1. With PO radius draw a circle and divide it in EIGHT parts. Name those 1,2,3,4, etc. up to 8
2. Similarly divided line PO also in EIGHT parts and name those 1,2,3,-- as shown.
3. Take o-1 distance from op line and draw an arc up to O1 radius vector. Name the point P_1
4. Similarly mark points P_2, P_3, P_4 up to P_8
 And join those in a smooth curve.
 It is a SPIRAL of one convolution.



Problem 28

Point P is 80 mm from point O. It starts moving towards O and reaches it in two revolutions around it. Draw locus of point P (To draw a Spiral of TWO convolutions).

SPIRAL of two convolutions

IMPORTANT APPROACH FOR CONSTRUCTION!
FIND TOTAL ANGULAR AND TOTAL LINEAR DISPLACEMENT
AND DIVIDE BOTH IN TO SAME NUMBER OF EQUAL PARTS.


SOLUTION STEPS:

Total angular displacement here is two revolutions And Total Linear displacement here is distance PO.

Just divide both in same parts i.e. Circle in EIGHT parts.

(means total angular displacement in SIXTEEN parts)

Divide PO also in SIXTEEN parts. Rest steps are similar to the previous problem.





Involute Method of Drawing Tangent & Normal

STEPS:

DRAW INVOLUTE AS USUAL.

MARK POINT **Q** ON IT AS DIRECTED.

JOIN **Q** TO THE CENTER OF CIRCLE **C**.
CONSIDERING **CQ** DIAMETER, DRAW
A SEMICIRCLE AS SHOWN.


MARK POINT OF INTERSECTION OF
THIS SEMICIRCLE AND POLE CIRCLE
AND JOIN IT TO **Q**.

THIS WILL BE **NORMAL TO INVOLUTE**.

DRAW A LINE AT RIGHT ANGLE TO
THIS LINE FROM **Q**.

IT WILL BE TANGENT TO INVOLUTE.

INVOLUTE OF A CIRCLE



STEPS:

DRAW CYCLOID AS USUAL.

MARK POINT **Q** ON IT AS DIRECTED.

WITH CP DISTANCE, FROM **Q**. CUT THE POINT ON LOCUS OF **C** AND JOIN IT TO **Q**.


FROM THIS POINT DROP A PERPENDICULAR ON GROUND LINE AND NAME IT N

JOIN N WITH Q. THIS WILL BE **NORMAL TO CYCLOID**.

DRAW A LINE AT RIGHT ANGLE TO THIS LINE FROM **Q**.

IT WILL BE TANGENT TO CYCLOID.


CYCLOID Method of Drawing Tangent & Normal





Spiral. Method of Drawing Tangent & Normal

SPIRAL (ONE CONVOLUTION.)



$$\begin{aligned}\text{Constant of the Curve} &= \frac{\text{Difference in length of any radius vectors}}{\text{Angle between the corresponding radius vector in radian.}} \\ &= \frac{OP - OP_2}{\pi/2} = \frac{OP - OP_2}{1.57} \\ &= 3.185 \text{ m.m.}\end{aligned}$$

STEPS:

- *DRAW SPIRAL AS USUAL.
DRAW A SMALL CIRCLE OF RADIUS EQUAL TO THE CONSTANT OF CURVE CALCULATED ABOVE.
- * LOCATE POINT **Q** AS DISCRIBED IN PROBLEM AND THROUGH IT DRAW A TANGENT TO THIS SMALLER CIRCLE. THIS IS A **NORMAL** TO THE SPIRAL.
- *DRAW A LINE AT RIGHT ANGLE
- *TO THIS LINE FROM **Q**.
IT WILL BE TANGENT TO CYCLOID.


PROBLEM 1.: Point F is 50 mm from a vertical straight line AB.

Draw locus of point P, moving in a plane such that it always remains equidistant from point F and line AB.

SOLUTION STEPS:

1. Locate center of line, perpendicular to AB from point F. This will be initial point P.
2. Mark 5 mm distance to its right side, name those points 1,2,3,4 and from those draw lines parallel to AB.
3. Mark 5 mm distance to its left of P and name it 1.
4. Take F-1 distance as radius and F as center draw an arc cutting first parallel line to AB. Name upper point P_1 and lower point P_2 .
5. Similarly repeat this process by taking again 5mm to right and left and locate P_3P_4 .
6. Join all these points in smooth curve.

It will be the locus of P equidistance from line AB and fixed point F.




Problem 5:-Two points A and B are 100 mm apart.
There is a point P, moving in a plane such that the difference of it's distances from A and B always remains constant and equals to 40 mm.
Draw locus of point P.

Solution Steps:

1. Locate A & B points 100 mm apart.
2. Locate point P on AB line,
70 mm from A and 30 mm from B
As $PA - PB = 40$ ($AB = 100$ mm)
3. On both sides of P mark points 5 mm apart. Name those 1,2,3,4 as usual.
4. Now similar to steps of Problem 2,
Draw different arcs taking A & B centers
and A-1, B-1, A-2, B-2 etc as radius.
5. Mark various positions of p i.e. and join
them in smooth possible curve.

It will be locus of P




Problem No.7:

A Link **OA**, 80 mm long oscillates around **O**, 60° to right side and returns to it's initial vertical Position with uniform velocity. Mean while point **P** initially on **O** starts sliding downwards and reaches end **A** with uniform velocity. Draw locus of point **P**

Solution Steps:

Point P- Reaches End A (Downwards)

- 1) Divide OA in EIGHT equal parts and from O to A after O name 1, 2, 3, 4 up to 8. (i.e. up to point A).
- 2) Divide 60° angle into four parts (15° each) and mark each point by A_1, A_2, A_3, A_4 and for return A_5, A_6, A_7 and A_8 . (Initial A point).
- 3) Take center O, distance in compass O-1 draw an arc upto OA_1 . Name this point as P_1 .
- 1) Similarly O center O-2 distance mark P_2 on line O- A_2 .
- 2) This way locate P_3, P_4, P_5, P_6, P_7 and P_8 and join them. (It will be thw desired locus of P)



Problem No 8:

A Link **OA**, 80 mm long oscillates around **O**, 60° to right side, 120° to left and returns to it's initial vertical Position with uniform velocity. Mean while point **P** initially on **O** starts sliding downwards, reaches end **A** and returns to **O** again with uniform velocity. Draw locus of point **P**

Solution Steps:

(P reaches A i.e. moving downwards.

& returns to O again i.e. moves upwards)


1. Here distance traveled by point P is PA. plus AP. Hence divide it into eight equal parts. (so total linear displacement gets divided in 16 parts) Name those as shown.

2. Link OA goes 60° to right, comes back to original (Vertical) position, goes 60° to left and returns to original vertical position. Hence total angular displacement is 240° .

Divide this also in 16 parts. (15° each.)

Name as per previous problem. (A, A_1 A_2 etc)

3. Mark different positions of P as per the procedure adopted in previous case. and complete the problem.




Problem 9:

Rod AB, 100 mm long, revolves in clockwise direction for one revolution.

Meanwhile point P, initially on A starts moving towards B and reaches B.

Draw locus of point P.

- 1) AB Rod revolves around center O for one revolution and point P slides along AB rod and reaches end B in one revolution.
- 2) Divide circle in 8 number of equal parts and name in arrow direction after A-A1, A2, A3, up to A8.
- 3) Distance traveled by point P is AB mm. Divide this also into 8 number of equal parts.
- 4) Initially P is on end A. When A moves to A1, point P goes one linear division (part) away from A1. Mark it from A1 and name the point P1.
- 5) When A moves to A2, P will be two parts away from A2 (Name it P2). Mark it as above from A2.
- 6) From A3 mark P3 three parts away from P3.
- 7) Similarly locate P4, P5, P6, P7 and P8 which will be eight parts away from A8. [Means P has reached B].
- 8) Join all P points by smooth curve. It will be locus of P



Problem 10 :

Rod AB, 100 mm long, revolves in clockwise direction for one revolution.

Meanwhile point P, initially on A starts moving towards B, reaches B


And returns to A in one revolution of rod.

Draw locus of point P.

Solution Steps

- 1) AB Rod revolves around center O for one revolution and point P slides along rod AB reaches end B and returns to A.
- 2) Divide circle in 8 number of equal parts and name in arrow direction after A-A1, A2, A3, up to A8.
- 3) Distance traveled by point P is AB plus AB mm. Divide AB in 4 parts so those will be 8 equal parts on return.
- 4) Initially P is on end A. When A moves to A1, point P goes one linear division (part) away from A1. Mark it from A1 and name the point P1.
- 5) When A moves to A2, P will be two parts away from A2 (Name it P2). Mark it as above from A2.
- 6) From A3 mark P3 three parts away from A3.
- 7) Similarly locate P4, P5, P6, P7 and P8 which will be eight parts away from A8. [Means P has reached B].
- 8) Join all P points by smooth curve. It will be locus of P

The Locus will follow the loop path two times in one revolution.



UNIT-2

ORTHOGRAPHIC PROJECTIONS

{ MACHINE ELEMENTS }

**OBJECT IS OBSERVED IN THREE DIRECTIONS.
THE DIRECTIONS SHOULD BE NORMAL
TO THE RESPECTIVE PLANES.**

**AND NOW PROJECT THREE DIFFERENT VIEWS ON THOSE PLANES.
THESE VIEWS ARE FRONT VIEW , TOP VIEW AND SIDE VIEW.**

**FRONT VIEW IS A VIEW PROJECTED ON VERTICAL PLANE (VP)
TOP VIEW IS A VIEW PROJECTED ON HORIZONTAL PLANE (HP)
SIDE VIEW IS A VIEW PROJECTED ON PROFILE PLANE (PP)**



**FIRST STUDY THE CONCEPT OF 1ST AND 3RD ANGLE
PROJECTION METHODS**

**AND THEN STUDY NEXT 26 ILLUSTRATED CASES CAREFULLY.
TRY TO RECOGNIZE SURFACES
PERPENDICULAR TO THE ARROW DIRECTIONS**

FIRST ANGLE PROJECTION

IN THIS METHOD,
THE OBJECT IS ASSUMED TO BE
SITUATED IN FIRST QUADRANT
MEANS
ABOVE HP & INFRONT OF VP.

OBJECT IS IN BETWEEN
OBSERVER & PLANE.




ACTUAL PATTERN OF
PLANES & VIEWS
IN
FIRST ANGLE METHOD
OF PROJECTIONS


THIRD ANGLE PROJECTION


IN THIS METHOD,
THE OBJECT IS ASSUMED TO BE
SITUATED IN THIRD QUADRANT
(BELOW HP & BEHIND OF VP.)

PLANES BEING TRANSPERENT
AND INBETWEEN
OBSERVER & OBJECT.




ACTUAL PATTERN OF
PLANES & VIEWS
OF
THIRD ANGLE PROJECTIONS






ORTHOGRAPHIC PROJECTIONS




PICTORIAL PRESENTATION IS GIVEN

**DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD**




PICTORIAL PRESENTATION IS GIVEN

**DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD**



PICTORIAL PRESENTATION IS GIVEN

**DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD**



PICTORIAL PRESENTATION IS GIVEN

**DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD**

FOR T.V.





F.V.

S.V.

FOR S.V.

FOR F.V.






T.V.

ORTHOGRAPHIC PROJECTIONS



FRONT VIEW


L.H.SIDE VIEW



TOP VIEW

PICTORIAL PRESENTATION IS GIVEN

**DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD**



PICTORIAL PRESENTATION IS GIVEN

**DRAW THREE VIEWS OF THIS OBJECT
BY FIRST ANGLE PROJECTION METHOD**

ORTHOGRAPHIC PROJECTIONS

OF POINTS, LINES, PLANES, AND SOLIDS.

TO DRAW PROJECTIONS OF ANY OBJECT,
ONE MUST HAVE FOLLOWING INFORMATION

A) OBJECT

{ WITH IT'S DESCRIPTION, WELL DEFINED. }

B) OBSERVER

{ ALWAYS OBSERVING PERPENDICULAR TO RESP. REF.PLANE }.

C) LOCATION OF OBJECT,

{ MEANS IT'S POSITION WITH REFERENCE TO H.P. & V.P. }

TERMS 'ABOVE' & 'BELOW' WITH RESPECTIVE TO H.P.
AND TERMS 'INFRONT' & 'BEHIND' WITH RESPECTIVE TO V.P
FORM 4 QUADRANTS.

OBJECTS CAN BE PLACED IN ANY ONE OF THESE 4 QUADRANTS.

IT IS INTERESTING TO LEARN THE EFFECT ON THE POSITIONS OF VIEWS (FV, TV)
OF THE OBJECT WITH RESP. TO X-Y LINE, WHEN PLACED IN DIFFERENT QUADRANT



STUDY ILLUSTRATIONS GIVEN ON NEXT PAGES AND NOTE THE RESULTS. TO MAKE IT EASY
HERE A POINT **A** IS TAKEN AS AN OBJECT. BECAUSE IT'S ALL VIEWS ARE JUST POINTS.

NOTATIONS

FOLLOWING NOTATIONS SHOULD BE FOLLOWED WHILE NAMEING DIFFERENT VIEWS IN ORTHOGRAPHIC PROJECTIONS.

OBJECT	POINT A	LINE AB
IT'S TOP VIEW	a	a b
IT'S FRONT VIEW	a'	a' b'
IT'S SIDE VIEW	a''	a'' b''

*SAME SYSTEM OF NOTATIONS SHOULD BE FOLLOWED
INCASE NUMBERS, LIKE 1, 2, 3 – ARE USED.*




THIS QUADRANT PATTERN,
IF OBSERVED ALONG X-Y LINE (IN RED ARROW DIRECTION)
WILL EXACTLY APPEAR AS SHOWN ON RIGHT SIDE AND HENCE,
IT IS FURTHER USED TO UNDERSTAND ILLUSTRATION PROPERLLY.

Point A is Placed In different quadrants and it's Fv & Tv are brought in same plane for Observer to see clearly.


Fv is visible as it is a view on VP. But as Tv is a view on Hp, it is rotated downward 90° , In clockwise direction. The In front part of Hp comes below xy line and the part behind Vp comes above.

Observe and note the process.


POINT A IN 2ND QUADRANT




POINT A IN 1ST QUADRANT



POINT A IN 3RD QUADRANT




POINT A IN 4TH QUADRANT




PROJECTIONS OF A POINT IN FIRST QUADRANT.

POINT **A** ABOVE HP
& IN FRONT OF VP




PICTORIAL
PRESENTATION

POINT **A** ABOVE HP
& IN VP




PICTORIAL
PRESENTATION

POINT **A** IN HP
& IN FRONT OF VP




ORTHOGRAPHIC PRESENTATIONS
OF ALL ABOVE CASES.


*Fv above xy,
Tv below xy.*



*Fv above xy,
Tv on xy.*



*Fv on xy,
Tv below xy.*



PROJECTIONS OF STRAIGHT LINES.

INFORMATION REGARDING A LINE *means*
IT'S LENGTH,
POSITION OF IT'S ENDS WITH HP & VP
IT'S INCLINATIONS WITH HP & VP WILL BE GIVEN.
AIM:- TO DRAW IT'S PROJECTIONS - MEANS FV & TV.


SIMPLE CASES OF THE LINE

1. A VERTICAL LINE (LINE PERPENDICULAR TO HP & // TO VP)
2. LINE PARALLEL TO BOTH HP & VP.
3. LINE INCLINED TO HP & PARALLEL TO VP.
4. LINE INCLINED TO VP & PARALLEL TO HP.
5. LINE INCLINED TO BOTH HP & VP.

**STUDY ILLUSTRATIONS GIVEN ON NEXT PAGE
SHOWING CLEARLY THE NATURE OF FV & TV
OF LINES LISTED ABOVE AND NOTE RESULTS.**


(Pictorial Presentation)

1.
A Line
perpendicular
to Hp
&
// to Vp




Note:
Fv is a vertical line
Showing True Length
&
Tv is a point.

Orthographic Pattern




(Pictorial Presentation)

2.
A Line
// to Hp
&
// to Vp



Note:
Fv & Tv both are
// to xy
&
both show T. L.


Orthographic Pattern




3.

A Line inclined to Hp
and
parallel to Vp

(Pictorial presentation)



Fv inclined to xy
Tv parallel to xy.




Orthographic Projections


4.


A Line inclined to Vp
and
parallel to Hp

(Pictorial presentation)




Tv inclined to xy
Fv parallel to xy.






5. A Line inclined to both
Hp and Vp
(Pictorial presentation)

On removal of object
i.e. Line AB
Fv as a image on Vp.
Tv as a image on Hp,




Orthographic Projections
Fv is seen on Vp clearly.
*To see Tv clearly, Hp is
rotated 90° downwards,*
Hence it comes below xy.




Note These Facts:-
Both Fv & Tv are inclined to xy.
(No view is parallel to xy)
Both Fv & Tv are reduced lengths.
(No view shows True Length)

Orthographic Projections
Means Fv & Tv of Line AB
are shown below,
with their apparent Inclinations
 α & β




Here TV (ab) is not // to XY line
Hence it's corresponding FV
 $a' b'$ is **not** showing
True Length &
True Inclination with Hp.

Note the procedure
When Fv & Tv known,
How to find True Length.
(Views are rotated to determine
True Length & it's inclinations
with Hp & Vp).




In this sketch, TV is rotated
and made // to XY line.
Hence it's corresponding
FV $a' b_1'$ is showing
True Length
&
True Inclination with Hp.

Note the procedure
When True Length is known,
How to locate Fv & Tv.
(Component **a-1** of TL
which is further rotated
to determine **Fv**)



Here **a-1** is component
of TL $a b_1$ gives length of **Fv**.
Hence it is brought Up to
Locus of a' and further rotated
to get point **b'**. $a' b'$ will be Fv.
Similarly drawing component
of other TL ($a' b_1'$) Tv can be drawn.

The most important diagram showing graphical relations among all important parameters of this topic.
Study and memorize it as a *CIRCUIT DIAGRAM*
And use in solving various problems.



- 1) True Length (TL) – $a'b_1'$ & ab
- 2) Angle of TL with Hp - \emptyset
- 3) Angle of TL with Vp – \emptyset
- 4) Angle of FV with xy – α
- 5) Angle of TV with xy – β
- 6) LTV (length of FV) – Component ($a-1$)
- 7) LFV (length of TV) – Component ($a'-1'$)
- 8) Position of A- Distances of a & a' from xy
- 9) Position of B- Distances of b & b' from xy
- 10) Distance between End Projectors

Important
TEN parameters
to be remembered
with Notations
used here onward

NOTE this

θ & α Construct with a'

\emptyset & β Construct with a

b' & b_1' on same locus.

b & b_1 on same locus.

Also Remember

True Length is never rotated. It's horizontal component is drawn & it is further rotated to locate view.

Views are always rotated, made horizontal & further extended to locate TL, θ & \emptyset

GROUP (A)

GENERAL CASES OF THE LINE INCLINED TO BOTH HP & VP
(based on 10 parameters).

PROBLEM 1)


Line AB is 75 mm long and it is 30° & 40° Inclined to Hp & Vp respectively.

End A is 12mm above Hp and 10 mm in front of Vp.

Draw projections. Line is in 1st quadrant.

SOLUTION STEPS:

- 1) Draw xy line and one projector.
- 2) Locate a' 12mm above xy line & a 10mm below xy line.
- 3) Take 30° angle from a' & 40° from a and mark TL i.e. 75mm on both lines. Name those points b'_1 and b_1 respectively.
- 4) Join both points with a' and a resp.
- 5) Draw horizontal lines (Locus) from both points.
- 6) Draw horizontal component of TL a b_1 from point b_1 and name it 1.
(the length a-1 gives length of Fv as we have seen already.)
- 7) Extend it up to locus of a' and rotating a' as center locate b' as shown. Join $a' b'$ as Fv.
- 8) From b' drop a projector down ward & get point b. Join a & b i.e. Tv.




PROBLEM 2:

Line AB 75mm long makes 45° inclination with Vp while it's Fv makes 55° . End A is 10 mm above Hp and 15 mm in front of Vp. If line is in 1st quadrant draw it's projections and find it's inclination with Hp.

Solution Steps:-

1. Draw x-y line.
2. Draw one projector for a' & a
3. Locate a' 10mm above x-y & T_v a 15 mm below xy.
4. Draw a line 45° inclined to xy from point a and cut TL 75 mm on it and name that point b_1 . Draw locus from point b_1
5. Take 55° angle from a' for Fv above xy line.
6. Draw a vertical line from b_1 up to locus of a and name it 1. It is horizontal component of TL & is LFV.
7. Continue it to locus of a' and rotate upward up to the line of Fv and name it b' . This $a'b'$ line is Fv.
8. Drop a projector from b' on locus from point b_1 and name intersecting point b . Line ab is T_v of line AB.
9. Draw locus from b' and from a' with TL distance cut point b_1'
10. Join $a'b_1'$ as TL and measure it's angle at a' . It will be true angle of line with HP.




PROBLEM 3:

Fv of line AB is 50° inclined to xy and measures 55 mm long while it's Tv is 60° inclined to xy line. If end A is 10 mm above Hp and 15 mm in front of Vp, draw it's projections, find TL, inclinations of line with Hp & Vp.

SOLUTION STEPS:

1. Draw xy line and one projector.
2. Locate a' 10 mm above xy and a 15 mm below xy line.
3. Draw locus from these points.
4. Draw Fv 50° to xy from a' and mark b' Cutting 55mm on it.
5. Similarly draw Tv 60° to xy from a & drawing projector from b' Locate point b and join a b.
6. Then rotating views as shown, locate True Lengths ab_1 & $a'b_1'$ and their angles with Hp and Vp.




PROBLEM 4 :-

Line AB is 75 mm long .It's Fv and Tv measure 50 mm & 60 mm long respectively.

End A is 10 mm above Hp and 15 mm in front of Vp. Draw projections of line AB if end B is in first quadrant. Find angle with Hp and Vp.

SOLUTION STEPS:

1. Draw xy line and one projector.
2. Locate a' 10 mm above xy and a 15 mm below xy line.
3. Draw locus from these points.
4. Cut 60mm distance on locus of a' & mark $1'$ on it as it is LTV.
5. Similarly cut 50mm on locus of a and mark point 1 as it is LFV.
6. From $1'$ draw a vertical line upward and from a' taking TL (75mm) in compass, mark b'_1 point on it. Join $a' b'_1$ points.
7. Draw locus from b'_1
8. With same steps below get b_1 point and draw also locus from it.
9. Now rotating one of the components i.e. $a-1$ locate b' and join a' with it to get Fv.
10. Locate tv similarly and measure Angles θ & Φ



PROBLEM 5 :-

T.V. of a 75 mm long Line CD, measures 50 mm.


End C is in Hp and 50 mm in front of Vp.

End D is 15 mm in front of Vp and it is above Hp.

Draw projections of CD and find angles with Hp and Vp.

SOLUTION STEPS:

1. Draw xy line and one projector.
2. Locate c' on xy and c 50mm below xy line.
3. Draw locus from these points.
4. Draw locus of d 15 mm below xy
5. Cut 50mm & 75 mm distances on locus of d from c and mark points d & d_1 as these are Tv and line CD lengths resp. & join both with c .
6. From d_1 draw a vertical line upward up to xy i.e. up to locus of c' and draw an arc as shown.
7. Then draw one projector from d to meet this arc in d' point & join c' d'
8. Draw locus of d' and cut 75 mm on it from c' as TL
9. Measure Angles θ & Φ



GROUP (B)
PROBLEMS INVOLVING TRACES OF THE LINE.

TRACES OF THE LINE:-

THESE ARE THE POINTS OF INTERSECTIONS OF A LINE (OR IT'S EXTENSION) WITH RESPECTIVE REFERENCE PLANES.

A LINE ITSELF OR IT'S EXTENSION, WHERE EVER TOUCHES H.P., THAT POINT IS CALLED TRACE OF THE LINE ON H.P.(IT IS CALLED H.T.)

SIMILARLY, A LINE ITSELF OR IT'S EXTENSION, WHERE EVER TOUCHES V.P., THAT POINT IS CALLED TRACE OF THE LINE ON V.P.(IT IS CALLED V.T.)

V.T.:- It is a point on Vp.
Hence it is called F_v of a point in Vp.
Hence it's T_v comes on XY line.(Here onward named as V)

H.T.:- It is a point on Hp.
Hence it is called T_v of a point in Hp.
Hence it's F_v comes on XY line.(Here onward named as 'h')

STEPS TO LOCATE HT.


(WHEN PROJECTIONS ARE GIVEN.)

1. Begin with FV. Extend FV up to XY line.
2. Name this point h'
(as it is a Fv of a point in Hp)
3. Draw one projector from h' .
4. Now extend Tv to meet this projector.
This point is HT

STEPS TO LOCATE VT.

(WHEN PROJECTIONS ARE GIVEN.)

1. Begin with TV. Extend TV up to XY line.
2. Name this point v
(as it is a Tv of a point in Vp)
3. Draw one projector from v .
4. Now extend Fv to meet this projector.
This point is VT



Observe & note :-


1. Points h' & v always on x-y line.
2. VT' & v always on one projector.
3. HT & h' always on one projector.
4. $FV - h' - VT'$ always co-linear.
5. $TV - v - HT$ always co-linear.

These points are used to solve next three problems.

PROBLEM 6 :- Fv of line AB makes 45° angle with XY line and measures 60 mm. Line's Tv makes 30° with XY line. End A is 15 mm above Hp and it's VT is 10 mm below Hp. Draw projections of line AB, determine inclinations with Hp & Vp and locate HT, VT.

SOLUTION STEPS:-

Draw xy line, one projector and locate fv a' 15 mm above xy.
 Take 45° angle from a' and marking 60 mm on it locate point b' .
 Draw locus of VT, 10 mm below xy & extending Fv to this locus locate VT.
 as $fv-h'-vt'$ lie on one st.line.
 Draw projector from vt, locate v on xy.
 From v take 30° angle downward as Tv and it's inclination can begin with v.
 Draw projector from b' and locate b i.e. Tv point.
 Now rotating views as usual TL and it's inclinations can be found.
 Name extension of Fv, touching xy as h' and below it, on extension of Tv, locate HT.




PROBLEM 7 :

One end of line AB is 10mm above Hp and other end is 100 mm in-front of Vp.

It's Fv is 45° inclined to xy while it's HT & VT are 45mm and 30 mm below xy respectively.

Draw projections and find TL with it's inclinations with Hp & VP.



SOLUTION STEPS:-

Draw xy line, one projector and locate a' 10 mm above xy.

Draw locus 100 mm below xy for points b & b₁

Draw loci for VT and HT, 30 mm & 45 mm below xy respectively.

Take 45° angle from a' and extend that line backward to locate h' and VT, & Locate v on xy above VT.

Locate HT below h' as shown.

Then join $v - HT$ – and extend to get top view end b.

Draw projector upward and locate b' Make a b & $a'b'$ dark.


Now as usual rotating views find TL and it's inclinations.

PROBLEM 8 :- Projectors drawn from HT and VT of a line AB are 80 mm apart and those drawn from it's ends are 50 mm apart. End A is 10 mm above Hp, VT is 35 mm below Hp while it's HT is 45 mm in front of Vp. Draw projections, locate traces and find TL of line & inclinations with Hp and Vp.


SOLUTION STEPS:-

1. Draw xy line and two projectors, 80 mm apart and locate HT & VT, 35 mm below xy and 55 mm above xy respectively on these projectors.
2. Locate h' and v on xy as usual.

3. Now just like previous two problems, Extending certain lines complete Fv & Tv And as usual find TL and it's inclinations.



Instead of considering a & a' as projections of first point,
if v & VT' are considered as first point, then true inclinations of line with
Hp & Vp i.e. angles θ & Φ can be constructed with points VT' & V respectively.



Then from point v & HT
angles β & Φ can be drawn.
&

From point VT' & h'
angles α & θ can be drawn.

THIS CONCEPT IS USED TO SOLVE
NEXT *THREE* PROBLEMS.

Line AB 100 mm long is 30° and 45° inclined to Hp & Vp respectively.
End A is 10 mm above Hp and its VT is 20 mm below Hp
.Draw projections of the line and its HT.

Draw xy, one projector and locate on it VT and V.

Take 30° from VT and draw a line. Where it intersects with locus of a' name it a_1' as it is TL of that part.

Now from v take 45° and draw a line downwards

& Mark on it distance VT- a_1 i.e. TL of extension & name it a_1


Extend this line by 100 mm and mark point b_1 .

Draw it's component on locus of VT'


& further rotate to get other end of Fv i.e. b'

Join it with VT' and mark intersection point (with locus of a_1') and name it a'

Now as usual locate points a and b and h' and HT.




A line AB is 75 mm long. It's Fv & Tv make 45° and 60° inclinations with X-Y line resp
End A is 15 mm above Hp and VT is 20 mm below Xy line. Line is in first quadrant.
Draw projections, find inclinations with Hp & Vp. Also locate HT. b'



Similar to the previous only change is instead of line's inclinations, views inclinations are given. So first take those angles from VT & v. Properly, construct Fv & Tv of extension, then determine its TL (V-a₁) and on its extension mark TL of line and proceed and complete it.

PROBLEM 11 :- The projectors drawn from VT & end A of line AB are 40mm apart.
 End A is 15mm above Hp and 25 mm in front of Vp. VT of line is 20 mm below Hp.
 If line is 75mm long, draw it's projections, find inclinations with HP & Vp




Draw two projectors for VT & end A
 Locate these points and then

YES !

YOU CAN COMPLETE IT.


GROUP (C)

CASES OF THE LINES IN A.V.P., A.I.P. & PROFILE PLANE.



Line AB is in AIP as shown in above figure no 1.
It's FV (a' b') is shown projected on Vp. (Looking in arrow direction)



Here one can clearly see that the
Inclination of AIP with HP = Inclination of FV with XY line



Line AB is in AVP as shown in above figure no 2..
It's TV (a b) is shown projected on Hp. (Looking in arrow direction)

Here one can clearly see that the
Inclination of AVP with VP = Inclination of TV with XY line

LINE IN A PROFILE PLANE (MEANS IN A PLANE PERPENDICULAR TO BOTH HP & VP)




Results:-

1. TV & FV both are vertical, hence arrive on one single projector.
2. It's Side View shows True Length (TL)
3. Sum of it's inclinations with HP & VP equals to 90° ($\theta + \phi = 90^\circ$)
4. It's HT & VT arrive on same projector and can be easily located From Side View.

OBSERVE CAREFULLY ABOVE GIVEN ILLUSTRATION AND 2nd SOLVED PROBLEM.

Draw projections, find angle with Vp and Ht.



Simply consider inclination of AVP
as inclination of TV of our line,
well then?

*You sure can complete it
as previous problems!
Go ahead!!*

PROBLEM 13 :- A line AB, 75mm long, has one end A in Vp. Other end B is 15 mm above Hp and 50 mm in front of Vp. Draw the projections of the line when sum of it's Inclinations with HP & Vp is 90° , means it is lying in a profile plane. Find true angles with ref.planes and it's traces.

SOLUTION STEPS:-

After drawing xy line and one projector
Locate top view of A i.e point a on xy as
It is in Vp,


Locate Fv of B i.e. b' 15 mm above xy as
it is above Hp. and Tv of B i.e. b, 50 mm
below xy as it is 50 mm in front of Vp

Draw side view structure of Vp and Hp
and locate S.V. of point B i.e. b''

From this point cut 75 mm distance on Vp and
Mark a'' as A is in Vp. (This is also VT of line.)

From this point draw locus to left & get a'
Extend SV up to Hp. It will be HT. As it is a Tv
Rotate it and bring it on projector of b.

Now as discussed earlier SV gives TL of line
and at the same time on extension up to Hp & Vp
gives inclinations with those panes.



APPLICATIONS OF PRINCIPLES OF PROJECTIONS OF LINES IN SOLVING CASES OF DIFFERENT PRACTICAL SITUATIONS.

In these types of problems some situation in the field
or

some object will be described .

It's relation with Ground (HP)

And

a Wall or some vertical object (VP) will be given.

Indirectly information regarding Fv & Tv of some line or lines,
inclined to both reference Planes will be given

and

you are supposed to draw it's projections

and

further to determine it's true Length and it's inclinations with ground.


Here various problems along with
actual pictures of those situations are given
for you to understand those clearly.

Now looking for views in given **ARROW** directions,
YOU are supposed to draw projections & find answers,
Off course you must visualize the situation properly.


**CHECK YOUR ANSWERS
WITH THE SOLUTIONS
GIVEN IN THE END.**

ALL THE BEST !!


PROBLEM 14:-Two objects, a flower (A) and an orange (B) are within a rectangular compound wall, whose P & Q are walls meeting at 90° . Flower A is 1M & 5.5 M from walls P & Q respectively. Orange B is 4M & 1.5M from walls P & Q respectively. Drawing projection, find distance between them. If flower is 1.5 M and orange is 3.5 M above the ground. Consider suitable scale..




PROBLEM 15 :- Two mangos on a tree A & B are 1.5 m and 3.00 m above ground and those are 1.2 m & 1.5 m from a 0.3 m thick wall but on opposite sides of it. If the distance measured between them along the ground and parallel to wall is 2.6 m, Then find real distance between them by drawing their projections.




PROBLEM 16 :- oa, ob & oc are three lines, 25mm, 45mm and 65mm long respectively. All equally inclined and the shortest is vertical. This fig. is TV of three rods OA, OB and OC whose ends A, B & C are on ground and end O is 100mm above ground. Draw their projections and find length of each along with their angles with ground.




PROBLEM 17:- A pipe line from point A has a downward gradient 1:5 and it runs due East-South. Another Point B is 12 M from A and due East of A and in same level of A. Pipe line from B runs 20° Due East of South and meets pipe line from A at point C. Draw projections and find length of pipe line from B and its inclination with ground.




PROBLEM 18: A person observes two objects, A & B, on the ground, from a tower, 15 M high, At the angles of depression 30° & 45° . Object A is in due North-West direction of observer and object B is due West direction. Draw projections of situation and find distance of objects from observer and from tower also.




PROBLEM 19:- Guy ropes of two poles fixed at 4.5m and 7.5 m above ground, are attached to a corner of a building 15 M high, make 30° and 45° inclinations with ground respectively. The poles are 10 M apart. Determine by drawing their projections, Length of each rope and distance of poles from building.



PROBLEM 20:- A tank of 4 M height is to be strengthened by four stay rods from each corner by fixing their other ends to the flooring, at a point 1.2 M and 0.7 M from two adjacent walls respectively, as shown. Determine graphically length and angle of each rod with flooring.



PROBLEM 21:- A horizontal wooden platform 2 M long and 1.5 M wide is supported by four chains from its corners and chains are attached to a hook 5 M above the center of the platform. Draw projections of the objects and determine length of each chain along with its inclination with ground.




PROBLEM 22.

A room is of size 6.5m L ,5m D,3.5m high.

An electric bulb hangs 1m below the center of ceiling.


A switch is placed in one of the corners of the room, 1.5m above the flooring.

Draw the projections and determine real distance between the bulb and switch.



PROBLEM 23:-

A PICTURE FRAME 2 M WIDE AND 1 M TALL IS RESTING ON HORIZONTAL WALL RAILING MAKES 35° INCLINATION WITH WALL. IT IS ATTACHED TO A HOOK IN THE WALL BY TWO STRINGS. THE HOOK IS 1.5 M ABOVE WALL RAILING. DETERMINE LENGTH OF EACH CHAIN AND TRUE ANGLE BETWEEN THEM




SOME CASES OF THE LINE
IN DIFFERENT QUADRANTS.

REMEMBER:

BELOW HP- Means- Fv below xy
BEHIND V p- Means- Tv above xy.

PROBLEM NO.24

T.V. of a 75 mm long Line CD, measures 50 mm.
End C is 15 mm below Hp and 50 mm in front of Vp.
End D is 15 mm in front of Vp and it is above Hp.
Draw projections of CD and find angles with Hp and




PROBLEM NO.25

End A of line AB is in Hp and 25 mm behind Vp.

End B in Vp. and 50mm above Hp.

Distance between projectors is 70mm.

Draw projections and find its inclinations with Ht, Vt.




PROBLEM NO.26

End A of a line AB is 25mm below Hp and 35mm behind Vp.

Line is 30° inclined to Hp.

There is a point P on AB contained by both HP & VP.

Draw projections, find inclination with Vp and traces.



PROBLEM NO.27


End A of a line AB is 25mm above Hp and end B is 55mm behind Vp.

The distance between end projectors is 75mm.

If both it's HT & VT coincide on xy in a point,

35mm from projector of A and within two projectors,

Draw projections, find TL and angles and HT, VT.



UNIT-3

PROJECTIONS OF PLANES

In this topic various plane figures are the objects.

What is usually asked in the problem?

To draw their projections means F.V, T.V. & S.V.

What will be given in the problem?

1. Description of the plane figure.
1. It's position with HP and VP.


In which manner it's position with HP & VP will be described?

1. Inclination of it's **SURFACE** with one of the reference planes will be given.
2. Inclination of one of it's **EDGES** with other reference plane will be given
(Hence this will be a case of an object inclined to both reference Planes.)


Study the illustration showing
surface & side inclination given on next page.

CASE OF A RECTANGLE – OBSERVE AND NOTE ALL STEPS

SURFACE PARALLEL TO HP
PICTORIAL PRESENTATION




ORTHOGRAPHIC
TV-True Shape
FV- Line // to xy




A

SURFACE INCLINED TO HP
PICTORIAL PRESENTATION




ORTHOGRAPHIC
FV- Inclined to XY
TV- Reduced Shape




B

ONE SMALL SIDE INCLINED TO VP
PICTORIAL PRESENTATION



ORTHOGRAPHIC
FV- Apparent Shape
TV-Previous Shape



C

PROCEDURE OF SOLVING THE PROBLEM:

IN THREE STEPS EACH PROBLEM CAN BE SOLVED: (As Shown In Previous Illustration)

STEP 1. Assume suitable conditions & draw Fv & Tv of initial position.

STEP 2. Now consider surface inclination & draw 2nd Fv & Tv.

STEP 3. After this, consider side/edge inclination and draw 3rd (final) Fv & Tv.

ASSUMPTIONS FOR INITIAL POSITION:

(Initial Position means assuming surface // to HP or VP)

1. If in problem surface is inclined to HP – assume it // HP

Or If surface is inclined to VP – assume it // to VP

2. Now if surface is assumed // to HP- It's TV will show True Shape.

And If surface is assumed // to VP – It's FV will show True Shape.

3. Hence begin with drawing TV or FV as True Shape.

4. While drawing this True Shape –

keep one side/edge (which is making inclination) perpendicular to xy line
(similar to pair no. A on previous page illustration).

Now Complete STEP 2. By making surface inclined to the resp plane & project it's other view

(Ref. 2nd pair B on previous page illustration)

Now Complete STEP 3. By making side inclined to the resp plane & project it's other view.

(Ref. 3rd pair C on previous page illustration)

APPLY SAME STEPS TO SOLVE NEXT ELEVEN PROBLEMS


Problem 1:

Rectangle 30mm and 50mm sides is resting on HP on one small side which is 30° inclined to VP, while the surface of the plane makes 45° inclination with HP. Draw its projections.

Read problem and answer following questions

1. Surface inclined to which plane? ----- HP
2. Assumption for initial position? -----// to HP
3. So which view will show True shape? --- TV
4. Which side will be vertical? --- One small side.

Hence begin with TV, draw rectangle below X-Y drawing one small side vertical.



Problem 2:


A $30^\circ - 60^\circ$ set square of longest side

100 mm long, is in VP and 30° inclined

to HP while it's surface is 45° inclined

to VP. Draw its projections

(Surface & Side inclinations directly given)



Surface // to Vp

Surface inclined to Vp

Read problem and answer following questions

1. Surface inclined to which plane? ----- VP

2. Assumption for initial position? -----// to VP

~~3. So which view will show true shape.~~

FV keeping longest side vertical.

4. Which side will be vertical? -----longest side.

side inclined to Hp

Problem 3:

A $30^\circ - 60^\circ$ set square of longest side 100 mm long is in VP and its surface 45° inclined to VP. One end of longest side is 10 mm and other end is 35 mm above HP. Draw its projections

(Surface inclination directly given.
Side inclination indirectly given)

Read problem and answer following questions

1. Surface inclined to which plane? -----
VP
2. Assumption for initial position? -----
// to VP
3. So which view will show True shape? ---
FV


4. Which side will be vertical? -----
longest side.

First TWO steps are similar to previous problem.

Note the manner in which side inclination is given.

End A 35 mm above Hp & End B is 10 mm above Hp.

Hence begin with FV, draw triangle above X



Problem 4:

A regular pentagon of 30 mm sides is resting on HP on one of its sides with its surface 45° inclined to HP.

Draw its projections when the side in HP makes 30° angle with VP


*SURFACE AND SIDE INCLINATIONS
ARE DIRECTLY GIVEN.*

Read problem and answer following questions

1. Surface inclined to which plane? ----- *HP*
2. Assumption for initial position? ----- *// to HP*
3. So which view will show True shape? --- *TV*
4. Which side will be vertical? ----- *any side.*

Hence begin with TV, draw pentagon below

X-Y line, taking one side vertical.



Problem 5:

A regular pentagon of 30 mm sides is resting on HP on one of its sides while its opposite

vertex (corner) is 30 mm above HP.

Draw projections when side in HP is 30° inclined to VP.


ONLY CHANGE is

the manner in which surface inclination is described:

One side on Hp & its opposite corner 30 mm above Hp.

Hence redraw 1st Fv as a 2nd Fv making above arrangement.

Keep $a'b'$ on xy & d' 30 mm above xy .




Read problem and answer following questions

1. Surface inclined to which plane? ----- HP
2. Assumption for initial position? ----- // to HP
3. So which view will show True shape? --- TV
4. Which side will be vertical? -----any side.

Hence begin with TV, draw pentagon below

X-Y line, taking one side vertical.

Problem 8: A circle of 50 mm diameter is resting on Hp on end A of it's diameter AC which is 30° inclined to Hp while it's Tv is 45° inclined to Vp. Draw it's projections.



The difference in these two problems is in step 3 only. In problem no.8 inclination of Tv of that AC is given, It could be drawn directly as shown in 3rd step. While in no.9 angle of AC itself i.e. it's TL, is given. Hence here angle of TL is taken, locus of c_1 is drawn and then LTV i.e. $a_1 c_1$ is marked and final TV was completed. Study illustration carefully.

Read problem and answer following questions

1. Surface inclined to which plane? -----

HP

2. Assumption for initial position? ----- // to

HP

3. So which view will show True shape? ---

TV

4. Which diameter horizontal? -----


AC

resting on Hp on end A of it's diameter AC

which is 30° inclined to Hp while it makes

45° inclined to Vp. Draw it's projections.

Hence begin with TV, draw rhombus below X-Y line, taking longer diagonal // to X-Y




Note the difference in construction of 3rd step in both solutions.

Problem 10: End A of diameter AB of a circle is in HP
 A nd end B is in VP.Diameter AB, 50 mm long is
 30° & 60° inclined to HP & VP respectively.
 Draw projections of circle.

The problem is similar to previous problem of circle – no.7
 But in the 3rd step there is one more change.
 Like 9th problem True Length inclination of dia.AB is definitely expected
 but if you carefully note - the the SUM of it's inclinations with HP & VP is 90° .
 Means Line AB lies in a Profile Plane.
 Hence it's both Tv & Fv must arrive on one single projector.
 So do the construction accordingly AND note the case carefully..

- Read problem and answer following questions
1. Surface inclined to which plane? -----
HP
 2. Assumption for initial position? ----- // to
HP
 3. So which view will show True shape? ---
TV
 4. Which diameter horizontal? -----
AB

Hence begin with TV,draw *CIRCLE* below
X-Y line taking DIA. AB // to X-Y



SOLVE SEPARATELY
 ON DRAWING SHEET
 GIVING NAMES TO VARIOUS
 POINTS AS USUAL,
 AS THE CASE IS IMPORTANT

A hexagonal lamina has its one side in HP and Its apposite parallel side is 25mm above Hp and In Vp. Draw it's projections.

ONLY CHANGE is the manner in which surface inclination is described:

Hence redraw 1st Fv as a 2nd Fv making above arrangement

Keep a'b' on xy & d'e' 25 mm above xy.

1. Surface inclined to which plane? -----

2. Assumption for initial position? ----- // to


3. So which view will show True shape? ---

4. Which diameter horizontal? -----

AC

Hence begin with TV , draw rhombus below

~~X-Y line, taking longer diagonal // to X-Y~~




As 3rd step
redraw 2nd Tv keeping
side DE on xy line.
Because it is in VP
as said in problem.

FREELY SUSPENDED CASES.

Problem 12:


An isosceles triangle of 40 mm long base side, 60 mm long altitude is freely suspended from one corner of Base side. Its plane is 45° inclined to Vp. Draw its projections.



First draw a given triangle
With given dimensions,
Locate its centroid position
And
join it with point of suspension.

IMPORTANT POINTS

1. In this case the plane of the figure always remains *perpendicular to Hp*.
2. It may remain parallel or inclined to Vp.
3. Hence *TV* in this case will be always a *LINE view*.
4. Assuming surface // to Vp, draw true shape in suspended position as FV.
(Here keep *line joining point of contact & centroid of fig. vertical*)
5. Always begin with FV as a True Shape but in a suspended position.
AS shown in 1st FV.




Similarly solve next problem
of Semi-circle

IMPORTANT POINTS

Problem 13

A semicircle of 100 mm diameter is suspended from a point on its straight edge 30 mm from the midpoint of that edge so that the surface makes an angle of 45° with VP. Draw its projections.

1. In this case the plane of the figure always remains *perpendicular to Hp*.
2. It may remain parallel or inclined to Vp.
3. Hence **TV** in this case will be always a **LINE view**.
4. Assuming surface // to Vp, draw true shape in suspended position as FV.
(Here keep *line joining point of contact & centroid of fig. vertical*)
5. Always begin with FV as a True Shape but in a suspended position.
AS shown in 1st FV.



First draw a given semicircle
With given diameter,
Locate its centroid position
And
join it with point of suspension.

To determine true shape of plane figure when it's projections are given. BY USING AUXILIARY PLANE METHOD

WHAT WILL BE THE PROBLEM?

Description of final Fv & Tv will be given.

You are supposed to determine true shape of that plane figure.

Follow the below given steps:

1. Draw the given Fv & Tv as per the given information in problem.
2. Then among all lines of Fv & Tv select a line showing True Length (T.L.)
(It's other view must be // to xy)
3. Draw x_1-y_1 perpendicular to this line showing T.L.
4. Project view on x_1-y_1 (it must be a line view)
5. Draw x_2-y_2 // to this line view & project new view on it.

It will be the required answer i.e. True Shape.

The facts you must know:-

If you carefully study and observe the solutions of all previous problems,
You will find

IF ONE VIEW IS A LINE VIEW & THAT TOO PARALLEL TO XY LINE,
THEN AND THEN IT'S OTHER VIEW WILL SHOW TRUE SHAPE:

NOW FINAL VIEWS ARE ALWAYS SOME SHAPE, NOT LINE VIEWS:

SO APPLYING ABOVE METHOD:


WE FIRST CONVERT ONE VIEW IN INCLINED LINE VIEW .(By using x_1y_1 aux.plane)
THEN BY MAKING IT // TO x_2-y_2 WE GET TRUE SHAPE.

Study Next
Four Cases

Problem 14 Tv is a triangle abc. Ab is 50 mm long, angle cab is 30° and angle cba is 65° .
 a'b'c' is a Fv. a' is 25 mm, b' is 40 mm and c' is 10 mm above Hp respectively. Draw projections of that figure and find it's true shape.

As per the procedure-

1. First draw Fv & Tv as per the data.
2. In Tv line ab is // to xy hence it's other view a'b' is TL. So draw x_1y_1 perpendicular to it.
3. Project view on x_1y_1 .
 - a) First draw projectors from a'b' & c' on x_1y_1 .
 - b) from x_1y_1 take distances of a, b & c (Tv) mark on these projectors from x_1y_1 . Name points a_1b_1 & c_1 .
 - c) This line view is an Aux.Tv. Draw x_2y_2 // to this line view and project Aux. Fv on it.
 for that from x_1y_1 take distances of a'b' & c' and mark from x_2y_2 on new projectors.
4. Name points a'_1 b'_1 & c'_1 and join them. This will be the required true shape.



ALWAYS FOR NEW FV TAKE
 DISTANCES OF PREVIOUS FV
 AND FOR NEW TV, DISTANCES
 OF PREVIOUS TV
REMEMBER!!

Problem 15: F_v & T_v of a triangular plate are shown.
Determine it's true shape.

USE SAME PROCEDURE STEPS
OF PREVIOUS PROBLEM:


BUT THERE IS ONE DIFFICULTY

NO LINE IS // TO XY IN ANY VIEW.
MEANS NO TL IS AVAILABLE.

IN SUCH CASES DRAW ONE LINE
// TO XY IN ANY VIEW & IT'S OTHER
VIEW CAN BE CONSIDERED AS TL
FOR THE PURPOSE.

HERE $a'1'$ line in Fv is drawn // to xy.
HENCE it's Tv $a-1$ becomes TL.

THEN FOLLOW SAME STEPS AND
DETERMINE TRUE SHAPE.
(STUDY THE ILLUSTRATION)



ALWAYS FOR NEW FV TAKE
DISTANCES OF PREVIOUS FV
AND FOR NEW TV, DISTANCES
OF PREVIOUS TV

REMEMBER!!


PROBLEM 16: Fv & Tv both are circles of 50 mm diameter. Determine true shape of an elliptical plate.

ADOPT SAME PROCEDURE.

a c is considered as line // to xy.
Then a'c' becomes TL for the purpose.
Using steps properly true shape can be Easily determined.

Study the illustration.

ALWAYS, FOR NEW FV
TAKE DISTANCES OF
PREVIOUS FV AND
FOR NEW TV, DISTANCES
OF PREVIOUS TV
REMEMBER!!




Problem 17 : Draw a regular pentagon of 30 mm sides with one side 30° inclined to xy. This figure is Tv of some plane whose Fv is a line 45° inclined to xy. Determine its true shape.

IN THIS CASE ALSO TRUE LENGTH IS NOT AVAILABLE IN ANY VIEW.

BUT ACTUALLY WE DONOT REQUIRE TL TO FIND IT'S TRUE SHAPE, AS ONE VIEW (FV) IS ALREADY A LINE VIEW. SO JUST BY DRAWING $X_1Y_1 \parallel$ TO THIS VIEW WE CAN PROJECT VIEW ON IT AND GET TRUE SHAPE:

STUDY THE ILLUSTRATION..



ALWAYS FOR NEW FV
TAKE DISTANCES OF
PREVIOUS FV AND FOR
NEW TV, DISTANCES OF
PREVIOUS TV

REMEMBER!!

SOLIDS

To understand and remember various solids in this subject properly, those are classified & arranged in to two major groups.


Group A

Solids having top and base of same shape


Group B

Solids having base of some shape and just a point as a top, called apex.



Cylinder



Cone



Prisms






Triangular

Square

Pentagonal

Hexagonal

Pyramids



Triangular


Square

Pentagonal

Hexagonal


Cube

(A solid having
six square faces)



Tetrahedron


(A solid having
Four triangular faces)




SOLIDS

Dimensional parameters of different solids.


Square Prism



Square Pyramid




Cylinder




Cone

*Imaginary lines
generating curved surface
of cylinder & cone.*



Sections of solids(top & base not parallel)




Frustum of cone & pyramids.
(top & base parallel to each other)

STANDING ON H.P

On it's base.

(Axis perpendicular to Hp
And // to Vp.)

F.V.




RESTING ON H.P

On one point of base circle.

(Axis inclined to Hp
And // to Vp)

F.V.




LYING ON H.P

On one generator.

(Axis inclined to Hp
And // to Vp)


F.V.



While observing Fv, x-y line represents Horizontal Plane. (Hp)

X While observing Tv, x-y line represents Vertical Plane. (Vp)

T.V.




STANDING ON V.P

On it's base.

Axis perpendicular to Vp
And // to Hp

T.V.




RESTING ON V.P

On one point of base circle.

Axis inclined to Vp
And // to Hp

T.V.



LYING ON V.P

On one generator.

Axis inclined to Vp
And // to Hp

STEPS TO SOLVE PROBLEMS IN SOLIDS

Problem is solved in three steps:

STEP 1: ASSUME SOLID STANDING ON THE PLANE WITH WHICH IT IS MAKING INCLINATION.

(IF IT IS INCLINED TO HP, ASSUME IT STANDING ON HP)

(IF IT IS INCLINED TO VP, ASSUME IT STANDING ON VP)

IF STANDING ON HP - IT'S TV WILL BE TRUE SHAPE OF IT'S BASE OR TOP:

IF STANDING ON VP - IT'S FV WILL BE TRUE SHAPE OF IT'S BASE OR TOP.

BEGIN WITH THIS VIEW:

IT'S OTHER VIEW WILL BE A RECTANGLE (IF SOLID IS *CYLINDER OR ONE OF THE PRISMS*):

IT'S OTHER VIEW WILL BE A TRIANGLE (IF SOLID IS *CONE OR ONE OF THE PYRAMIDS*):


DRAW FV & TV OF THAT SOLID IN STANDING POSITION:

STEP 2: CONSIDERING SOLID'S INCLINATION (AXIS POSITION) DRAW IT'S FV & TV.

STEP 3: IN LAST STEP, CONSIDERING REMAINING INCLINATION, DRAW IT'S FINAL FV & TV.

GENERAL PATTERN (THREE STEPS) OF SOLUTION:


GROUP B SOLID.
CONE



Three steps

If solid is inclined to Hp


GROUP A SOLID.
CYLINDER



Three steps

If solid is inclined to Hp


GROUP B SOLID.
CONE



Three steps

If solid is inclined to Vp

GROUP A SOLID.
CYLINDER



Three steps

If solid is inclined to Vp

Study Next *Twelve* Problems and Practice them separately !!

CATEGORIES OF ILLUSTRATED PROBLEMS!


PROBLEM NO.1, 2, 3, 4	GENERAL CASES OF SOLIDS INCLINED TO HP & VP
PROBLEM NO. 5 & 6	CASES OF CUBE & TETRAHEDRON
PROBLEM NO. 7	CASE OF FREELY SUSPENDED SOLID WITH SIDE VIEW.
PROBLEM NO. 8	CASE OF CUBE (WITH SIDE VIEW)
PROBLEM NO. 9	CASE OF TRUE LENGTH INCLINATION WITH HP & VP.
PROBLEM NO. 10 & 11	CASES OF COMPOSITE SOLIDS. (AUXILIARY PLANE)
PROBLEM NO. 12	CASE OF A FRUSTUM (AUXILIARY PLANE)

Problem 1. A square pyramid, 4 mm base sides and axis 60 mm long, has a triangular face on the ground and the vertical plan containing the axis makes an angle of 45° with the VP. Draw its projections. Take apex nearer to VP

Solution Steps :

Triangular face on Hp, means it is lying on Hp:

1. Assume it standing on Hp.
2. Its Tv will show True Shape of base (square)
3. Draw square of 40mm sides with one side vertical Tv & taking 50 mm axis project Fv. (a triangle)
4. Name all points as shown in illustration.
5. Draw 2nd Fv in lying position i.e. $o'c'd'$ face on xy. And project its Tv.
6. Make visible lines dark and hidden dotted, as per the procedure.
7. Then construct remaining inclination with Vp
(Vp containing axis is the center line of 2nd Tv. Make it 45° to xy as shown take apex near to xy, as it is nearer to Vp) & project final Fv.



For dark and dotted lines

1. Draw proper outline of new view DARK.
2. Decide direction of an observer.
3. Select nearest point to observer and draw all lines starting from it-dark.
4. Select farthest point to observer and draw all lines (remaining) from it- dotted.

Problem 2:

A cone 40 mm diameter and 50 mm axis is resting on one generator on Hp which makes 30° inclination with Vp. Draw its projections.


For dark and dotted lines

1. Draw proper outline of new view **DARK**.
2. Decide direction of an observer.
3. Select nearest point to observer and draw all lines starting from it-dark.
4. Select farthest point to observer and draw all lines (remaining) from it- dotted.

Solution Steps:

Resting on Hp on one generator, means lying on Hp:

1. Assume it standing on Hp.
2. Its Tv will show True Shape of base (circle)
3. Draw 40mm dia. Circle as Tv & taking 50 mm axis project Fv. (a triangle)
4. Name all points as shown in illustration.
5. Draw 2nd Fv in lying position i.e. $o'e'$ on xy. And project its Tv below xy.
6. Make visible lines dark and hidden dotted, as per the procedure.
7. Then construct remaining inclination with Vp (generator o_1e_1 30° to xy as shown) & project final Fv.




Problem 3:

A cylinder 40 mm diameter and 50 mm axis is resting on one point of a base circle on Vp while it's axis makes 45° with Vp and Fv of the axis 35° with Hp. Draw projections..

Solution Steps:

Resting on Vp on one point of base, means inclined to Vp:


1. Assume it standing on Vp
2. It's Fv will show True Shape of base & top (circle)
3. Draw 40mm dia. Circle as Fv & taking 50 mm axis project Tv. (a Rectangle)
4. Name all points as shown in illustration.
5. Draw 2nd Tv making axis 45° to xy And project it's Fv above xy.
6. Make visible lines dark and hidden dotted, as per the procedure.
7. Then construct remaining inclination with Hp (Fv of axis i.e. center line of view to xy as shown) & project final Tv.



Problem 4: A square pyramid 30 mm base side and 50 mm long axis is resting on its apex on H_p such that its one slant edge is vertical and a triangular face through it is perpendicular to V_p . Draw its projections.

Solution Steps :


1. Assume it standing on H_p but as said on apex. (inverted).
2. Its T_v will show True Shape of base(square)
3. Draw a corner case square of 30 mm sides as T_v (as shown)
Showing all slant edges dotted, as those will not be visible from top.
4. taking 50 mm axis project F_v . (a triangle)
5. Name all points as shown in illustration.
6. Draw 2nd F_v keeping $o'a'$ slant edge vertical & project its T_v
7. Make visible lines dark and hidden dotted, as per the procedure.
8. Then redraw 2nd T_v as final T_v keeping $a_1o_1d_1$ triangular face perpendicular to V_p i.e. xy . Then as usual project final F_v .



Problem 5: A cube of 50 mm long edges is so placed on Hp on one corner that a body diagonal is parallel to Hp and perpendicular to Vp. Draw its projections.

Solution Steps:

1. Assuming standing on Hp, begin with Tv, a square with all sides equally inclined to xy. Project Fv and name all points of FV & TV.
2. Draw a body-diagonal joining c' with $3'$ (This can become // to xy)
3. From $1'$ drop a perpendicular on this and name it p'
4. Draw 2nd Fv in which $1'-p'$ line is vertical *means* $c'-3'$ diagonal must be horizontal. Now as usual project Tv..
6. In final Tv draw same diagonal is perpendicular to Vp as said in problem. Then as usual project final FV.



Problem 6: A tetrahedron of 50 mm long edges is resting on one edge on Hp while one triangular face containing this edge is vertical and 45° inclined to Vp. Draw

IMPORTANT:

Tetrahedron is a special type of triangular pyramid in which base sides & slant edges are equal in length. Solid of four faces. Like cube it is also described by One dimension only.. Axis length generally not given.

Solution Steps

As it is resting assume it standing on Hp.

Begin with Tv, an equilateral triangle as side case as shown:


First project base points of Fv on xy, name those & axis line.

From a' with TL of edge, 50 mm, cut on axis line & mark o'

(as axis is not known, o' is finalized by slant edge length)


Then complete Fv.

In 2nd Fv make face $o'b'c'$ vertical as said in problem. And like all previous problems solve completely.



FREELY SUSPENDED SOLIDS:

Positions of CG, on axis, from base, for different solids are shown below.



GROUP A SOLIDS
(Cylinder & Prisms)

GROUP B SOLIDS
(Cone & Pyramids)

Problem 7: A pentagonal pyramid
30 mm base sides & 60 mm long axis,
is freely suspended from one corner of
base so that a plane containing it's axis
remains parallel to Vp.
Draw it's three views.


Solution Steps:

In all suspended cases axis shows inclination with Hp.

1. Hence assuming it standing on Hp, drew Tv - a regular pentagon, corner case.
2. Project Fv & locate CG position on axis - ($\frac{1}{4} H$ from base.) and name g' and Join it with corner d'
3. As 2nd Fv, redraw first keeping line $g'd'$ vertical.
4. As usual project corresponding Tv and then Side View looking from.

IMPORTANT:


When a solid is
freely
suspended from a
corner, then line
joining point of
contact & C.G.
remains vertical.
(Here axis shows
inclination with Hp.)
So in all such cases,
assume solid
standing on Hp
initially.)



Solution Steps:

- 1. Assuming it standing on Hp begin with Tv, a square of corner case.
- 2. Project corresponding Fv.& name all points as usual in both views.
- 3. Join a'1' as body diagonal and draw 2nd Fv making it vertical (I' on xy)
- 4. Project it's Tv drawing dark and dotted lines as per the procedure.
- 5. With standard method construct Left-hand side view.

(Draw a 45° inclined Line in Tv region (below xy).
Project horizontally all points of Tv on this line and
reflect vertically upward, above xy.After this, draw
horizontal lines, from all points of Fv, to meet these
lines. Name points of intersections and join properly.
For dark & dotted lines
locate observer on left side of Fv as shown.)




Problem 8:

A cube of 50 mm long edges is so placed on Hp on one corner that a body diagonal through this corner is perpendicular to Hp and parallel to Vp Draw it's three views.

Problem 9: A right circular cone, 40 mm base diameter and 60 mm long axis is resting on Hp on one point of base circle such that it's axis makes 45° inclination with Hp and 40° inclination with Vp. Draw it's projections.

This case resembles to problem no.7 & 9 from projections of planes topic. In previous all cases 2nd inclination was done by a parameter not showing TL. Like Tv of axis is inclined to Vp etc. But here it is clearly said that the axis is 40° inclined to Vp. Means here TL inclination is expected. So the same construction done in those Problems is done here also. See carefully the final Tv and inclination taken there. So assuming it standing on HP begin as usual.



Problem 10: A triangular prism, 40 mm base side 60 mm axis is lying on Hp on one rectangular face with axis perpendicular to Vp. One square pyramid is leaning on it's face centrally with axis // to vp. It's base side is 30 mm & axis is 60 mm long resting on Hp on one edge of base. Draw FV & TV of both solids. Project another FV on an AVP 45° inclined to VP.

Steps :

Draw Fv of lying prism
(an equilateral Triangle)


And Fv of a leaning pyramid.

Project Tv of both solids.

Draw x_1y_1 45° inclined to xy and project aux.Fv on it.

Mark the distances of first FV from first xy for the distances of aux. Fv from x_1y_1 line.

Note the observer's directions
Shown by arrows and further steps carefully.



Problem 11: A hexagonal prism of base side 30 mm long and axis 40 mm long, is standing on Hp on its base with one base edge // to Vp.

A tetrahedron is placed centrally on the top of it. The base of tetrahedron is a triangle formed by joining alternate corners of top of prism. Draw projections of both solids. Project an auxiliary Tv on AIP 45° inclined to Hp.

STEPS:

Draw a regular hexagon as Tv of standing prism With one side // to xy and name the top points. Project its Fv – a rectangle and name its top.


Now join its alternate corners a-c-e and the triangle formed is base of a tetrahedron as said.

Locate center of this triangle & locate apex o


Extending its axis line upward mark apex o'

By cutting TL of edge of tetrahedron equal to a-c. and complete Fv of tetrahedron.

Draw an AIP (x_1y_1) 45° inclined to xy
And project Aux.Tv on it by using similar Steps like previous problem.



Problem 12: A frustum of regular hexagonal pyramid is standing on it's larger base
 On Hp with one base side perpendicular to Vp. Draw it's Fv & Tv.
 Project it's Aux.Tv on an AIP parallel to one of the slant edges showing TL.
 Base side is 50 mm long , top side is 30 mm long and 50 mm is height of frustum.



PROJECTIONS OF PLANES

In this topic various plane figures are the objects.

What is usually asked in the problem?

To draw their projections means F.V, T.V. & S.V.

What will be given in the problem?

1. Description of the plane figure.
2. It's position with HP and VP.

In which manner it's position with HP & VP will be described?

Upto
16th
sheet

1. **Inclination of it's SURFACE with one of the reference planes will be given.**
2. Inclination of one of it's EDGES with other reference plane will be given
(Hence this will be a case of an object inclined to both reference Planes.)


Study the illustration showing
surface & side inclination given on next page.




CASE OF A RECTANGLE – OBSERVE AND NOTE ALL STEPS.



SURFACE PARALLEL TO HP
PICTORIAL PRESENTATION




ORTHOGRAPHIC
TV-True Shape
FV- Line // to xy




A

SURFACE INCLINED TO HP
PICTORIAL PRESENTATION




ORTHOGRAPHIC
FV- Inclined to XY
TV- Reduced Shape




B

ONE SMALL SIDE INCLINED TO VP
PICTORIAL PRESENTATION



ORTHOGRAPHIC
FV- Apparent Shape
TV-Previous Shape



C

PROCEDURE OF SOLVING THE PROBLEM:

IN THREE STEPS EACH PROBLEM CAN BE SOLVED:(As Shown In Previous Illustration)

STEP 1. Assume suitable conditions & draw Fv & Tv of initial position.

STEP 2. Now consider surface inclination & draw 2nd Fv & Tv.

STEP 3. After this, consider side/edge inclination and draw 3rd (final) Fv & Tv.

ASSUMPTIONS FOR INITIAL POSITION:

(Initial Position means assuming surface // to HP or VP)

1.If in problem surface is inclined to HP – assume it // HP

Or If surface is inclined to VP – assume it // to VP

2. Now if surface is assumed // to HP- It's TV will show True Shape.

And If surface is assumed // to VP – It's FV will show True Shape.

3. Hence begin with drawing TV or FV as True Shape.

4. While drawing this True Shape –

keep one side/edge (which is making inclination) perpendicular to xy line
(similar to pair no. **A** on previous page illustration).


**Now Complete STEP 2. By making surface inclined to the resp plane & project it's other view.
(Ref. 2nd pair **B** on previous page illustration)**

**Now Complete STEP 3. By making side inclined to the resp plane & project it's other view.
(Ref. 3rd pair **C** on previous page illustration)**


APPLY SAME STEPS TO SOLVE NEXT *ELEVEN* PROBLEMS

Q12.4: A regular pentagon of 25mm side has one side on the ground. Its plane is inclined at 45° to the HP and perpendicular to the VP. Draw its projections and show its traces


Hint: As the plane is inclined to HP, it should be kept parallel to HP with one edge perpendicular to VP




Q.12.5: Draw the projections of a circle of 5 cm diameter having its plane vertical and inclined at 30° to the V.P. Its centre is 3cm above the H.P. and 2cm in front of the V.P. Show also its traces




Problem 5 : draw a regular hexagon of 40 mm sides, with its two sides vertical. Draw a circle of 40 mm diameter in its centre. The figure represents a hexagonal plate with a hole in it and having its surface parallel to the VP. Draw its projections when the surface is vertical and inclined at 30° to the VP.



Problem 1 : Draw an equilateral triangle of 75 mm sides and inscribe a circle in it. Draw the projections of the figure, when its plane is vertical and inclined at 30° to the VP and one of the sides of the triangle is inclined at 45° to the HP.



Q12.7: Draw the projections of a regular hexagon of 25mm sides, having one of its side in the H.P. and inclined at 60° to the V.P. and its surface making an angle of 45° with the H.P.




Q12.6: A square ABCD of 50 mm side has its corner A in the H.P., its diagonal AC inclined at 30° to the H.P. and the diagonal BD inclined at 45° to the V.P. and parallel to the H.P. Draw its projections.


Keep AC parallel to the H.P.
& BD perpendicular to V.P.
(considering inclination of AC as inclination of the plane)

Incline AC at 30° to the H.P.
i.e. incline the edge view (FV) at 30° to the HP

Incline BD at 45° to the V.P.



Q: Draw a rhombus of 100 mm and 60 mm long diagonals with longer diagonal horizontal. The figure is the top view of a square having 100 mm long diagonals. Draw its front view.




Q4: Draw projections of a rhombus having diagonals 125 mm and 50 mm long, the smaller diagonal of which is parallel to both the principal planes, while the other is inclined at 30° to the H.P.


Keep AC parallel to the H.P. & BD perpendicular to V.P.
(considering inclination of AC as inclination of the plane and inclination of BD as inclination of edge)

Incline AC at 30° to the H.P.


Make BD parallel to XY




Q 2: A regular hexagon of 40mm side has a corner in the HP. Its surface inclined at 45° to the HP and the top view of the diagonal through the corner which is in the HP makes an angle of 60° with the VP. Draw its projections.



Q7: A semicircular plate of 80mm diameter has its straight edge in the VP and inclined at 45° to HP. The surface of the plate makes an angle of 30° with the VP. Draw its projections.



Problem 12.8 : Draw the projections of a circle of 50 mm diameter resting on the HP on point A on the circumference. Its plane inclined at 45° to the HP and (a) The top view of the diameter AB making 30° angle with the VP (b) The the diameter AB making 30° angle with the VP




Q12.10: A thin rectangular plate of sides 60 mm X 30 mm has its shorter side in the V.P. and inclined at 30° to the H.P. Project its top view if its front view is a square of 30 mm long sides

A rectangle can be seen as a square in the F.V. only when its surface is inclined to VP. So for the first view keep the plane // to VP & shorter edge ⊥ to HP

F.V. (square) is drawn first

Incline $a_1'b_1'$ at 30° to the H.P.




Q12.11: A circular plate of negligible thickness and 50 mm diameter appears as an ellipse in the front view, having its major axis 50 mm long and minor axis 30 mm long. Draw its top view when the major axis of the ellipse is horizontal.


A circle can be seen as a ellipse in the F.V. only when its surface is inclined to VP. So for the first view keep the plane // to VP.

Incline the T.V. till the distance between the end projectors is 30 mm

Incline the F.V. till the major axis becomes horizontal



Problem 9 : A plate having shape of an isosceles triangle has base 50 mm long and altitude 70 mm. It is so placed that in the front view it is seen as an equilateral triangle of 50 mm sides and one side inclined at 45° to xy . Draw its top view




Problem 1:


Rectangle 30mm and 50mm sides is resting on HP on one small side which is 30° inclined to VP, while the surface of the plane makes 45° inclination with HP. Draw its projections.


Read problem and answer following questions

1. Surface inclined to which plane? ----- HP
2. Assumption for initial position? -----// to HP
3. So which view will show True shape? --- TV
4. Which side will be vertical? ---One small side.


Hence begin with TV, draw rectangle below X-Y drawing one small side vertical.







The top view of a plate, the surface of which is inclined at 60° to the HP is a circle of 60 mm diameter. Draw its three views.



Problem 12.9:


A $30^\circ - 60^\circ$ set square of longest side 100 mm long, is in VP and 30° inclined to HP while it's surface is 45° inclined to VP. Draw its projections

(Surface & Side inclinations directly given)

Read problem and answer following questions

1. Surface inclined to which plane? ----- VP
2. Assumption for initial position? ----- // to VP
3. So which view will show True shape? --- FV
4. Which side will be vertical? ----- longest side.

Hence begin with FV, draw triangle above X-Y
keeping longest side vertical.



Surface // to Vp Surface inclined to Vp

Problem 3:

A $30^\circ - 60^\circ$ set square of longest side 100 mm long is in VP and its surface 45° inclined to VP. One end of longest side is 10 mm and other end is 35 mm above HP. Draw its projections


(Surface inclination directly given.
Side inclination indirectly given)

Read problem and answer following questions

1. Surface inclined to which plane? ----- VP
2. Assumption for initial position? -----// to VP
3. So which view will show True shape? --- FV
4. Which side will be vertical? -----longest side.

Hence begin with FV, draw triangle above X-Y
keeping longest side vertical.

First TWO steps are similar to previous problem.
Note the manner in which side inclination is given.
End A 35 mm above Hp & End B is 10 mm above Hp.
So redraw 2nd Fv as final Fv placing these ends as said.



Problem 4:

A regular pentagon of 30 mm sides is resting on HP on one of its sides with its surface 45° inclined to HP.

Draw its projections when the side in HP makes 30° angle with VP


**SURFACE AND SIDE INCLINATIONS
ARE DIRECTLY GIVEN.**

Read problem and answer following questions

1. Surface inclined to which plane? ----- **HP**
2. Assumption for initial position? ----- **// to HP**
3. So which view will show True shape? --- **TV**
4. Which side will be vertical? ----- **any side.**

Hence begin with TV, draw pentagon below

X-Y line, taking one side vertical.



Problem 5:

A regular pentagon of 30 mm sides is resting on HP on one of its sides while its opposite vertex (corner) is 30 mm above HP.

Draw projections when side in HP is 30° inclined to VP.

**SURFACE INCLINATION INDIRECTLY GIVEN
SIDE INCLINATION DIRECTLY GIVEN:**


ONLY CHANGE is

the manner in which surface inclination is described:

One side on Hp & its opposite corner 30 mm above Hp.

Hence redraw 1st Fv as a 2nd Fv making above arrangement.

Keep $a'b'$ on xy & d' 30 mm above xy .




Read problem and answer following questions

1. Surface inclined to which plane? ----- **HP**
2. Assumption for initial position? ----- **// to HP**
3. So which view will show True shape? --- **TV**
4. Which side will be vertical? ----- **any side.**


Hence begin with TV, draw pentagon below

X-Y line, taking one side vertical.

Problem 8: A circle of 50 mm diameter is resting on Hp on end A of it's diameter AC which is 30° inclined to Hp while it's Tv is 45° inclined to Vp. Draw it's projections.



The difference in these two problems is in step 3 only. In problem no.8 inclination of Tv of that AC is given, It could be drawn directly as shown in 3rd step. While in no.9 angle of AC itself i.e. it's TL, is given. Hence here angle of TL is taken, locus of c_1 is drawn and then LTV i.e. a_1, c_1 is marked and final TV was completed. Study illustration carefully.



Read problem and answer following questions

1. Surface inclined to which plane? ----- **HP**
2. Assumption for initial position? ----- **// to HP**
3. So which view will show True shape? --- **TV**
4. Which diameter horizontal? ----- **AC**

Hence begin with TV, draw rhombus below X-Y line, taking longer diagonal // to X-Y

Problem 9: A circle of 50 mm diameter is resting on Hp on end A of it's diameter AC which is 30° inclined to Hp while it makes 45° inclined to Vp. Draw it's projections.

Note the difference in construction of 3rd step in both solutions.

Read problem and answer following questions

1. Surface inclined to which plane? ----- **HP**
2. Assumption for initial position? ----- **// to HP**
3. So which view will show True shape? --- **TV**
4. Which diameter horizontal? ----- **AB**

Hence begin with TV, draw CIRCLE below X-Y line, taking DIA. AB // to X-Y

The problem is similar to previous problem of circle – no.9.


But in the 3rd step there is one more change.

Like 9th problem True Length Inclination of dia.AB is definitely expected but if you carefully note - the the SUM of it's inclinations with HP & VP is 90°.

Means Line AB lies in a Profile Plane.

Hence it's both Tv & Fv must arrive on one single projector.

So do the construction accordingly AND **note the case carefully..**



SOLVE SEPARATELY
ON DRAWING SHEET
GIVING NAMES TO VARIOUS
POINTS AS USUAL,
AS THE CASE IS IMPORTANT

Problem 11:

A hexagonal lamina has its one side in HP and its opposite parallel side is 25mm above Hp and In Vp. Draw its projections.

Take side of hexagon 30 mm long.


ONLY CHANGE is the manner in which surface inclination is described:

One side on Hp & its opposite side 25 mm above Hp.
Hence redraw 1st Fv as a 2nd Fv making above arrangement.
Keep a'b' on xy & d'e' 25 mm above xy.

Read problem and answer following questions

1. Surface inclined to which plane? ----- **HP**
2. Assumption for initial position? ----- // to **HP**
3. So which view will show True shape? --- **TV**
4. Which diameter horizontal? ----- **AC**

Hence begin with TV, draw rhombus below X-Y line, taking longer diagonal // to X-Y




As 3rd step
redraw 2nd Tv keeping
side DE on xy line.
Because it is in VP
as said in problem.

FREELY SUSPENDED CASES.

Problem 12:


An isosceles triangle of 40 mm long base side, 60 mm long altitude is freely suspended from one corner of Base side. Its plane is 45° inclined to Vp. Draw its projections.



First draw a given triangle
With given dimensions,
Locate its centroid position
And
join it with point of suspension.

IMPORTANT POINTS

1. In this case the plane of the figure always remains *perpendicular to Hp*.
2. It may remain parallel or inclined to Vp.
3. Hence **TV** in this case will be always a **LINE view**.
4. Assuming surface // to Vp, draw true shape in suspended position as FV.
(Here keep *line joining point of contact & centroid of fig. vertical*)
5. Always begin with FV as a True Shape but in a suspended position.
AS shown in 1st FV.



Similarly solve next problem
of Semi-circle



IMPORTANT POINTS



Problem 13

A semicircle of 100 mm diameter is suspended from a point on its straight edge 30 mm from the midpoint of that edge so that the surface makes an angle of 45° with VP. Draw its projections.

1. In this case the plane of the figure always remains *perpendicular to Hp*.
2. It may remain parallel or inclined to Vp.
3. Hence **TV** in this case will be always a **LINE view**.
4. Assuming surface // to Vp, draw true shape in suspended position as FV. (Here keep *line joining point of contact & centroid of fig. vertical*)
5. Always begin with FV as a True Shape but in a suspended position. AS shown in 1st FV.



First draw a given semicircle
With given diameter,
Locate it's centroid position
And
join it with point of suspension.

To determine true shape of plane figure when it's projections are given. BY USING AUXILIARY PLANE METHOD

WHAT WILL BE THE PROBLEM?

Description of final Fv & Tv will be given.

You are supposed to determine true shape of that plane figure.

Follow the below given steps:

1. Draw the given Fv & Tv as per the given information in problem.
2. Then among all lines of Fv & Tv select a line showing True Length (T.L.)
(It's other view must be // to xy)
3. Draw x_1-y_1 perpendicular to this line showing T.L.
4. Project view on x_1-y_1 (it must be a line view)
5. Draw x_2-y_2 // to this line view & project new view on it.

It will be the required answer i.e. True Shape.

The facts you must know:-

If you carefully study and observe the solutions of all previous problems,
You will find

**IF ONE VIEW IS A LINE VIEW & THAT TOO PARALLEL TO XY LINE,
THEN AND THEN IT'S OTHER VIEW WILL SHOW TRUE SHAPE:**

NOW FINAL VIEWS ARE ALWAYS SOME SHAPE, NOT LINE VIEWS:
SO APPLYING ABOVE METHOD:


WE FIRST CONVERT ONE VIEW IN INCLINED LINE VIEW .(By using x_1y_1 aux.plane)
THEN BY MAKING IT // TO x_2-y_2 WE GET TRUE SHAPE.

**Study Next
Four Cases**

Problem 14 Tv is a triangle abc. Ab is 50 mm long, angle cab is 30° and angle cba is 65° . a'b'c' is a Fv. a' is 25 mm, b' is 40 mm and c' is 10 mm above Hp respectively. Draw projections of that figure and find its true shape.

As per the procedure-

1. First draw Fv & Tv as per the data.
2. In Tv line ab is // to xy hence its other view a'b' is TL. So draw x_1y_1 perpendicular to it.
3. Project view on x_1y_1 .
 - a) First draw projectors from a'b' & c' on x_1y_1 .
 - b) from xy take distances of a, b & c (Tv) mark on these projectors from x_1y_1 . Name points a_1b_1 & c_1 .
 - c) This line view is an Aux. Tv. Draw x_2y_2 // to this line view and project Aux. Fv on it. for that from x_1y_1 take distances of a'b' & c' and mark from x_2y_2 on new projectors.
4. Name points a'_1 , b'_1 & c'_1 and join them. This will be the required true shape.



Problem 15: Fv & Tv of a triangular plate are shown.
Determine it's true shape.

USE SAME PROCEDURE STEPS
OF PREVIOUS PROBLEM:


BUT THERE IS ONE DIFFICULTY:

NO LINE IS // TO XY IN ANY VIEW.
MEANS NO TL IS AVAILABLE.

IN SUCH CASES DRAW ONE LINE
// TO XY IN ANY VIEW & IT'S OTHER
VIEW CAN BE CONSIDERED AS TL
FOR THE PURPOSE.

HERE $a' 1'$ line in Fv is drawn // to xy.
HENCE it's Tv $a-1$ becomes TL.

THEN FOLLOW SAME STEPS AND
DETERMINE TRUE SHAPE.
(STUDY THE ILLUSTRATION)



ALWAYS FOR NEW FV TAKE
DISTANCES OF PREVIOUS FV
AND FOR NEW TV, DISTANCES
OF PREVIOUS TV
REMEMBER!!


PROBLEM 16: Fv & Tv both are circles of 50 mm diameter. Determine true shape of an elliptical plate.

ADOPT SAME PROCEDURE.

a c is considered as line // to xy.
Then a'c' becomes TL for the purpose.
Using steps properly true shape can be
Easily determined.

Study the illustration.

ALWAYS, FOR NEW FV
TAKE DISTANCES OF
PREVIOUS FV AND
FOR NEW TV, DISTANCES
OF PREVIOUS TV
REMEMBER!!




Problem 17 : Draw a regular pentagon of 30 mm sides with one side 30° inclined to xy. This figure is Tv of some plane whose Fv is A line 45° inclined to xy. Determine its true shape.

IN THIS CASE ALSO TRUE LENGTH IS NOT AVAILABLE IN ANY VIEW.

BUT ACTUALLY WE DONOT REQUIRE TL TO FIND IT'S TRUE SHAPE, AS ONE VIEW (FV) IS ALREADY A LINE VIEW. SO JUST BY DRAWING $X_1Y_1 \parallel$ TO THIS VIEW WE CAN PROJECT VIEW ON IT AND GET TRUE SHAPE:

STUDY THE ILLUSTRATION..

ALWAYS FOR NEW FV
TAKE DISTANCES OF
PREVIOUS FV AND FOR
NEW TV, DISTANCES OF
PREVIOUS TV
REMEMBER!!



SOLIDS

To understand and remember various solids in this subject properly, those are classified & arranged in to two major groups.


Group A

Solids having top and base of same shape


Group B

Solids having base of some shape and just a point as a top, called apex.





Cylinder



Cone



Prisms







Triangular

Square

Pentagonal

Hexagonal

Pyramids



Triangular


Square

Pentagonal

Hexagonal


Cube

(A solid having six square faces)



Tetrahedron


(A solid having Four triangular faces)




SOLIDS

Dimensional parameters of different solids.


Square Prism




Square Pyramid




Cylinder



Cone



Sections of solids(top & base not parallel)




Frustum of cone & pyramids.
(top & base parallel to each other)

STANDING ON H.P

On it's base.

(Axis perpendicular to Hp
And // to Vp.)

F.V.




RESTING ON H.P

On one point of base circle.

(Axis inclined to Hp
And // to Vp)

F.V.




LYING ON H.P

On one generator.

(Axis inclined to Hp
And // to Vp)

F.V.



X

Y


While observing Fv, x-y line represents Horizontal Plane. (Hp)

X


While observing Tv, x-y line represents Vertical Plane. (Vp)

Y


T.V.



T.V.



T.V.



STANDING ON V.P

On it's base.

Axis perpendicular to Vp
And // to Hp

RESTING ON V.P

On one point of base circle.

Axis inclined to Vp
And // to Hp

LYING ON V.P

On one generator.

Axis inclined to Vp
And // to Hp

STEPS TO SOLVE PROBLEMS IN SOLIDS



Problem is solved in three steps:

STEP 1: ASSUME SOLID STANDING ON THE PLANE WITH WHICH IT IS MAKING INCLINATION.

(IF IT IS INCLINED TO HP, ASSUME IT STANDING ON HP)

(IF IT IS INCLINED TO VP, ASSUME IT STANDING ON VP)

IF STANDING ON HP - IT'S TV WILL BE TRUE SHAPE OF IT'S BASE OR TOP:

IF STANDING ON VP - IT'S FV WILL BE TRUE SHAPE OF IT'S BASE OR TOP.

BEGIN WITH THIS VIEW:

IT'S OTHER VIEW WILL BE A RECTANGLE (IF SOLID IS **CYLINDER OR ONE OF THE PRISMS**):

IT'S OTHER VIEW WILL BE A TRIANGLE (IF SOLID IS **CONE OR ONE OF THE PYRAMIDS**):


DRAW FV & TV OF THAT SOLID IN STANDING POSITION:

STEP 2: CONSIDERING SOLID'S INCLINATION (AXIS POSITION) DRAW IT'S FV & TV.


STEP 3: IN LAST STEP, CONSIDERING REMAINING INCLINATION, DRAW IT'S FINAL FV & TV.

GENERAL PATTERN (THREE STEPS) OF SOLUTION:


**GROUP B SOLID.
CONE**




**GROUP A SOLID.
CYLINDER**



**GROUP B SOLID.
CONE**



**GROUP A SOLID.
CYLINDER**



Three steps

If solid is inclined to Hp

Three steps

If solid is inclined to Hp

Three steps

If solid is inclined to Vp




Three steps

If solid is inclined to Vp

Study Next *Twelve* Problems and Practice them separately !!


CATEGORIES OF ILLUSTRATED PROBLEMS!


PROBLEM NO.1, 2, 3, 4	GENERAL CASES OF SOLIDS INCLINED TO HP & VP
PROBLEM NO. 5 & 6	CASES OF CUBE & TETRAHEDRON
PROBLEM NO. 7	CASE OF FREELY SUSPENDED SOLID WITH SIDE VIEW.
PROBLEM NO. 8	CASE OF CUBE (WITH SIDE VIEW)
PROBLEM NO. 9	CASE OF TRUE LENGTH INCLINATION WITH HP & VP.
PROBLEM NO. 10 & 11	CASES OF COMPOSITE SOLIDS. (AUXILIARY PLANE)
PROBLEM NO. 12	CASE OF A FRUSTUM (AUXILIARY PLANE)



Q Draw the projections of a pentagonal prism , base 25 mm side and axis 50 mm long, resting on one of its rectangular faces on the H.P. with the axis inclined at 45° to the V.P.

As the axis is to be inclined with the VP, in the first view it must be kept perpendicular to the VP i.e. true shape of the base will be drawn in the FV with one side on XY line






Problem 13.19: Draw the projections of a cone, base 45 mm diameter and axis 50 mm long, when it is resting on the ground on a point on its base circle with (a) the axis making an angle of 30° with the HP and 45° with the VP (b) the axis making an angle of 30° with the HP and its top view making 45° with the VP

Steps


- (1) Draw the TV & FV of the cone assuming its base on the HP
- (2) To incline axis at 30° with the HP, incline the base at 60° with HP and draw the FV and then the TV.
- (3) For part (a), to find β , draw a line at 45° with XY in the TV, of 50 mm length. Draw the locus of the end of axis. Then cut an arc of length equal to TV of the axis when it is inclined at 30° with HP. Then redraw the TV, keeping the axis at new position. Then draw the new FV
- (4) For part (b), draw a line at 45° with XY in the TV. Then redraw the TV, keeping the axis at new position. Again draw the FV.



Q13.22: A hexagonal pyramid base 25 mm side and axis 55 mm long has one of its slant edge on the ground. A plane containing that edge and the axis is perpendicular to the H.P. and inclined at 45° to the V.P. Draw its projections when the apex is nearer to the V.P. than the base.

The inclination of the axis is given indirectly in this problem. When the slant edge of a pyramid rests on the HP its axis is inclined with the HP so while deciding first view the axis of the solid must be kept perpendicular to HP i.e. true shape of the base will be seen in the TV. Secondly when drawing hexagon in the TV we have to keep the corners at the extreme ends.


The vertical plane containing the slant edge on the HP and the axis is seen in the TV as o_1d_1 for drawing auxiliary FV draw an auxiliary plane X_1Y_1 at 45° from d_1o_1 extended. Then draw projectors from each point i.e. a_1 to f_1 perpendicular to X_1Y_1 and mark the points measuring their distances in the FV from old XY line.



Problem 5: A cube of 50 mm long edges is so placed on HP on one corner that a body diagonal is parallel to HP and perpendicular to VP. Draw its projections.

Solution Steps:

1. Assuming standing on HP, begin with TV, a square with all sides equally inclined to XY. Project FV and name all points of FV & TV.
2. Draw a body-diagonal joining c' with $1'$ (This can become \parallel to xy)
3. From $3'$ drop a perpendicular on this and name it p'
4. Draw 2nd Fv in which $3'p'$ line is vertical *means* $c'-1'$ diagonal must be horizontal. Now as usual project TV..
6. In final TV draw same diagonal is perpendicular to VP as said in problem. Then as usual project final FV.



Problem 6: A tetrahedron of 50 mm long edges is resting on one edge on Hp while one triangular face containing this edge is vertical and 45° inclined to Vp. Draw projections.

IMPORTANT:
Tetrahedron is a special type of triangular pyramid in which base sides & slant edges are equal in length. Solid of four faces. Like cube it is also described by One dimension only.. Axis length generally not given.

Solution Steps

As it is resting assume it standing on Hp.

Begin with Tv, an equilateral triangle as side case as shown:


First project base points of Fv on xy, name those & axis line.

From a' with TL of edge, 50 mm, cut on axis line & mark o' (as axis is not known, o' is finalized by slant edge length)

Then complete Fv.

In 2nd Fv make face $o'b'c'$ vertical as said in problem.

And like all previous problems solve completely.




Problem 1. A square pyramid, 40 mm base sides and axis 60 mm long, has a triangular face on the ground and the vertical plane containing the axis makes an angle of 45° with the VP. Draw its projections. Take apex nearer to VP

Solution Steps :

Triangular face on Hp , means it is lying on Hp:

1. Assume it standing on Hp.
2. It's Tv will show True Shape of base(square)
3. Draw square of 40mm sides with one side vertical Tv & taking 50 mm axis project Fv. (a triangle)
4. Name all points as shown in illustration.
5. Draw 2nd Fv in lying position I.e.o'c'd' face on xy. And project it's Tv.
6. Make visible lines dark and hidden dotted, as per the procedure.
7. Then construct remaining inclination with Vp
(Vp containing axis is the center line of 2nd Tv. Make it 45° to xy as shown take apex near to xy, as it is nearer to Vp) & project final Fv.



For dark and dotted lines


1. Draw proper outline of new view **DARK**.
2. Decide direction of an observer.
3. Select nearest point to observer and draw all lines starting from it-**dark**.
4. Select farthest point to observer and draw all lines (remaining)from it- **dotted**.

Problem 13.20: A pentagonal pyramid base 25 mm side and axis 50 mm long has one of its triangular faces in the VP and the edge of the base contained by that face makes an angle of 30° with the HP. Draw its projections.

Step 1. Here the inclination of the axis is given indirectly. As one triangular face of the pyramid is in the VP its axis will be inclined with the VP. So for drawing the first view keep the axis perpendicular to the VP. So the true shape of the base will be seen in the FV. Secondly when drawing true shape of the base in the FV, one edge of the base (which is to be inclined with the HP) must be kept perpendicular to the HP.

Step 2. In the TV side a_1e_1 represents a triangular face. So for drawing the TV in the second stage, keep that face on XY so that the triangular face will lie on the VP and reproduce the TV. Then draw the new FV with help of TV.

Step 3. Now the edge of the base $a_1'e_1'$ which is perpendicular to the HP must be inclined at 30° to the HP. That is incline the FV till $a_1'e_1'$ is inclined at 30° with the HP. Then draw the TV.



Problem 2:

A cone 40 mm diameter and 50 mm axis is resting on one generator on Hp which makes 30° inclination with VP. Draw its projections.


For dark and dotted lines

1. Draw proper outline of new view **DARK.**
2. Decide direction of an observer.
3. Select nearest point to observer and draw all lines starting from it-dark.
4. Select farthest point to observer and draw all lines (remaining) from it- dotted.

Solution Steps:

Resting on Hp on one generator, means lying on Hp:

1. Assume it standing on Hp.
2. Its Tv will show True Shape of base (circle)
3. Draw 40mm dia. Circle as Tv & taking 50 mm axis project Fv. (a triangle)
4. Name all points as shown in illustration.
5. Draw 2nd Fv in lying position i.e. $o'e'$ on xy. And project its Tv below xy.
6. Make visible lines dark and hidden dotted, as per the procedure.
7. Then construct remaining inclination with Vp (generator o_1e_1 30° to xy as shown) & project final Fv.




Problem 3:

A cylinder 40 mm diameter and 50 mm axis is resting on one point of a base circle on Vp while it's axis makes 45° with Vp and Fv of the axis 35° with Hp. Draw projections..

Solution Steps:

Resting on Vp on one point of base, means inclined to Vp:


1. Assume it standing on Vp
2. It's Fv will show True Shape of base & top(circle)
3. Draw 40mm dia. Circle as Fv & taking 50 mm axis project Tv. (a Rectangle)
4. Name all points as shown in illustration.
5. Draw 2nd Tv making axis 45° to xy And project it's Fv above xy.
6. Make visible lines dark and hidden dotted, as per the procedure.
7. Then construct remaining inclination with Hp (Fv of axis i.e. center line of view to xy as shown) & project final Tv.



Problem 4: A square pyramid 30 mm base side and 50 mm long axis is resting on its apex on Hp, such that its one slant edge is vertical and a triangular face through it is perpendicular to Vp. Draw its projections.


Solution Steps :

1. Assume it standing on Hp but as said on apex. (inverted).
2. Its Tv will show True Shape of base (square)
3. Draw a corner case square of 30 mm sides as Tv (as shown) Showing all slant edges dotted, as those will not be visible from top.
4. taking 50 mm axis project Fv. (a triangle)
5. Name all points as shown in illustration.
6. Draw 2nd Fv keeping o'a' slant edge vertical & project its Tv
7. Make visible lines dark and hidden dotted, as per the procedure.
8. Then redraw 2nd Tv as final Tv keeping a₁o₁d₁ triangular face perpendicular to Vp i.e. xy. Then as usual project final Fv.



FREELY SUSPENDED SOLIDS:

Positions of CG, on axis, from base, for different solids are shown below.



Problem 7: A pentagonal pyramid 30 mm base sides & 60 mm long axis, is freely suspended from one corner of base so that a plane containing it's axis remains parallel to Vp. Draw it's three views.


Solution Steps:

In all suspended cases axis shows inclination with Hp.

1. Hence assuming it standing on Hp, draw Tv - a regular pentagon, corner case.
2. Project Fv & locate CG position on axis - ($\frac{1}{4} H$ from base.) and name g' and Join it with corner d'
3. As 2nd Fv, redraw first keeping line $g'd'$ vertical.
4. As usual project corresponding Tv and then Side View looking from.

IMPORTANT:

When a solid is freely suspended from a corner, then line joining point of contact & C.G. remains vertical. (Here axis shows inclination with Hp.) So in all such cases, assume solid standing on Hp initially.)




Solution Steps:

1. Assuming it standing on Hp begin with Tv, a square of corner case.
2. Project corresponding Fv.& name all points as usual in both views.
3. Join a'1' as body diagonal and draw 2nd Fv making it vertical (I' on xy)
4. Project it's Tv drawing dark and dotted lines as per the procedure.
5. With standard method construct Left-hand side view.

(Draw a 45° inclined Line in Tv region (below xy).
Project horizontally all points of Tv on this line and reflect vertically upward, above xy.After this, draw horizontal lines, from all points of Fv, to meet these lines. Name points of intersections and join properly.
For dark & dotted lines
locate observer on left side of Fv as shown.)

Problem 8:


A cube of 50 mm long edges is so placed on Hp on one corner that a body diagonal through this corner is perpendicular to Hp and parallel to Vp Draw it's three views.



Problem 9: A right circular cone, 40 mm base diameter and 60 mm long axis is resting on Hp on one point of base circle such that its axis makes 45° inclination with Hp and 40° inclination with Vp. Draw its projections.


This case resembles to problem no.7 & 9 from projections of planes topic. In previous all cases 2nd inclination was done by a parameter not showing TL. Like Tv of axis is inclined to Vp etc. But here it is clearly said that the axis is 40° inclined to Vp. Means here TL inclination is expected. So the same construction done in those Problems is done here also. See carefully the final Tv and inclination taken there.

So assuming it standing on HP begin as usual.



Problem 10: A triangular prism, 40 mm base side 60 mm axis is lying on Hp on one rectangular face with axis perpendicular to Vp. One square pyramid is leaning on it's face centrally with axis // to vp. It's base side is 30 mm & axis is 60 mm long resting on Hp on one edge of base. Draw FV & TV of both solids. Project another FV on an AVP 45° inclined to VP.


Steps :
 Draw Fv of lying prism (an equilateral Triangle)
 And Fv of a leaning pyramid.
 Project Tv of both solids.
 Draw x_1y_1 45° inclined to xy and project aux.Fv on it.
 Mark the distances of first FV from first xy for the distances of aux. Fv from x_1y_1 line.
 Note the observer's directions Shown by arrows and further steps carefully.




Problem 11: A hexagonal prism of base side 30 mm long and axis 40 mm long, is standing on Hp on its base with one base edge // to Vp. A tetrahedron is placed centrally on the top of it. The base of tetrahedron is a triangle formed by joining alternate corners of top of prism. Draw projections of both solids. Project an auxiliary Tv on AIP 45° inclined to Hp.

STEPS:

Draw a regular hexagon as Tv of standing prism With one side // to xy and name the top points. Project its Fv – a rectangle and name its top. Now join its alternate corners a-c-e and the triangle formed is base of a tetrahedron as said. Locate center of this triangle & locate apex o . Extending its axis line upward mark apex o' . By cutting TL of edge of tetrahedron equal to a-c. and complete Fv of tetrahedron. Draw an AIP (x_1y_1) 45° inclined to xy And project Aux.Tv on it by using similar Steps like previous problem.



Problem 12: A frustum of regular hexagonal pyrami is standing on it's larger base
 On Hp with one base side perpendicular to Vp. Draw it's Fv & Tv.
 Project it's Aux.Tv on an AIP parallel to one of the slant edges showing TL.
 Base side is 50 mm long , top side is 30 mm long and 50 mm is height of frustum.



UNIT-4

**ENGINEERING APPLICATIONS
OF
THE PRINCIPLES
OF
PROJECTIONS OF SOLIDS.**

- 1. SECTIONS OF SOLIDS.**
- 2. DEVELOPMENT.**
- 3. INTERSECTIONS.**

SECTIONING A SOLID.

An object (here a solid) is cut by some imaginary cutting plane to understand internal details of that object.

The action of cutting is called **SECTIONING** a solid &

The plane of cutting is called **SECTION PLANE.**

Two cutting actions means section planes are recommended.

- A) Section Plane perpendicular to Vp and inclined to Hp.
(This is a definition of an Aux. Inclined Plane i.e. A.I.P.)


NOTE:- This section plane appears as a straight line in FV.

- B) Section Plane perpendicular to Hp and inclined to Vp.
(This is a definition of an Aux. Vertical Plane i.e. A.V.P.)


NOTE:- This section plane appears as a straight line in TV.

Remember:-


1. After launching a section plane either in FV or TV, the part towards observer is assumed to be removed.
2. As far as possible the smaller part is assumed to be removed.




**ILLUSTRATION SHOWING
IMPORTANT TERMS
IN SECTIONING.**




Typical Section Planes & Typical Shapes Of Sections.




Section Plane
Through Apex
Triangle




Section Plane
Through Generators
Ellipse




Section Plane Parallel
to end generator.
Parabola



Section Plane
Parallel to Axis.
Hyperbola



Cylinder through
generators.
Ellipse



Sq. Pyramid through
all slant edges
Trapezium

DEVELOPMENT OF SURFACES OF SOLIDS.

MEANING:-

ASSUME OBJECT HOLLOW AND MADE-UP OF THIN SHEET. CUT OPEN IT FROM ONE SIDE AND UNFOLD THE SHEET COMPLETELY. THEN THE **SHAPE OF THAT UNFOLDED SHEET IS CALLED DEVELOPMENT OF LATERAL SURFACES** OF THAT OBJECT OR SOLID.

LATERAL SURFACE IS THE SURFACE EXCLUDING SOLID'S TOP & BASE.


ENGINEERING APPLICATION:

THERE ARE SO MANY PRODUCTS OR OBJECTS WHICH ARE DIFFICULT TO MANUFACTURE BY CONVENTIONAL MANUFACTURING PROCESSES, BECAUSE OF THEIR SHAPES AND SIZES. THOSE ARE FABRICATED IN SHEET METAL INDUSTRY BY USING DEVELOPMENT TECHNIQUE. THERE IS A VAST RANGE OF SUCH OBJECTS.

EXAMPLES:-

Boiler Shells & chimneys, Pressure Vessels, Shovels, Trays, Boxes & Cartons, Feeding Hoppers, Large Pipe sections, Body & Parts of automobiles, Ships, Aeroplanes and many more.

WHAT IS
OUR OBJECTIVE
IN THIS TOPIC ?



To learn methods of development of surfaces of different solids, their sections and frustums.


*But before going ahead,
note following
Important points.*

1. Development is different drawing than PROJECTIONS.
2. It is a shape showing AREA, means it's a 2-D plain drawing.
3. Hence all dimensions of it must be TRUE dimensions.
4. As it is representing shape of an un-folded sheet, no edges can remain hidden
And hence DOTTED LINES are never shown on development.


Study illustrations given on next page carefully.

Development of lateral surfaces of different solids. (Lateral surface is the surface excluding top & base)

Cylinder: A Rectangle




Cone: (Sector of circle)




R=Base circle radius.
L=Slant height.
 $\theta = \frac{R}{L} \times 360^\circ$

Pyramids: (No. of triangles)




L= Slant edge.
S = Edge of base



Prisms: No. of Rectangles



Tetrahedron: Four Equilateral Triangles




Cube: Six Squares.



FRUSTUMS

DEVELOPMENT OF FRUSTUM OF CONE




$$\theta = \frac{R}{L} \times 360^\circ$$

R = Base circle radius of cone

L = Slant height of cone

L₁ = Slant height of cut part.

DEVELOPMENT OF FRUSTUM OF SQUARE PYRAMID




L = Slant edge of pyramid

L₁ = Slant edge of cut part.


STUDY NEXT **NINE** PROBLEMS OF
SECTIONS & DEVELOPMENT

Problem 1: A pentagonal prism, 30 mm base side & 50 mm axis is standing on Hp on its base whose one side is perpendicular to Vp. It is cut by a section plane 45° inclined to Hp, through mid point of axis. Draw Fv, sec. Tv & sec. Side view. Also draw true shape of section and Development of surface of remaining solid.



For True Shape:
 Draw x_1y_1 // to sec. plane
 Draw projectors on it from cut points.
 Mark distances of points of Sectioned part from Tv, on above projectors from x_1y_1 and join in sequence.
 Draw section lines in it.
 It is required true shape.


Solution Steps: *for sectional views:*
 Draw three views of standing prism.
 Locate sec. plane in Fv as described.
 Project points where edges are getting Cut on Tv & Sv as shown in illustration.
 Join those points in sequence and show Section lines in it.
 Make remaining part of solid dark.



For Development:
 Draw development of entire solid. Name from cut-open edge i.e. A. in sequence as shown.
 Mark the cut points on respective edges.
 Join them in sequence in st. lines.
 Make existing parts dev. dark.



Problem 2: A cone, 50 mm base diameter and 70 mm axis is standing on it's base on Hp. It cut by a section plane 45° inclined to Hp through base end of end generator. Draw projections, sectional views, true shape of section and development of surfaces of remaining solid.

Solution Steps: for sectional views:
 Draw three views of standing cone.
 Locate sec. plane in Fv as described.
 Project points where generators are getting Cut on Tv & Sv as shown in illustration. Join those points in sequence and show Section lines in it.
 Make remaining part of solid dark.




SECTIONAL S.V

DEVELOPMENT



For True Shape:
 Draw x_1y_1 // to sec. plane
 Draw projectors on it from cut points.
 Mark distances of points of Sectioned part from Tv, on above projectors from x_1y_1 and join in sequence.
 Draw section lines in it.
 It is required true shape.




For Development:

Draw development of entire solid.
 Name from cut-open edge i.e. A.
 in sequence as shown. Mark the cut points on respective edges.
 Join them in sequence in curvature.
 Make existing parts dev. dark.

Problem 2: A cone, 50 mm base diameter and 70 mm axis is standing on it's base on Hp. It cut by a section plane 45° inclined to Hp through base end of end generator. Draw projections, sectional views, true shape of section and development of surfaces of remaining solid.

Solution Steps:for sectional views:
 Draw three views of standing cone.
 Locate sec.plane in Fv as described.
 Project points where generators are getting Cut on Tv & Sv as shown in illustration.Join those points in sequence and show Section lines in it.
 Make remaining part of solid dark.





For True Shape:
 Draw x_1y_1 // to sec. plane
 Draw projectors on it from cut points.
 Mark distances of points of Sectioned part from Tv, on above projectors from x_1y_1 and join in sequence.
 Draw section lines in it.
 It is required true shape.

For Development:
 Draw development of entire solid.
 Name from cut-open edge i.e. A. in sequence as shown.Mark the cut points on respective edges.
 Join them in sequence in curvature.
 Make existing parts dev.dark.

Problem 3: A cone 40mm diameter and 50 mm axis is resting on one generator on Hp(lying on Hp) which is // to Vp.. Draw it's projections.It is cut by a horizontal section plane through it's base center. Draw sectional TV, development of the surface of the remaining part of cone.


Follow similar solution steps for Sec.views - True shape – Development as per previous problem!




Note the steps to locate Points 1, 2, 5, 6 in sec.Fv:
Those are transferred to 1st TV, then to 1st Fv and
Then on 2nd Fv.

Problem 4: A hexagonal prism. 30 mm base side & 55 mm axis is lying on Hp on it's rect.face with axis // to Vp. It is cut by a section plane normal to Hp and 30° inclined to Vp bisecting axis.
Draw sec. Views, true shape & development.


Use similar steps for sec.views & true shape.
NOTE: for development, always cut open object from
From an edge in the boundary of the view in which
sec.plane appears as a line.
Here it is Tv and in boundary, there is c1 edge.Hence
it is opened from c and named C,D,E,F,A,B,C.



AS SECTION PLANE IS IN T.V.,
CUT OPEN FROM BOUNDARY EDGE $\underline{c_1}$ FOR DEVELOPMENT.




Problem 5: A solid composed of a half-cone and half-hexagonal pyramid is shown in figure. It is cut by a section plane 45° inclined to Hp, passing through mid-point of axis. Draw F.v., sectional T.v., true shape of section and development of remaining part of the solid.
(take radius of cone and each side of hexagon 30mm long and axis 70mm.)




Note:

Fv & TV of two solids sandwiched
Section lines style in both:
Development of half cone & half pyramid:




Problem 6: Draw a semicircle of 100 mm diameter and inscribe in it a largest circle. If the semicircle is development of a cone and inscribed circle is some curve on it, then draw the projections of cone showing that curve.

TO DRAW PRINCIPAL VIEWS FROM GIVEN DEVELOPMENT.



R=Base circle radius.
L=Slant height.
 $\theta = \frac{R}{L} \times 360^\circ$





Solution Steps:

Draw semicircle of given diameter, divide it in 8 Parts and inscribe in it a largest circle as shown. Name intersecting points 1, 2, 3 etc. Semicircle being dev. of a cone its radius is slant height of cone. (L) Then using above formula find R of base of cone. Using this data draw Fv & Tv of cone and form 8 generators and name. Take o -1 distance from dev., mark on TL i.e. o.a' on Fv & bring on o'b' and name 1' Similarly locate all points on Fv. Then project all on Tv on respective generators and join by smooth curve.

Problem 7: Draw a semicircle of 100 mm diameter and inscribe in it a largest rhombus. If the semicircle is development of a cone and rhombus is some curve on it, then draw the projections of cone showing that curve.

TO DRAW PRINCIPAL VIEWS FROM GIVEN DEVELOPMENT.

Solution Steps:
Similar to previous Problem:




R=Base circle radius.

L=Slant height.

$$\theta = \frac{R}{L} \times 360^\circ$$

Problem 8: A half cone of 50 mm base diameter, 70 mm axis, is standing on it's half base on HP with it's flat face parallel and nearer to VP. An inextensible string is wound round it's surface from one point of base circle and brought back to the same point. If the string is of *shortest length*, find it and show it on the projections of the cone.

**TO DRAW A CURVE ON
PRINCIPAL VIEWS
FROM DEVELOPMENT.**



Concept: A string wound from a point up to the same Point, of shortest length Must appear st. line on it's Development.



Solution steps:

Hence draw development, Name it as usual and join A to A This is shortest Length of that string.

Further steps are as usual. On dev. Name the points of Intersections of this line with Different generators. Bring Those on Fv & Tv and join by smooth curves.

Draw $4' a'$ part of string dotted As it is on back side of cone.

Problem 9: A particle which is initially on base circle of a cone, standing on Hp, moves upwards and reaches apex in one complete turn around the cone. Draw its path on projections of cone as well as on its development. Take base circle diameter 50 mm and axis 70 mm long.



It's a construction of curve
Helix of one turn on cone:

Draw Fv & Tv & dev.as usual
On all form generators & name.

Construction of curve Helix::

Show 8 generators on both views
Divide axis also in same parts.

Draw horizontal lines from those
points on both end generators.

1' is a point where first horizontal
Line & gen. $b'o'$ intersect.

2' is a point where second horiz.
Line & gen. $c'o'$ intersect.

In this way locate all points on Fv.
Project all on Tv.Join in curvature.

For Development:

Then taking each points true
Distance From resp.generator

from apex, Mark on development
& join.

INTERPENETRATION OF SOLIDS

WHEN ONE SOLID PENETRATES ANOTHER SOLID THEN THEIR SURFACES INTERSECT
AND
AT THE JUNCTION OF INTERSECTION A TYPICAL CURVE IS FORMED,
WHICH REMAINS COMMON TO BOTH SOLIDS.

THIS CURVE IS CALLED **CURVE OF INTERSECTION**
AND

IT IS A RESULT OF INTERPENETRATION OF SOLIDS

PURPOSE OF DRAWING THESE CURVES:-


WHEN TWO OBJECTS ARE TO BE JOINED TOGETHER, MAXIMUM SURFACE CONTACT BETWEEN BOTH BECOMES A BASIC REQUIREMENT FOR STRONGEST & LEAK-PROOF JOINT.

**Curves of Intersections being common to both Intersecting solids,
show exact & maximum surface contact of both solids.**


Study Following Illustrations Carefully.

Minimum Surface Contact.

(Point Contact)




Square Pipes.



Circular Pipes.


(Maximum Surface Contact)

Lines of Intersections.



Square Pipes.


Curves of Intersections.



Circular Pipes.

SOME ACTUAL OBJECTS ARE SHOWN, SHOWING CURVES OF INTERSECTIONS.


BY WHITE ARROWS.



A machine component having two intersecting cylindrical surfaces with the axis at acute angle to each other.




An Industrial Dust collector.
Intersection of two cylinders.




Intersection of a Cylindrical main and Branch Pipe.




A Feeding Hopper
In industry.



Forged End of a
Connecting Rod.



Two Cylindrical
surfaces.



Pump lid having shape of a
hexagonal Prism and
Hemi-sphere intersecting
each other.

FOLLOWING CASES ARE SOLVED.
REFER ILLUSTRATIONS
AND
NOTE THE COMMON
CONSTRUCTION
FOR ALL



1. CYLINDER TO CYLINDER
2. SQ. PRISM TO CYLINDER
3. CONE TO CYLINDER
4. TRIANGULAR PRISM TO CYLINDER
5. SQ. PRISM TO SQ. PRISM
6. SQ. PRISM TO SQ. PRISM
(SKEW POSITION)
7. SQUARE PRISM TO CONE (*from top*)
8. CYLINDER TO CONE

COMMON SOLUTION STEPS

One solid will be standing on HP
Other will penetrate horizontally.
Draw three views of standing solid.
Name views as per the illustrations.
Beginning with side view draw three
Views of penetrating solids also.
On it's S.V. mark number of points
And name those (either letters or nos.)
The points which are on standard
generators or edges of standing solid,
(in S.V.) can be marked on respective
generators in Fv and Tv. And other
points from SV should be brought to
Tv first and then projecting upward
To Fv.
Dark and dotted line's decision should
be taken by observing side view from
it's right side as shown by arrow.
Accordingly those should be joined
by curvature or straight lines.

Note:

In case cone is penetrating solid Side view is not necessary.
Similarly in case of penetration from top it is not required.



Problem: A cylinder 50mm dia.and 70mm axis is completely penetrated by another of 40 mm dia.and 70 mm axis horizontally Both axes intersect & bisect each other. Draw projections showing curves of intersections.

CASE 1.

CYLINDER STANDING

&

CYLINDER PENETRATING





Problem: A cylinder 50mm dia.and 70mm axis is completely penetrated by a square prism of 25 mm sides.and 70 mm axis, horizontally. Both axes intersect & bisect each other. All faces of prism are equally inclined to Hp. Draw projections showing curves of intersections.

CASE 2.



CYLINDER STANDING

&



SQ.PRISM PENETRATING



CASE 3. CYLINDER STANDING & CONE PENETRATING




Problem: A sq.prism 30 mm base sides.and 70mm axis is completely penetrated by another square prism of 25 mm sides.and 70 mm axis, horizontally. SQ.PRISM STANDING Intersects & bisect each other. All faces of prisms are equally inclined to Vp. & SQ.PRISM PENETRATING






Problem: A cylinder 50mm dia.and 70mm axis is completely penetrated by a triangular prism of 45 mm sides.and 70 mm axis, horizontally. One flat face of prism is parallel to Vp and Contains axis of cylinder. Draw projections showing curves of intersections.

CASE 5. CYLINDER STANDING & TRIANGULAR PRISM PENETRATING





Problem: A sq.prism 30 mm base sides.and 70mm axis is completely penetrated by another square prism of 25 mm side s.and 70 mm axis, horizontally. Both axes Intersect & bisect each other. Two faces of penetrating prism are 30° inclined to Hp. Draw projections showing curves of intersections.

CASE 6.
SQ.PRISM STANDING
&
SQ.PRISM PENETRATING
(30° SKEW POSITION)




CASE 7.
CONE STANDING & SQ.PRISM PENETRATING
(BOTH AXES VERTICAL)



Problem: A cone 70 mm base diameter and 90 mm a
 is completely penetrated by a square prism from to
 with it's axis // to cone's axis and 5 mm away from
 a vertical plane containing both axes is parallel to Vp
 Take all faces of sq.prism equally inclined to Vp.
 Base Side of prism is 0 mm and axis is 100 mm lon
 Draw projections showing curves of intersections.

Problem: A vertical cone, base diameter 75 mm and axis 100 mm long, is completely penetrated by a cylinder of 45 mm diameter. The axis of the cylinder is parallel to Hp and Vp and intersects axis of the cone at a point 28 mm above the base. Draw projections showing curves of intersection.


CASE 8.
CONE STANDING
&
CYLINDER PENETRATING



ISOMETRIC DRAWING

IT IS A TYPE OF PICTORIAL PROJECTION IN WHICH ALL THREE DIMENSIONS OF AN OBJECT ARE SHOWN IN ONE VIEW AND IF REQUIRED, THEIR ACTUAL SIZES CAN BE MEASURED DIRECTLY FROM IT.


3-D DRAWINGS CAN BE DRAWN IN NUMEROUS WAYS AS SHOWN BELOW. ALL THESE DRAWINGS MAY BE CALLED 3-DIMENSIONAL DRAWINGS, OR PHOTOGRAPHIC OR PICTORIAL DRAWINGS. HERE NO SPECIFIC RELATION AMONG H, L & D AXES IS MAINTAINED.



TYPICAL CONDITION.

IN THIS 3-D DRAWING OF AN OBJECT, ALL THREE DIMENSIONAL AXES ARE MAINTAINED AT EQUAL INCLINATIONS WITH EACH OTHER. (120°)

NOW OBSERVE BELOW GIVEN DRAWINGS. ONE CAN NOTE SPECIFIC INCLINATION AMONG H, L & D AXES. ISO MEANS SAME, SIMILAR OR EQUAL. HERE ONE CAN FIND EQUAL INCLINATION AMONG H, L & D AXES. EACH IS 120° INCLINED WITH OTHER TWO. HENCE IT IS CALLED **ISOMETRIC DRAWING**



PURPOSE OF ISOMETRIC DRAWING IS TO UNDERSTAND OVERALL SHAPE, SIZE & APPEARANCE OF AN OBJECT PRIOR TO IT'S PRODUCTION


SOME IMPORTANT TERMS:

ISOMETRIC AXES, LINES AND PLANE

The three lines AL, AD and AH, meeting at point A and making 120° angles with each other are termed *Isometric Axes*.

The lines parallel to these axes are called *Isometric Lines*.

The planes representing the faces of the cube as well as other planes parallel to these planes are called *Isometric Planes*.



ISOMETRIC SCALE:

When one holds the object in such a way that all three dimensions are visible then in the process all dimensions become proportionally inclined to observer's eye sight and hence appear apparent in lengths.


This reduction is 0.815 or $9/11$ (approx.) It forms a reducing scale which is used to draw isometric drawings and is called *Isometric scale*.

In practice, while drawing isometric projection, it is necessary to convert true lengths into isometric lengths for measuring and marking the sizes. This is conveniently done by constructing an isometric scale as described on next page.

TYPES OF ISOMETRIC DRAWINGS



ISOMETRIC VIEW

Drawn by using True scale
(True dimensions)



ISOMETRIC PROJECTION

Drawn by using Isometric scale
(Reduced dimensions)



Isometric scale [Line AC]
required for Isometric Projection

CONSTRUCTION OF ISOM.SCALE.

From point A, with line AB draw 30° and 45° inclined lines AC & AD resp on AD. Mark divisions of true length and from each division-point draw vertical lines upto AC line. The divisions thus obtained on AC give lengths on isometric scale.

1

ISOMETRIC OF PLANE FIGURES

AS THESE ALL ARE
2-D FIGURES
WE REQUIRE ONLY TWO
ISOMETRIC AXES.


IF THE FIGURE IS FRONT VIEW,
H & L AXES ARE REQUIRED.

IF THE FIGURE IS TOP VIEW,
& L AXES ARE REQUIRED.

Shapes containing
Inclined lines should be
enclosed in a rectangle
as shown.

Then first draw isom. of
that rectangle and then
inscribe that shape as it
is.


SHAPE

Isometric view if the Shape is
F.V. or T.V.



STUDY ILLUSTRATIONS

2

DRAW ISOMETRIC VIEW OF A CIRCLE IF IT IS A TV OR FV.





FIRST ENCLOSE IT IN A SQUARE.
IT'S ISOMETRIC IS A RHOMBUS WITH
D & L AXES FOR TOP VIEW.
THEN USE H & L AXES FOR ISOMETRIC
WHEN IT IS FRONT VIEW.
FOR CONSTRUCTION USE RHOMBUS
METHOD SHOWN HERE. STUDY IT.




STUDY ILLUSTRATIONS

DRAW ISOMETRIC VIEW OF THE FIGURE
SHOWN WITH DIMENSIONS (ON RIGHT SIDE)
CONSIDERING IT FIRST AS F.V. AND THEN T.V.

IF FRONT VIEW



IF TOP VIEW



ISOMETRIC OF PLANE FIGURES




SHAPE

IF F.V.




IF T.V.

4




HEXAGON



CIRCLE



SEMI CIRCLE



AS THESE ALL ARE
2-D FIGURES
WE REQUIRE ONLY TWO
ISOMETRIC AXES.

IF THE FIGURE IS
FRONT VIEW, H & L
AXES ARE REQUIRED.

IF THE FIGURE IS TOP
VIEW, D & L AXES ARE
REQUIRED.


For Isometric of
Circle/Semicircle
use **Rhombus method**.

Construct it of sides equal
to diameter of circle always.
(Ref. Previous two pages.)

For Isometric of Circle/Semicircle use **Rhombus method**. Construct Rhombus of sides equal to Diameter of circle always. (Ref. topic ENGG. CURVES.)


STUDY ILLUSTRATIONS

ISOMETRIC VIEW OF BASE OF PENTAGONAL PYRAMID STANDING ON H.P.




ISOMETRIC VIEW OF PENTAGONAL PYRAMID STANDING ON H.P.

(Height is added from center of pentagon)




STUDY ILLUSTRATIONS




ISOMETRIC VIEW OF
HEXAGONAL PRISM
STANDING ON H.P.

ISOMETRIC VIEW OF
PENTAGONAL PRISM
LYING ON H.P.




STUDY ILLUSTRATIONS

CYLINDER STANDING ON H.P.




CYLINDER LYING ON H.P.




STUDY ILLUSTRATIONS

HALF CYLINDER
STANDING ON H.P.
(ON IT'S SEMICIRCULAR BASE)





HALF CYLINDER
LYING ON H.P.
(with flat face // to H.P.)




STUDY ILLUSTRATIONS

ISOMETRIC VIEW OF **A FRUSTUM OF SQUARE PYRAMID** STANDING ON H.P. ON IT'S LARGER BASE.



STUDY ILLUSTRATION

PROJECTIONS OF FRUSTOM OF
PENTAGONAL PYRAMID ARE GIVEN.
DRAW IT'S ISOMETRIC VIEW.




SOLUTION STEPS:

FIRST DRAW ISOMETRIC
OF IT'S BASE.

THEN DRAWSAME SHAPE
AS TOP, 60 MM ABOVE THE
BASE PENTAGON CENTER.

THEN REDUCE THE TOP TO
20 MM SIDES AND JOIN WITH
THE PROPER BASE CORNERS.

ISOMETRIC VIEW
OF
FRUSTOM OF PENTAGONAL PYRAMID





STUDY ILLUSTRATIONS

ISOMETRIC VIEW OF A FRUSTUM OF CONE

STANDING ON H.P. ON IT'S LARGER BASE.


11



STUDY ILLUSTRATIONS



12

PROBLEM: A SQUARE PYRAMID OF 30 MM BASE SIDES AND 50 MM LONG AXIS, IS CENTRALLY PLACED ON THE TOP OF A CUBE OF 50 MM LONG EDGES. DRAW ISOMETRIC VIEW OF THE PAIR.



STUDY ILLUSTRATIONS

PROBLEM: A TRIANGULAR PYRAMID OF 30 MM BASE SIDES AND 50 MM LONG AXIS, IS CENTRALLY PLACED ON THE TOP OF A CUBE OF 50 MM LONG EDGES. DRAW ISOMETRIC VIEW OF THE PAIR.



SOLUTION HINTS.

TO DRAW ISOMETRIC OF A CUBE IS SIMPLE. DRAW IT AS USUAL.



BUT FOR PYRAMID AS IT'S BASE IS AN EQUILATERAL TRIANGLE, IT CAN NOT BE DRAWN DIRECTLY. SUPPORT OF IT'S TV IS REQUIRED.

SO DRAW TRIANGLE AS A TV, SEPARATELY AND NAME VARIOUS POINTS AS SHOWN.
 AFTER THIS PLACE IT ON THE TOP OF CUBE AS SHOWN.
 THEN ADD HEIGHT FROM IT'S CENTER AND COMPLETE IT'S ISOMETRIC AS SHOWN.

STUDY ILLUSTRATIONS

PROBLEM:



A SQUARE PLATE IS PIERCED THROUGH CENTRALLY BY A CYLINDER WHICH COMES OUT EQUALLY FROM BOTH FACES OF PLATE. IT'S FV & TV ARE SHOWN. DRAW ISOMETRIC VIEW.



STUDY ILLUSTRATIONS

PROBLEM:



A CIRCULAR PLATE IS PIERCED THROUGH CENTRALLY BY A SQUARE PYRAMID WHICH COMES OUT EQUALLY FROM BOTH FACES OF PLATE. IT'S FV & TV ARE SHOWN. DRAW ISOMETRIC VIEW.





STUDY ILLUSTRATIONS


16

F.V. & T.V. of an object are given. Draw it's isometric view.






C = Center of Sphere.
 P = Point of contact
 R = True Radius of Sphere
 r = Isometric Radius.



TO DRAW ISOMETRIC PROJECTION OF A SPHERE

1. FIRST DRAW ISOMETRIC OF SQUARE PLATE.
2. LOCATE IT'S CENTER. NAME IT P.
3. FROM P DRAW VERTICAL LINE UPWARD, LENGTH ' r mm' AND LOCATE CENTER OF SPHERE " C "
4. ' C ' AS CENTER, WITH RADIUS ' R ' DRAW CIRCLE.
THIS IS ISOMETRIC PROJECTION OF A SPHERE.




TO DRAW ISOMETRIC PROJECTION OF A HEMISPHERE


Adopt same procedure. Draw lower semicircle only. Then around ' C ' construct Rhombus of Sides equal to Isometric Diameter. For this use iso-scale. Then construct ellipse in this Rhombus as usual And Complete Isometric-Projection of Hemi-sphere.

PROBLEM:

A HEMI-SPHERE IS CENTRALLY PLACED
ON THE TOP OF A FRUSTUM OF CONE.
DRAW ISOMETRIC PROJECTIONS OF THE ASSEMBLY.




FIRST CONSTRUCT ISOMETRIC SCALE.
USE THIS SCALE FOR ALL DIMENSIONS
IN THIS PROBLEM.




18

STUDY
ILLUSTRATIONS





STUDY ILLUSTRATIONS

A SQUARE PYRAMID OF 40 MM BASE SIDES AND 60 MM AXIS IS CUT BY AN INCLINED SECTION PLANE THROUGH THE MID POINT OF AXIS AS SHOWN. DRAW ISOMETRIC VIEW OF SECTION OF PYRAMID.





STUDY ILLUSTRATIONS

F.V. & T.V. of an object are given. Draw its isometric view.





STUDY ILLUSTRATIONS

F.V. & T.V. of an object are given. Draw it's isometric view.





F.V. & T.V. and S.V. of an object are given. Draw its isometric view.



STUDY ILLUSTRATIONS

F.V. & T.V. and S.V. of an object are given. Draw its isometric view



ALL VIEWS IDENTICAL



STUDY ILLUSTRATIONS



F.V. & T.V. and S.V. of an object are given. Draw its isometric view.

ALL VIEWS IDENTICAL





F.V. & T.V. and S.V. of an object are given. Draw its isometric view.

ORTHOGRAPHIC PROJECTIONS





STUDY ILLUSTRATIONS

F.V. and S.V. of an object are given.
Draw its isometric view.





STUDY ILLUSTRATIONS

F.V. & T.V. of an object are given. Draw it's isometric view.





STUDY ILLUSTRATIONS

F.V. & T.V. of an object are given. Draw its isometric view.





F.V. & T.V. of an object are given. Draw it's isometric view.





STUDY ILLUSTRATIONS

F.V. and S.V. of an object are given. Draw its isometric view.






F.V. & T.V. of an object are given. Draw it's isometric view.






STUDY ILLUSTRATIONS



F.V. and S.V. of an object are given.
Draw it's isometric view.



F.V. & T.V. of an object are given. Draw it's isometric view.





F.V. and S.V. of an object are given.
Draw it's isometric view.






STUDY
ILLUSTRATIONS

NOTE THE SMALL CHZNGE IN 2ND FV & SV.
DRAW ISOMETRIC ACCORDINGLY.



STUDY ILLUSTRATIONS



F.V. and S.V. of an object are given.
Draw its isometric view.



STUDY ILLUSTRATIONS

38

F.V. and S.V. of an object are given.
Draw its isometric view.



EXERCISES:

PROJECTIONS OF STRAIGHT LINES

1. A line AB is in first quadrant. Its ends A and B are 25mm and 65mm in front of VP respectively. The distance between the end projectors is 75mm. The line is inclined at 30° to VP and its VT is 10mm above HP. Draw the projections of AB and determine its true length and HT and inclination with HP.
2. A line AB measures 100mm. The projections through its VT and end A are 50mm apart. The point A is 35mm above HP and 25mm in front VP. The VT is 15mm above HP. Draw the projections of line and determine its HT and Inclinations with HP and VP.
3. Draw the three views of line AB, 80mm long, when it is lying in profile plane and inclined at 35° to HP. Its end A is in HP and 20mm in front of VP, while other end B is in first quadrant. Determine also its traces.
4. A line AB 75 mm long, has its one end A in VP and other end B 15mm above HP and 50mm in front of VP. Draw the projections of line when sum of inclinations with HP and VP is 90° . Determine the true angles of inclination and show traces.
5. A line AB is 75mm long and lies in an auxiliary inclined plane (AIP) which makes an angle of 45° with the HP. The front view of the line measures 55mm. The end A is in VP and 20mm above HP. Draw the projections of the line AB and find its inclination with HP and VP.

APPLICATIONS OF LINES

Room , compound wall cases

7) A room measures 8m x 5m x 4m high. An electric point hangs in the center of ceiling and 1m below it. A thin straight wire connects the point to the switch in one of the corners of the room and 2m above the floor. Draw the projections of the wire and its length and slope angle with the floor.

8) A room is of size 6m x 5m x 3.5m high. Determine graphically the real distance between the top corner and its diagonally opposite bottom corners. Consider appropriate scale

9) Two pegs A and B are fixed in each of the two adjacent side walls of the rectangular room 3m x 4m sides. Peg A is 1.5m above the floor, 1.2m from the longer side wall and is protruding 0.3m from the wall. Peg B is 2m above the floor, 1m from other side wall and protruding 0.2m from the wall. Find the distance between the ends of the two pegs. Also find the height of the roof if the shortest distance between peg A and center of the ceiling is 5m.

10) Two fan motors hang from the ceiling of a hall 12m x 5m x 8m high at heights of 4m and 6m respectively. Determine graphically the distance between the motors. Also find the distance of each motor from the top corner joining end and front wall.

11) Two mangoes on two trees are 2m and 3m above the ground level and 1.5m and 2.5m from a 0.25m thick wall but on opposite sides of it. Distances being measured from the center line of the wall. The distance between the mangoes, measured along ground and parallel to the wall is 3m. Determine the real distance between the mangoes.

POLES,ROADS, PIPE LINES,, NORTH- EAST-SOUTH WEST, SLOPE AND GRADIENT CASES.

12) Three vertical poles AB, CD and EF are lying along the corners of equilateral triangle lying on the ground of 100m sides. Their lengths are 5m, 8m and 12m respectively. Draw their projections and find real distance between their top ends.

13) A straight road going up hill from a point A due east to another point B is 4km long and has a slope of 25° . Another straight road from B due 30° east of north to a point C is also 4 kms long but going downward and has slope of 15° . Find the length and slope of the straight road connecting A and C.

14) An electric transmission line laid along an uphill from the hydroelectric power station due west to a substation is 2km long and has a slope of 30° . Another line from the substation, running $W 45^\circ N$ to village, is 4km long and laid on the ground level. Determine the length and slope of the proposed telephone line joining the power station and village.

15) Two wire ropes are attached to the top corner of a 15m high building. The other end of one wire rope is attached to the top of the vertical pole 5m high and the rope makes an angle of depression of 45° . The rope makes 30° angle of depression and is attached to the top of a 2m high pole. The pole in the top view are 2m apart. Draw the projections of the wire ropes.

16) Two hill tops A and B are 90m and 60m above the ground level respectively. They are observed from the point C, 20m above the ground. From C angles and elevations for A and B are 45° and 30° respectively. From B angle of elevation of A is 45° . Determine the two distances between A, B and C.

PROJECTIONS OF PLANES:-

1. A thin regular pentagon of 30mm sides has one side // to Hp and 30° inclined to Vp while its surface is 45° inclines to Hp. Draw its projections.
2. A circle of 50mm diameter has end A of diameter AB in Hp and AB diameter 30° inclined to Hp. Draw its projections if
 - a) the TV of same diameter is 45° inclined to Vp, OR
 - b) Diameter AB is in profile plane.
3. A thin triangle PQR has sides PQ = 60mm. QR = 80mm. and RP = 50mm. long respectively. Side PQ rest on ground and makes 30° with Vp. Point P is 30mm in front of Vp and R is 40mm above ground. Draw its projections.
4. An isosceles triangle having base 60mm long and altitude 80mm long appears as an equilateral triangle of 60mm sides with one side 30° inclined to XY in top view. Draw its projections.
5. A 30° - 60° set-square of 40mm long shortest side in Hp appears is an isosceles triangle in its TV. Draw projections of it and find its inclination with Hp.
6. A rhombus of 60mm and 40mm long diagonals is so placed on Hp that in TV it appears as a square of 40mm long diagonals. Draw its FV.
7. Draw projections of a circle 40 mm diameter resting on Hp on a point A on the circumference with its surface 30° inclined to Hp and 45° to Vp.
8. A top view of plane figure whose surface is perpendicular to Vp and 60° inclined to Hp is regular hexagon of 30mm sides with one side 30° inclined to xy. Determine it's true shape.
9. Draw a rectangular abcd of side 50mm and 30mm with longer 35° with XY, representing TV of a quadrilateral plane ABCD. The point A and B are 25 and 50mm above Hp respectively. Draw a suitable Fv and determine its true shape.
10. Draw a pentagon abcde having side 50° to XY, with the side ab = 30mm, bc = 60mm, cd = 50mm, de = 25mm and angles abc 120° , cde 125° . A figure is a TV of a plane whose ends A, B and E are 15, 25 and 35mm above Hp respectively. Complete the projections and determine the true shape of the plane figure.

PROJECTIONS OF SOLIDS

1. Draw the projections of a square prism of 25mm sides base and 50mm long axis. The prism is resting with one of its corners in VP and axis inclined at 30° to VP and parallel to HP.
2. A pentagonal pyramid, base 40mm side and height 75mm rests on one edge on its base on the ground so that the highest point in the base is 25mm. above ground. Draw the projections when the axis is parallel to Vp. Draw an another front view on an AVP inclined at 30° to edge on which it is resting so that the base is visible.
3. A square pyramid of side 30mm and axis 60 mm long has one of its slant edges inclined at 45° to HP and a plane containing that slant edge and axis is inclined at 30° to VP. Draw the projections.
4. A hexagonal prism, base 30mm sides and axis 75mm long, has an edge of the base parallel to the HP and inclined at 45° to the VP. Its axis makes an angle of 60° with the HP. Draw its projections. Draw another top view on an auxiliary plane inclined at 50° to the HP.
5. Draw the three views of a cone having base 50 mm diameter and axis 60mm long It is resting on a ground on a point of its base circle. The axis is inclined at 40° to ground and at 30° to VP.
6. Draw the projections of a square prism resting on an edge of base on HP. The axis makes an angle of 30° with VP and 45° with HP. Take edge of base 25mm and axis length as 125mm.

CASES OF COMPOSITE SOLIDS.

9. A cube of 40mm long edges is resting on the ground with its vertical faces equally inclined to the VP. A right circular cone base 25mm diameter and height 50mm is placed centrally on the top of the cube so that their axis are in a straight line. Draw the front and top views of the solids. Project another top view on an AIP making 45° with the HP
10. A square bar of 30mm base side and 100mm long is pushed through the center of a cylindrical block of 30mm thickness and 70mm diameter, so that the bar comes out equally through the block on either side. Draw the front view, top view and side view of the solid when the axis of the bar is inclined at 30° to HP and parallel to VP, the sides of a bar being 45° to VP.
11. A cube of 50mm long edges is resting on the ground with its vertical faces equally inclined to VP. A hexagonal pyramid, base 25mm side and axis 50mm long, is placed centrally on the top of the cube so that their axes are in a straight line and two edges of its base are parallel to VP. Draw the front view and the top view of the solids, project another top view on an AIP making an angle of 45° with the HP.
12. A circular block, 75mm diameter and 25mm thick is pierced centrally through its flat faces by a square prism of 35mm base sides and 125mm long axis, which comes out equally on both sides of the block. Draw the projections of the solids when the combined axis is parallel to HP and inclined at 30° to VP, and a face of the prism makes an angle of 30° with HP. Draw side view also.

SECTION & DEVELOPMENT

- 1) A square pyramid of 30mm base sides and 50mm long axis is resting on its base in HP. Edges of base is equally inclined to VP. It is cut by section plane perpendicular to VP and inclined at 45° to HP. The plane cuts the axis at 10mm above the base. Draw the projections of the solid and show its development.
- 2) A hexagonal pyramid, edge of base 30mm and axis 75mm, is resting on its edge on HP which is perpendicular to VP. The axis makes an angle of 30° to HP. the solid is cut by a section plane perpendicular to both HP and VP, and passing through the mid point of the axis. Draw the projections showing the sectional view, true shape of section and development of surface of a cut pyramid containing apex.
- 3) A cone of base diameter 60mm and axis 80mm, long has one of its generators in VP and parallel to HP. It is cut by a section plane perpendicular HP and parallel to VP. Draw the sectional FV, true shape of section and develop the lateral surface of the cone containing the apex.
- 4) A cube of 50mm long slid diagonal rest on ground on one of its corners so that the solid diagonal is vertical and an edge through that corner is parallel to VP. A horizontal section plane passing through midpoint of vertical solid diagonal cuts the cube. Draw the front view of the sectional top view and development of surface.
- 5) A vertical cylinder cut by a section plane perpendicular to VP and inclined to HP in such a way that the true shape of a section is an ellipse with 50mm and 80mm as its minor and major axes. The smallest generator on the cylinder is 20mm long after it is cut by a section plane. Draw the projections and show the true shape of the section. Also find the inclination of the section plane with HP. Draw the development of the lower half of the cylinder.
- 6) A cube of 75mm long edges has its vertical faces equally inclined to VP. It is cut by a section plane perpendicular to VP such that the true shape of section is regular hexagon. Determine the inclination of cutting plane with HP. Draw the sectional top view and true shape of section.
- 7) The pyramidal portion of a half pyramidal and half conical solid has a base of three sides, each 30mm long. The length of axis is 80mm. The solid rest on its base with the side of the pyramid base perpendicular to VP. A plane parallel to VP cuts the solid at a distance of 10mm from the top view of the axis. Draw sectional front view and true shape of section. Also develop the lateral surface of the cut solid.

8) A hexagonal pyramid having edge to edge distance 40mm and height 60mm has its base in HP and an edge of base perpendicular to VP. It is cut by a section plane, perpendicular to VP and passing through a point on the axis 10mm from the base. Draw three views of solid when it is resting on its cut face in HP, resting the larger part of the pyramid. Also draw the lateral surface development of the pyramid.

9) A cone diameter of base 50mm and axis 60mm long is resting on its base on ground. It is cut by a section plane perpendicular to VP in such a way that the true shape of a section is a parabola having base 40mm. Draw three views showing section, true shape of section and development of remaining surface of cone removing its apex.



10) A hexagonal pyramid, base 50mm side and axis 100mm long is lying on ground on one of its triangular faces with axis parallel to VP. A vertical section plane, the HT of which makes an angle of 30° with the reference line passes through center of base, the apex being retained. Draw the top view, sectional front view and the development of surface of the cut pyramid containing apex.

11) Hexagonal pyramid of 40mm base side and height 80mm is resting on its base on ground. It is cut by a section plane parallel to HP and passing through a point on the axis 25mm from the apex. Draw the projections of the cut pyramid. A particle P, initially at the mid point of edge of base, starts moving over the surface and reaches the mid point of opposite edge of the top face. Draw the development of the cut pyramid and show the shortest path of particle P. Also show the path in front and top views


12) A cube of 65 mm long edges has its vertical face equally inclined to the VP. It is cut by a section plane, perpendicular to VP, so that the true shape of the section is a regular hexagon, Determine the inclination of the cutting plane with the HP and draw the sectional top view and true shape of the section.




PROBLEM 14:-Two objects, a flower (A) and an orange (B) are within a rectangular compound wall, whose P & Q are walls meeting at 90° . Flower A is 1.5M & 1 M from walls P & Q respectively. Orange B is 3.5M & 5.5M from walls P & Q respectively. Drawing projection, find distance between them If flower is 1.5 M and orange is 3.5 M above the ground. Consider suitable scale..



PROBLEM 15 :- Two mangos on a tree A & B are 1.5 m and 3.00 m above ground and those are 1.2 m & 1.5 m from a 0.3 m thick wall but on opposite sides of it. If the distance measured between them along the ground and parallel to wall is 2.6 m, Then find real distance between them by drawing their projections.




REAL DISTANCE BETWEEN
MANGOS A & B IS $a'b'$




PROBLEM 16 :-



oa, ob & oc are three lines, 25mm, 45mm and 65mm long respectively. All equally inclined and the shortest is vertical. This fig. is TV of three rods OA, OB and OC whose ends A, B & C are on ground and end O is 100mm above ground. Draw their projections and find length of each along with their angles with ground.



Answers:
TL₁ TL₂ & TL₃




PROBLEM 17:- A pipe line from point A has a downward gradient 1:5 and it runs due South - East. Another Point B is 12 M from A and due East of A and in same level of A. Pipe line from B runs 15° Due East of South and meets pipe line from A at point C. Draw projections and find length of pipe line from B and it's inclination with ground.




$TL \text{ (answer)} = a' c'_2$

$\bigcirc =$ Inclination of pipe line BC


PROBLEM 18: A person observes two objects, A & B, on the ground, from a tower, 15 M high, At the angles of depression 30° & 45° . Object A is in due North-West direction of observer and object B is due West direction. Draw projections of situation and find distance of objects from observer and from tower also.



Answers:
 Distances of objects
 from observer
 $O'a'_1$ & $O'b'$
 From tower
 oa & ob



PROBLEM 19:- Guy ropes of two poles fixed at 4.5m and 7.5 m above ground, are attached to a corner of a building 15 M high, make 30° and 45° inclinations with ground respectively. The poles are 10 M apart. Determine by drawing their projections, Length of each rope and distance of poles from building.




Answers:



Length of Rope BC = $b'c'_2$

Length of Rope AC = $a'c'_1$


Distances of poles from building = ca & cb




PROBLEM 20:- A tank of 4 M height is to be strengthened by four stay rods from each corner by fixing their other ends to the flooring, at a point 1.2 M and 0.7 M from two adjacent walls respectively, as shown. Determine graphically length and angle of each rod with flooring.



PROBLEM 21:- A horizontal wooden platform 2 M long and 1.5 M wide is supported by four chains from it's corners and chains are attached to a hook 5 M above the center of the platform. Draw projections of the objects and determine length of each chain along with it's inclination with ground.



Answers:
 Length of each chain
 = $a'd'_1$
 Angle with Hp.
 = Q





PROBLEM 22.

A room is of size 6.5m L ,5m D,3.5m high.

An electric bulb hangs 1m below the center of ceiling.

A switch is placed in one of the corners of the room, 1.5m above the flooring.

Draw the projections and determine real distance between the bulb and switch.





B- Bulb

A-Switch

Answer :- $a'b'_1$

PROBLEM 23:-

A PICTURE FRAME 2 M WIDE AND 1 M TALL IS RESTING ON HORIZONTAL WALL RAILING MAKES 35° INCLINATION WITH WALL. IT IS ATTACHED TO A HOOK IN THE WALL BY TWO STRINGS. THE HOOK IS 1.5 M ABOVE WALL RAILING. DETERMINE LENGTH OF EACH CHAIN AND TRUE ANGLE BETWEEN THEM



Answers:
Length of each chain = hb_1
True angle between chains = Φ

THANK YOU

UNIT-5

ENGINEERING APPLICATIONS OF THE PRINCIPLES OF PROJECTIONS OF SOLIDES.

- 1. SECTIONS OF SOLIDS.**
- 2. DEVELOPMENT.**
- 3. INTERSECTIONS.**

**STUDY CAREFULLY
THE ILLUSTRATIONS GIVEN ON
NEXT *SIX* PAGES !**

SECTIONING A SOLID.

An object (here a solid) is cut by some imaginary cutting plane to understand internal details of that object.

The action of cutting is called **SECTIONING** a solid &

The plane of cutting is called **SECTION PLANE.**

Two cutting actions means section planes are recommended.

- A) Section Plane perpendicular to Vp and inclined to Hp.
(This is a definition of an Aux. Inclined Plane i.e. A.I.P.)


NOTE:- This section plane appears as a straight line in FV.

- B) Section Plane perpendicular to Hp and inclined to Vp.
(This is a definition of an Aux. Vertical Plane i.e. A.V.P.)


NOTE:- This section plane appears as a straight line in TV.

Remember:-







1. After launching a section plane either in FV or TV, the part towards observer is assumed to be removed.
2. As far as possible the smaller part is assumed to be removed.



**ILLUSTRATION SHOWING
IMPORTANT TERMS
IN SECTIONING.**



**Typical Section Planes
&
Typical Shapes
Of
Sections.**



DEVELOPMENT OF SURFACES OF SOLIDS.

MEANING:-

ASSUME OBJECT HOLLOW AND MADE-UP OF THIN SHEET. CUT OPEN IT FROM ONE SIDE AND UNFOLD THE SHEET COMPLETELY. THEN THE **SHAPE OF THAT UNFOLDED SHEET IS CALLED DEVELOPMENT OF LATERAL SURFACES** OF THAT OBJECT OR SOLID.

LATERAL SURFACE IS THE SURFACE EXCLUDING SOLID'S TOP & BASE.


ENGINEERING APPLICATION:

THERE ARE SO MANY PRODUCTS OR OBJECTS WHICH ARE DIFFICULT TO MANUFACTURE BY CONVENTIONAL MANUFACTURING PROCESSES, BECAUSE OF THEIR SHAPES AND SIZES. THOSE ARE FABRICATED IN SHEET METAL INDUSTRY BY USING DEVELOPMENT TECHNIQUE. THERE IS A VAST RANGE OF SUCH OBJECTS.

EXAMPLES:-

Boiler Shells & chimneys, Pressure Vessels, Shovels, Trays, Boxes & Cartons, Feeding Hoppers, Large Pipe sections, Body & Parts of automobiles, Ships, Aeroplanes and many more.

**WHAT IS
OUR OBJECTIVE
IN THIS TOPIC ?**



To learn methods of development of surfaces of different solids, their sections and frustums.


*But before going ahead,
note following
Important points.*

1. Development is different drawing than PROJECTIONS.
2. It is a shape showing AREA, means it's a 2-D plain drawing.
3. Hence all dimensions of it must be TRUE dimensions.
4. As it is representing shape of an un-folded sheet, no edges can remain hidden
And hence DOTTED LINES are never shown on development.


Study illustrations given on next page carefully.

Development of lateral surfaces of different solids. (Lateral surface is the surface excluding top & base)


Cylinder: A Rectangle




Cone: (Sector of circle)




Pyramids: (No. of triangles)





Prisms: No. of Rectangles



Tetrahedron: Four Equilateral Triangles




Cube: Six Squares.



FRUSTUMS



DEVELOPMENT OF FRUSTUM OF CONE




$$\theta = \frac{R}{L} \times 360^\circ$$

R= Base circle radius of cone

L= Slant height of cone

L_1 = Slant height of cut part.

DEVELOPMENT OF FRUSTUM OF SQUARE PYRAMID



L= Slant edge of pyramid


L_1 = Slant edge of cut part.

STUDY NEXT **NINE** PROBLEMS OF
SECTIONS & DEVELOPMENT

Problem 1: A pentagonal prism, 30 mm base side & 50 mm axis is standing on Hp on it's base with one side of the base perpendicular to VP. It is cut by a section plane inclined at 45° to the HP, through mid point of axis. Draw Fv, sec.Tv & sec. Side view. Also draw true shape of section and Development of surface of remaining solid.

Solution Steps: *for sectional views:*

Draw three views of standing prism.
Locate sec.plane in Fv as described.
Project points where edges are getting cut on Tv & Sv as shown in illustration.
Join those points in sequence and show Section lines in it.
Make remaining part of solid dark.



For True Shape:


Draw x_1y_1 // to sec. plane
Draw projectors on it from cut points.
Mark distances of points of Sectioned part from Tv, on above projectors from x_1y_1 and join in sequence.
Draw section lines in it.
It is required true shape.

For Development:

Draw development of entire solid. Name from cut-open edge i.e. A. in sequence as shown.
Mark the cut points on respective edges.
Join them in sequence in st. lines.
Make existing parts dev.dark.


Problem 2: A cone, 50 mm base diameter and 70 mm axis is standing on it's base on Hp. It cut by a section plane 45° inclined to Hp through base end of end generator. Draw projections, sectional views, true shape of section and development of surfaces of remaining solid.

Solution Steps: *for sectional views:*
 Draw three views of standing cone.
 Locate sec. plane in Fv as described.
 Project points where generators are getting Cut on Tv & Sv as shown in illustration. Join those points in sequence and show Section lines in it.
 Make remaining part of solid dark.



SECTIONAL S.V

DEVELOPMENT





For True Shape:
 Draw x_1y_1 // to sec. plane
 Draw projectors on it from cut points.
 Mark distances of points of Sectioned part from Tv, on above projectors from x_1y_1 and join in sequence.
 Draw section lines in it.
 It is required true shape.

For Development:
 Draw development of entire solid.
 Name from cut-open edge i.e. A. in sequence as shown. Mark the cut points on respective edges.
 Join them in sequence in curvature.
 Make existing parts dev. dark.

Problem 3: A cone 40mm diameter and 50 mm axis is resting on one generator on Hp(lying on Hp) which is // to Vp.. Draw it's projections.It is cut by a horizontal section plane through it's base center. Draw sectional TV, development of the surface of the remaining part of cone.


Follow similar solution steps for Sec.views - True shape – Development as per previous problem!



Note the steps to locate Points 1, 2, 5, 6 in sec.Fv: Those are transferred to 1st TV, then to 1st Fv and Then on 2nd Fv.


Problem 4: A hexagonal prism. 30 mm base side & 55 mm axis is lying on Hp on it's rect.face with axis // to Vp. It is cut by a section plane normal to Hp and 30° inclined to Vp bisecting axis. Draw sec. Views, true shape & development.

Use similar steps for sec.views & true shape.
NOTE: for development, always cut open object from From an edge in the boundary of the view in which sec.plane appears as a line. Here it is Tv and in boundary, there is c1 edge.Hence it is opened from c and named C,D,E,F,A,B,C.





A.V.P 30° inclined to Vp
Through mid-point of axis.


AS SECTION PLANE IS IN T.V.,
CUT OPEN FROM BOUNDARY EDGE C FOR DEVELOPMENT.




Q 14.11: A square pyramid, base 40 mm side and axis 65 mm long, has its base on the HP and all the edges of the base equally inclined to the VP. It is cut by a section plane, perpendicular to the VP, inclined at 45° to the HP and bisecting the axis. Draw its sectional top view, sectional side view and true shape of the section. Also draw its development.




Q 14.14: A pentagonal pyramid, base 30mm side and axis 60 mm long is lying on one of its triangular faces on the HP with the axis parallel to the VP. A vertical section plane, whose HT bisects the top view of the axis and makes an angle of 30° with the reference line, cuts the pyramid removing its top part. Draw the top view, sectional front view and true shape of the section and development of the surface of the remaining portion of the pyramid.



Q 14.11: A square pyramid, base 40 mm side and axis 65 mm long, has its base on the HP with two edges of the base perpendicular to the VP. It is cut by a section plane, perpendicular to the VP, inclined at 45° to the HP and bisecting the axis. Draw its sectional top view and true shape of the section. Also draw its development.



Q.15.11: A right circular cylinder, base 50 mm diameter and axis 60 mm long, is standing on HP on its base. It has a square hole of size 25 in it. The axis of the hole bisects the axis of the cylinder and is perpendicular to the VP. The faces of the square hole are equally inclined with the HP. Draw its projections and develop lateral surface of the cylinder.



Q: A square prism of 40 mm edge of the base and 65 mm height stands on its base on the HP with vertical faces inclined at 45° with the VP. A horizontal hole of 40 mm diameter is drilled centrally through the prism such that the hole passes through the opposite vertical edges of the prism, draw the development of the surfaces of the prism.

