



VEMU INSTITUTE OF TECHNOLOGY
Tirupati – Chittoor Highway, P. Kothakota, Near Pakala, Chittoor-517112.

TO WHOMSO EVER IT MAY CONCERN

List of the students in the final year examination during the academic year 2023-24

S.No	Program Code	Program Name	No.of Students appeared in final year Examination	No.of Students passed in final year Examination	Pass percentage
1	A01	B.TECH-CIVIL	46	45	97.82
2	A02	B.TECH-EEE	62	61	98.38
3	A03	B.TECH-MECH	95	90	94.73
4	A04	B.TECH-ECE	133	131	98.49
5	A05	B.TECH-CSE	131	130	99.23
6	D54	PE&ED(M.TECH-EEE)	03	03	100
7	D15	MD(M.TECH-MECH)	02	02	100
8	D57	ES&VLSI(M.TECH-ECE	-	-	-
9	D58	CSE(M.TECH-CSE)	04	04	100
10	IE0	MBA	47	47	100
11	1F	MCA	60	54	90
12		Total	582	567	97.42


EXAM SECTION IN - CHARGE
VEMU INSTITUTE OF TECHNOLOGY
P. KOTHAKOTA - 517 112


PRINCIPAL
VEMU INSTITUTE OF TECHNOLOGY
P. KOTHAKOTA - 517 112



VEMU INSTITUTE OF TECHNOLOGY

Tirupati – Chittoor Highway, P. Kothakota, Near Pakala, Chittoor-517112.

TO WHOMSO EVER IT MAY CONCERN

This is to certify that the pass percentage of final year examination for the academic year

2023-24 is as follows

Total number of students appeared in the final year examination: 582

Total number of students appeared in the final year examination: 567

Pass percentage : 97.42


EXAM SECTION IN - CHARGE
VEMU INSTITUTE OF TECHNOLOGY
P. KOTHAKOTA - 517 112


PRINCIPAL
VEMU INSTITUTE OF TECHNOLOGY
P. KOTHAKOTA - 517 112



**VEMU INSTITUTE OF TECHNOLOGY: :P. KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112**
(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
DEPARTMENT OF CIVIL ENGINEERING

Result analysis

Academic Year:2023-2024


Batch:2022-2026

Over all pass %: 57.1 %

Year: II

Sem: II

Course	No of stu registered	No of stu passed	Pass %
CT	28	24	85.71
EE-I	28	27	96.43
MMOT	28	28	100.00
SA-I	28	20	71.43
SOC-II	28	28	100.00
DTI	28	28	100.00
EG	28	21	75.00
EE Lab	28	28	100.00
CM Lab	28	28	100.00
EG Lab	28	28	100.00



NO OF STUDENTS REGISTERED 28
NO OF STUDENTS PASSED 16
Overall Pass % 57.1 %

Class topper

- | | | |
|---------------|--------------------|-------|
| 1) 224M1A0122 | P. Lokeswari | 88.17 |
| 2) 234M5A0101 | N. Balasubramanyam | 85.80 |

INCHARGE

**HOD
HEAD**

**DEPARTMENT OF CIVIL ENGINEERING
VEMU INSTITUTE OF TECHNOLOGY
P KOTHA KOTA - 517 112**



VEMU INSTITUTE OF TECHNOLOGY: :P. KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112
 (Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
DEPARTMENT OF CIVIL ENGINEERING

Result analysis

Academic Year:2023-2024


Batch:2022-2026

Over all pass %: 37.9

Year: II

Sem: I

Course	No of stu registered	No of stu passed	Pass %
P & S	29	19	65.52
ASM	29	20	68.97
FM & HM	29	19	65.52
SUR	29	27	93.10
MEFA	29	23	79.31
BCE Lab	29	29	100
FM & HM Lab	29	29	100
Sur Lab	29	29	100
Python Lab	29	29	100
UHV	29	29	100
NSS/NCC/NSO	29	29	100



NO OF STUDENTS REGISTERED	29
NO OF STUDENTS PASSED	11
Overall Pass %	37.9

Class topper

- | | |
|------------------------------|---------|
| 1) P. Lokeswari (224M1A0122) | 86.69 % |
| 2) B. Pallavi (224M1A0103) | 82.71 % |

INCHARGE

HOD
HEAD
 DEPARTMENT OF CIVIL ENGINEERING
 VEMU INSTITUTE OF TECHNOLOGY
 P. KOTHAKOTA - 517 112



VEMU INSTITUTE OF TECHNOLOGY: :P. KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112
(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
DEPARTMENT OF CIVIL ENGINEERING

Result analysis

Academic year : 2023-2024
Batch : 2020-2024
Over all pass % : 97.83

Year: IV
Sem: II

Course	No of stu registered	No of stu passed	Pass %
FI and PW	46	45	97.83

2020-2024 Batch

No of Stu Passed



No of student registered



No of student registered: 46
No of student passed: 45
Over all pass %: 97.83

No of student Regd: 46
No of student passed: 45
Over all pass % : 97.83

Sem topper

- 1) 204M1A0123 Katta Sasirekha 97.5%
- 2) 214M5A0103 Satharajupalli Adi Ganesh 97.5%
- 3) 204M1A0134 Pandivaripalli mani 97%

Ph

INCHARGE

Ph
HOD

HEAD

DEPARTMENT OF CIVIL ENGINEERING
VEMU INSTITUTE OF TECHNOLOGY
P. KOTHA KOTA - 517 112




VEMU INSTITUTE OF TECHNOLOGY: :P. KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112
(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
DEPARTMENT OF CIVIL ENGINEERING

Result analysis

Academic year: 2023-2024
Batch: 2020-2024
Over all pass %: 67.4%

Year: IV
Sem: I

Course	No of stu registered	No of stu passed	Pass %
PC	46	46	100
WEM	46	44	95.65
BE	46	35	76.09
GIT	46	44	95.65
Esti lab	46	46	100
MS	46	46	100
Internship	46	46	100
SE	11	04	36.36
P design	35	35	100



No of student Regd 46
No of student passed 31
Over all pass % 67.4 %

Sem topper

- 1) P Pooja (204M1A0131) 80.5%
- 2) S Chiranjeevi (204M1A0138) 79.87%

INCHARGE

HOD
HEAD

DEPARTMENT OF CIVIL ENGINEERING
VEMU INSTITUTE OF TECHNOLOGY
P KOTHAKOTA - 517 112




**: VEMU INSTITUTE OF TECHNOLOGY: :P. KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112**
(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
DEPARTMENT OF CIVIL ENGINEERING

Result analysis

Academic year: 2024-2025
Batch: 2021-2025
Over all pass %: 68.18

Year: III
Sem: II

Course	No of student registered	No of student passed	Pass %
FE	41	36	87.80
HE	44	44	100.00
DSS	44	33	75.00
BIM FFE	44	44	100
H&IE	44	42	95.45
IOT	44	43	97.72
IPR	44	42	95.45
EIA	03	03	100.00
HM LAB	44	44	100.00
CT LAB	44	44	100.00
STAAD LAB	44	44	100.00



No of student registered: 44
No of student passed : 30
Over all pass % : 68.18%

Sem topper

1 P Sandhya 84.94%
2 M.Vidya 83.65%


INCHARGE


NOB

HEAD

DEPARTMENT OF CIVIL ENGINEERING
VEMU INSTITUTE OF TECHNOLOGY
P KOTHA KOTA - 517 112




**VEMU INSTITUTE OF TECHNOLOGY: :P. KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112**
(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
DEPARTMENT OF CIVIL ENGINEERING

Result analysis

Academic year: 2023-2024
Batch 2021-2025
Over all pass %: 77.3%

Year: III
Sem: I

Course	No of stu registered	No of stu passed	Pass %
DRCS	44	38	86.36
CSP	44	44	100
3DP	44	42	95.45
ES	44	100	100
BMC	44	100	100
SA-II	44	43	97.73
GTE	44	38	86.63
BPD	44	100	100
CAD Lab	44	100	100
GT Lab	44	100	100



No of student Regd 44
No of student passed 34
Overall Pass % 77.3%

Sem topper

1) P. Swathi (214M1A0134) 76.10%
2) T. Radhika (214M1A0139) 75.20%

INCHARGE

HOD

HEAD
DEPARTMENT OF CIVIL ENGINEERING
/VEMU INSTITUTE OF TECHNOLOGY
P KOTHA KOTA - 517 112



FINAL RESULT SHEET

MBA | YEAR I SEMESTER R23 (R23) Regular Examinations, February 2024

Branch : MBA

S.No.	Hall Ticket No.	M&OB		BE&LAW		ME		F&M		SM		MIS		BCP		IT LAB		Total Marks	Perc. %	Result	SGPA	CGPA																
		Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr																					
1	234M1E0001	37	46	83	A	35	46	81	A	33	44	77	B	35	36	71	B	39	50	89	A	38	48	86	A	40	60	100	S	40	60	100	S	687	85.88	Pass	8.86	8.86
2	234M1E0002	37	44	81	A	30	44	74	B	33	47	80	A	35	41	76	B	38	35	73	B	34	45	79	B	35	56	91	S	38	57	95	S	649	81.13	Pass	8.57	8.57
3	234M1E0003	36	40	76	B	31	28	59	D	32	42	74	B	34	45	79	B	38	26	64	C	30	47	77	B	37	58	95	S	39	56	95	S	619	77.38	Pass	7.86	7.86
4	234M1E0004	38	52	90	S	33	48	81	A	39	46	85	A	38	44	82	A	39	44	83	A	36	46	82	A	36	55	91	S	37	54	91	S	685	85.63	Pass	9.29	9.29
5	234M1E0005	26	33	59	D	28	34	62	C	28	39	67	C	26	31	57	D	30	13	43	F	27	36	63	C	34	46	80	A	30	47	77	B	508	63.50	Fail	5.93	5.93
6	234M1E0006	35	46	81	A	26	44	70	B	38	45	83	A	36	36	72	B	38	27	65	C	32	40	72	B	35	57	92	S	36	58	94	S	629	78.63	Pass	8.43	8.43
7	234M1E0007	37	44	81	A	35	48	83	A	39	46	85	A	37	46	83	A	39	34	73	B	38	49	87	A	37	59	96	S	35	57	92	S	680	85.00	Pass	9.00	9.00
8	234M1E0008	33	38	71	B	30	41	71	B	35	37	72	B	35	42	77	B	33	29	62	C	29	46	75	B	35	56	91	S	34	55	89	A	608	76.00	Pass	8.07	8.07
9	234M1E0009	0	51	51	D	0	45	45	F	0	50	50	D	0	43	43	F	0	31	31	F	0	45	45	F	32	46	78	B	30	46	76	B	419	52.38	Fail	2.86	2.86
10	234M1E0010	26	26	52	D	19	41	60	C	28	43	71	B	29	39	68	C	26	27	53	D	26	36	62	C	32	48	80	A	31	47	78	B	524	65.50	Pass	7.07	7.07
11	234M1E0011	35	38	73	B	34	39	73	B	32	41	73	B	31	42	73	B	38	31	69	C	30	45	75	B	38	60	98	S	40	60	100	S	634	79.25	Pass	8.14	8.14
12	234M1E0012	26	42	68	C	21	36	57	D	23	47	70	B	28	38	66	C	28	28	56	D	23	45	68	C	33	50	83	A	32	51	83	A	551	68.88	Pass	7.14	7.14
13	234M1E0013	30	36	66	C	27	42	69	C	32	48	80	A	29	43	72	B	29	26	55	D	31	47	78	B	31	49	80	A	33	50	83	A	583	72.88	Pass	7.71	7.71
14	234M1E0014	0	26	26	F	0	19	19	F	27	35	62	C	25	27	52	D	27	11	38	F	26	32	58	D	33	48	81	A	30	47	77	B	413	51.63	Fail	3.93	3.93
15	234M1E0015	26	33	59	D	26	49	75	B	28	44	72	B	28	39	67	C	28	36	64	C	26	45	71	B	30	47	77	B	0	0	0	F	485	60.63	Fail	6.86	6.86
16	234M1E0016	36	32	68	C	35	47	82	A	34	47	81	A	38	37	75	B	39	37	76	B	36	44	80	A	38	59	97	S	38	58	96	S	655	81.88	Pass	8.57	8.57
17	234M1E0017	28	27	55	D	33	34	67	C	32	40	72	B	32	34	66	C	35	28	63	C	29	42	71	B	37	58	95	S	35	57	92	S	581	72.63	Pass	7.57	7.57
18	234M1E0019	37	30	67	C	31	45	76	B	37	42	79	B	28	35	63	C	28	26	54	D	29	44	73	B	37	56	93	S	36	55	91	S	596	74.50	Pass	7.71	7.71
19	234M1E0020	26	13	39	F	27	0	27	F	28	0	28	F	26	0	26	F	28	0	28	F	26	0	26	F	32	50	82	A	31	49	80	A	336	42.00	Fail	1.29	1.29
20	234M1E0021	26	52	78	B	26	49	75	B	32	47	79	B	26	41	67	C	30	41	71	B	31	51	82	A	37	56	93	S	33	57	90	S	635	79.38	Pass	8.29	8.29
21	234M1E0022	26	42	68	C	27	44	71	B	39	44	83	A	32	39	71	B	36	36	72	B	31	45	76	B	35	57	92	S	34	56	90	S	623	77.88	Pass	8.29	8.29
22	234M1E0024	32	30	62	C	30	40	70	B	32	41	73	B	28	35	63	C	26	29	55	D	26	41	67	C	34	54	88	A	34	55	89	A	567	70.88	Pass	7.43	7.43
23	234M1E0025	27	25	52	D	26	33	59	D	28	41	69	C	26	25	51	D	27	31	58	D	26	0	26	F	37	49	86	A	30	48	78	B	479	59.88	Fail	5.64	5.64
24	234M1E0026	39	32	71	B	35	46	81	A	39	46	85	A	40	46	86	A	39	42	81	A	38	50	88	A	36	56	92	S	38	57	95	S	679	84.88	Pass	9.00	9.00
25	234M1E0027	34	29	63	C	26	44	70	B	32	44	76	B	31	38	69	C	30	32	62	C	26	43	69	C	38	55	93	S	36	54	90	S	592	74.00	Pass	7.71	7.71
26	234M1E0028	34	30	64	C	30	34	64	C	34	41	75	B	30	38	68	C	27	34	61	C	34	44	78	B	39	59	98	S	35	57	92	S	600	75.00	Pass	7.71	7.71
27	234M1E0029	40	45	85	A	36	43	79	B	38	42	80	A	40	51	91	S	40	40	80	A	39	48	87	A	39	57	96	S	40	58	98	S	696	87.00	Pass	9.14	9.14
28	234M1E0030	38	35	73	B	30	42	72	B	37	41	78	B	34	40	74	B	39	29	68	C	35	42	77	B	38	58	96	S	37	57	94	S	632	79.00	Pass	8.14	8.14

S.No.	Hall Ticket No.	MROB		BEBLAW		ME		FAM		SM		MIS		BCP		IT/LAB		Total Marks	Perc. %	Result	SGPA	CGPA																
		Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr																					
29	234M1E0031	32	42	74	B	31	38	69	C	37	42	79	B	36	50	86	A	28	29	57	D	28	43	71	B	32	50	82	A	599	74.88	Pass	7.86	7.86				
30	234M1E0032	27	25	52	D	26	25	51	D	30	29	59	D	26	26	52	D	31	18	49	F	26	26	52	D	30	49	79	B	30	48	78	B	472	59.00	Fail	5.43	5.43
31	234M1E0033	37	53	90	S	38	51	89	A	40	43	83	A	40	50	90	S	40	40	80	A	39	49	88	A	40	60	100	S	40	60	100	S	720	90.00	Pass	9.43	9.43
32	234M1E0034	33	33	66	C	30	44	74	B	35	40	75	B	33	35	68	C	28	31	59	D	28	46	74	B	34	56	90	S	36	57	93	S	599	74.88	Pass	7.71	7.71
33	234M1E0036	28	27	55	D	32	32	64	C	26	39	65	C	30	26	56	D	29	27	56	D	21	32	53	D	33	50	83	A	30	49	79	B	511	63.88	Pass	6.64	6.64
34	234M1E0037	26	43	69	C	26	47	73	B	30	42	72	B	23	41	64	C	30	25	55	D	28	42	70	B	34	57	91	S	32	56	88	A	582	72.75	Pass	7.64	7.64
35	234M1E0038	35	39	74	B	31	44	75	B	35	46	81	A	36	31	67	C	39	40	79	B	33	43	76	B	38	58	96	S	39	59	98	S	646	80.75	Pass	8.29	8.29
36	234M1E0039	35	34	69	C	28	46	74	B	34	44	78	B	34	39	73	B	36	36	72	B	28	42	70	B	36	56	92	S	37	55	92	S	620	77.50	Pass	8.14	8.14
37	234M1E0040	31	42	73	B	30	47	77	B	34	46	80	A	33	41	74	B	36	40	76	B	33	46	79	B	37	53	90	S	36	54	90	S	639	79.88	Pass	8.43	8.43
38	234M1E0041	39	51	90	S	33	51	84	A	36	51	87	A	36	50	86	A	39	47	86	A	39	50	89	A	40	60	100	S	40	60	100	S	722	90.25	Pass	9.29	9.29
39	234M1E0042	26	26	52	D	27	38	65	C	27	40	67	C	28	34	62	C	31	25	56	D	28	45	73	B	35	51	86	A	32	50	82	A	543	67.88	Pass	7.14	7.14
40	234M1E0043	35	30	65	C	30	37	67	C	28	40	68	C	30	34	64	C	38	34	72	B	31	44	75	B	38	58	96	S	37	58	95	S	602	75.25	Pass	7.71	7.71
41	234M1E0044	37	39	76	B	34	47	81	A	37	32	69	C	38	42	80	A	39	36	75	B	34	45	79	B	40	59	99	S	38	59	97	S	656	82.00	Pass	8.43	8.43
42	234M1E0045	34	35	69	C	32	44	76	B	30	39	69	C	38	36	74	B	35	34	69	C	30	44	74	B	38	54	92	S	36	55	91	S	614	76.75	Pass	7.86	7.86
43	234M1E0046	35	49	84	A	33	51	84	A	37	42	79	B	39	50	89	A	40	45	85	A	31	49	80	A	38	57	95	S	35	56	91	S	687	85.88	Pass	9.00	9.00
44	234M1E0047	37	41	78	B	33	46	79	B	36	43	79	B	40	42	82	A	37	44	81	A	37	48	85	A	37	56	93	S	37	57	94	S	671	83.88	Pass	8.71	8.71
45	234M1E0048	26	31	57	D	21	46	67	C	26	37	63	C	23	28	51	D	27	30	57	D	26	42	68	C	33	50	83	A	30	49	79	B	525	65.63	Pass	6.79	6.79
46	234M1E0049	38	39	77	B	32	44	76	B	37	43	80	A	38	49	87	A	39	46	85	A	32	44	76	B	37	57	94	S	38	57	95	S	670	83.75	Pass	8.71	8.71
47	234M1E0050	38	45	83	A	33	47	80	A	37	44	81	A	37	45	82	A	40	48	88	A	34	49	83	A	38	58	96	S	36	57	93	S	686	85.75	Pass	9.14	9.14
48	234M1E0051	39	48	87	A	36	42	78	B	37	43	80	A	40	46	86	A	36	29	65	C	38	48	86	A	40	60	100	S	40	60	100	S	682	85.25	Pass	8.71	8.71
49	234M1E0052	39	46	85	A	38	45	83	A	39	45	84	A	40	46	86	A	38	43	81	A	38	51	89	A	40	60	100	S	40	60	100	S	708	88.50	Pass	9.14	9.14
50	234M1E0053	38	40	78	B	37	46	83	A	39	44	83	A	38	44	82	A	39	45	84	A	37	45	82	A	40	59	99	S	39	60	99	S	690	86.25	Pass	9.00	9.00
51	234M1E0054	37	46	83	A	34	44	78	B	39	43	82	A	40	45	85	A	40	43	83	A	38	48	86	A	40	60	100	S	40	60	100	S	697	87.13	Pass	9.00	9.00
52	234M1E0055	26	35	61	C	28	40	68	C	26	39	65	C	26	41	67	C	27	27	54	D	26	39	65	C	34	49	83	A	30	48	78	B	541	67.63	Pass	7.07	7.07
53	234M1E0056	16	34	50	D	26	40	66	C	21	41	62	C	23	36	59	D	27	32	59	D	21	43	64	C	32	52	84	A	30	50	80	A	524	65.50	Pass	6.86	6.86
54	234M1E0057	39	39	78	B	36	44	80	A	37	41	78	B	40	43	83	A	40	43	83	A	39	43	82	A	39	59	98	S	38	59	97	S	679	84.88	Pass	8.86	8.86
55	234M1E0058	39	41	80	A	34	46	80	A	37	43	80	A	40	39	79	B	40	40	80	A	39	45	84	A	40	57	97	S	37	58	95	S	675	84.38	Pass	9.00	9.00
56	234M1E0059	33	35	68	C	30	36	66	C	34	40	74	B	33	39	72	B	35	38	73	B	33	33	66	C	38	58	96	S	36	57	93	S	608	76.00	Pass	7.86	7.86
57	234M1E0060	36	38	74	B	32	44	76	B	35	42	77	B	38	41	79	B	36	42	78	B	34	37	71	B	37	54	91	S	31	52	83	A	629	78.63	Pass	8.21	8.21
58	234M1E0061	30	32	62	C	28	32	60	C	32	38	70	B	33	33	66	C	34	30	64	C	26	33	59	D	36	55	91	S	35	54	89	A	561	70.13	Pass	7.36	7.36
59	234M1E0062	34	38	72	B	30	45	75	B	38	41	79	B	40	47	87	A	32	37	69	C	37	44	81	A	35	48	83	A	34	49	83	A	629	78.63	Pass	8.29	8.29
60	234M1E0063	38	42	80	A	36	44	80	A	37	44	81	A	40	43	83	A	40	35	75	B	39	43	82	A	40	60	100	S	40	60	100	S	681	85.13	Pass	9.00	9.00
61	234M1E0064	36	51	87	A	36	50	86	A	39	46	85	A	40	49	89	A	39	39	78	B	32	43	75	B	37	57	94	S	37	56	93	S	687	85.88	Pass	8.86	8.86

S.No.	Hall Ticket No.	M&OB			BE&LAW			MIE			FAM			SM			MIS			BCP			IT LAB			Total Marks	Perc. %	Result	SGPA	CGPA
		Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr					
62	234M1E0065	35	42	77 B	30	49	79 B	35	46	81 A	32	46	78 B	30	39	69 C	31	42	73 B	40	60	100 S	36	58	94 S	651	81.38	Pass	8.29	8.29
63	234M1E0066	37	52	89 A	38	52	90 S	39	48	87 A	39	50	89 A	36	47	83 A	39	50	89 A	38	53	91 S	32	57	89 A	707	88.38	Pass	9.21	9.21
64	234M1E0067	29	44	73 B	26	40	66 C	27	44	71 B	28	41	69 C	27	31	58 D	26	41	67 C	36	51	87 A	31	53	84 A	575	71.88	Pass	7.43	7.43
65	234M1E0068	34	31	65 C	31	44	75 B	34	37	71 B	36	36	72 B	40	26	66 C	29	37	66 C	37	57	94 S	35	57	92 S	601	75.13	Pass	7.86	7.86
66	234M1E0069	28	38	66 C	26	45	71 B	30	45	75 B	32	52	84 A	30	33	63 C	26	38	64 C	35	56	91 S	36	58	94 S	608	76.00	Pass	8.00	8.00
67	234M1E0070	29	43	72 B	27	49	76 B	30	45	75 B	32	42	74 B	30	29	59 D	26	44	70 B	36	54	90 S	35	56	91 S	607	75.88	Pass	8.00	8.00
68	234M1E0071	28	38	66 C	28	33	61 C	28	46	74 B	31	42	73 B	28	26	54 D	29	46	75 B	34	49	83 A	34	54	88 A	574	71.75	Pass	7.57	7.57
69	234M1E0072	27	40	67 C	28	32	60 C	28	41	69 C	24	34	58 D	31	25	56 D	26	31	57 D	33	51	84 A	30	46	76 B	527	65.88	Pass	6.79	6.79
70	234M1E0073	27	44	71 B	26	38	64 C	27	44	71 B	29	31	60 C	28	36	64 C	28	37	65 C	32	54	86 A	35	53	88 A	569	71.13	Pass	7.57	7.57
71	234M1E0074	28	36	64 C	26	50	76 B	27	45	72 B	31	45	76 B	28	40	68 C	28	46	74 B	34	52	86 A	37	56	93 S	609	76.13	Pass	7.93	7.93
72	234M1E0075	27	27	54 D	27	47	74 B	27	42	69 C	31	33	64 C	27	36	63 C	26	42	68 C	32	50	82 A	36	52	88 A	562	70.25	Pass	7.29	7.29

Average SGPA : 7.80

Average CGPA : 7.80

S.No.	SubCode	ShortName	Sub Name
1	23MBBA01T	M&OB	Management & organizational Behaviour
2	23MBBA02T	BE&LAW	Business Environment & Law
3	23MBBA03T	ME	Managerial Economics
4	23MBBA04T	FAM	Financial Accounting For Managers
5	23MBBA05T	SM	Statistics For Managers
6	23MBBA06T	MIS	Management Information System
7	23MBBA01P	BCP	Business Communication Practice
8	23MBBA02P	IT LAB	Information Technology lab

CONTROLLER OF EXAMINATIONS

PRINCIPAL

PRINCIPAL

Vemu Institute of Technology
P. KOTHAKOTA - 517 112



FINAL RESULT SHEET

Branch : MBA

MBA I YEAR II SEMESTER R23 (R23) Regular Examinations, July 2024

S.No.	Hall Ticket No.	FM		MM		HRM		BRM		OR		OM		E-B		DA LAB		Total Marks	Perc. %	Result	SGPA	CGPA
		Int	Ext Tot Gr	Int	Ext Tot Gr	Int	Ext Tot Gr	Int	Ext Tot Gr	Int	Ext Tot Gr	Int	Ext Tot Gr	Int	Ext Tot Gr	Int	Ext Tot Gr					
1	234M1E0001	38	41 79 B	36	49 85 A	38	40 78 B	39	49 88 A	38	56 94 S	33	47 80 A	39	48 87 A	40	60 100 S	691	86.38	Pass	8.93	8.89
2	234M1E0002	33	40 73 B	35	48 83 A	34	47 81 A	34	51 85 A	40	41 81 A	28	45 73 B	38	49 87 A	37	58 95 S	658	82.25	Pass	8.79	8.68
3	234M1E0003	32	45 77 B	37	45 82 A	32	43 75 B	37	49 86 A	40	47 87 A	30	45 75 B	39	49 88 A	38	56 94 S	664	83.00	Pass	8.64	8.25
4	234M1E0004	38	47 85 A	37	48 85 A	36	50 86 A	40	53 93 S	40	52 92 S	35	52 87 A	40	52 92 S	39	59 98 S	718	89.75	Pass	9.43	9.36
5	234M1E0005	32	39 71 B	32	43 75 B	26	38 64 C	31	45 76 B	29	47 76 B	28	45 73 B	30	47 77 B	30	47 77 B	589	73.63	Pass	7.86	6.89
6	234M1E0006	36	41 77 B	34	43 77 B	33	44 77 B	36	49 85 A	40	51 91 S	28	45 73 B	37	49 86 A	35	58 93 S	659	82.38	Pass	8.64	8.54
7	234M1E0007	38	40 78 B	37	49 86 A	35	47 82 A	39	51 90 S	38	48 86 A	32	51 83 A	39	54 93 S	36	59 95 S	693	86.63	Pass	9.14	9.07
8	234M1E0008	36	36 72 B	34	40 74 B	27	36 63 C	36	47 83 A	39	43 82 A	28	39 67 C	36	44 80 A	32	54 86 A	607	75.88	Pass	8.14	8.11
9	234M1E0009	32	37 69 C	33	48 81 A	33	43 76 B	33	51 84 A	30	38 68 C	29	49 78 B	31	54 85 A	30	47 77 B	618	77.25	Pass	8.07	5.46
10	234M1E0010	28	29 57 D	31	36 67 C	26	27 53 D	31	43 74 B	34	32 66 C	28	34 62 C	37	44 81 A	31	46 77 B	537	67.13	Pass	7.07	7.07
11	234M1E0011	38	37 75 B	34	41 75 B	37	38 75 B	35	46 81 A	39	48 87 A	30	42 72 B	39	42 81 A	40	60 100 S	646	80.75	Pass	8.50	8.32
12	234M1E0012	39	37 76 B	28	40 68 C	26	36 62 C	32	48 80 A	39	39 78 B	27	46 73 B	34	50 84 A	30	50 80 A	601	75.13	Pass	8.00	7.57
13	234M1E0013	37	37 74 B	34	48 82 A	32	47 79 B	36	47 83 A	40	34 74 B	30	44 74 B	39	51 90 S	32	51 83 A	639	79.88	Pass	8.50	8.11
14	234M1E0014	27	32 59 D	31	AB 31 AB	26	26 52 D	30	28 58 D	34	34 68 C	27	34 61 C	26	28 54 D	31	45 76 B	459	57.38	Fail	5.57	4.75
15	234M1E0015	0	38 38 F	0	43 43 F	0	44 44 F	0	43 43 F	0	31 31 F	0	43 43 F	0	48 48 F	30	46 76 B	366	45.75	Fail	0.57	3.71
16	234M1E0016	38	34 72 B	37	42 79 B	37	35 72 B	37	50 87 A	39	46 85 A	32	44 76 B	39	50 89 A	35	57 92 S	652	81.50	Pass	8.50	8.54
17	234M1E0017	36	37 73 B	31	42 73 B	26	38 64 C	35	46 81 A	34	42 76 B	28	34 62 C	36	40 76 B	34	56 90 S	595	74.38	Pass	8.00	7.79
18	234M1E0019	36	39 75 B	32	39 71 B	28	38 66 C	34	47 81 A	39	42 81 A	29	45 74 B	37	45 82 A	36	54 90 S	620	77.50	Pass	8.36	8.04
19	234M1E0020	0	AB 0 AB	0	AB 0 AB	0	AB 0 AB	0	AB 0 AB	0	AB 0 AB	0	AB 0 AB	0	AB 0 AB	30	48 78 B	78	9.75	Fail	0.57	0.93
20	234M1E0021	30	41 71 B	34	47 81 A	37	47 84 A	29	52 81 A	32	42 74 B	27	48 75 B	29	53 82 A	32	55 87 A	635	79.38	Pass	8.57	8.43
21	234M1E0022	27	42 69 C	33	48 81 A	30	39 69 C	39	48 87 A	39	52 91 S	28	44 72 B	29	48 77 B	33	57 90 S	636	79.50	Pass	8.43	8.36
22	234M1E0024	30	40 70 B	33	45 78 B	26	33 59 D	34	46 80 A	38	34 72 B	31	43 74 B	31	42 73 B	35	54 89 A	595	74.38	Pass	7.93	7.68
23	234M1E0025	0	40 40 F	0	44 44 F	0	44 44 F	0	48 48 F	0	37 37 F	0	45 45 F	0	46 46 F	34	45 79 B	383	47.88	Fail	0.57	3.11
24	234M1E0026	37	46 83 A	34	48 82 A	35	43 78 B	40	47 87 A	40	54 94 S	31	46 77 B	37	47 84 A	40	60 100 S	685	85.63	Pass	8.93	8.96
25	234M1E0027	37	41 78 B	32	50 82 A	28	48 76 B	40	48 88 A	34	38 72 B	30	47 77 B	37	52 89 A	36	55 91 S	653	81.63	Pass	8.50	8.11
26	234M1E0028	36	36 72 B	33	44 77 B	31	35 66 C	37	45 82 A	30	41 71 B	31	43 74 B	37	49 86 A	35	56 91 S	619	77.38	Pass	8.21	7.96
27	234M1E0029	37	47 84 A	37	51 88 A	39	49 88 A	37	50 87 A	40	55 95 S	32	50 82 A	37	54 91 S	40	60 100 S	715	89.38	Pass	9.29	9.21
28	234M1E0030	26	45 71 B	35	43 78 B	32	38 70 B	37	47 84 A	37	40 77 B	31	43 74 B	36	47 83 A	36	50 86 A	623	77.88	Pass	8.29	8.21

Branch : MBA

S.No.	Hall Ticket No.	FM			MM			HRM			BRM			OR			OM			E-B			DA/LAB			Total Marks	Perc. %	Result	SGPA	CGPA
		Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr					
29	234M1E0031	21	43	64 C	26	44	70 B	26	43	69 C	35	45	80 A	27	43	70 B	28	45	73 B	28	47	75 B	34	49	83 A	584	73.00	Pass	7.93	7.89
30	234M1E0032	28	35	63 C	20	39	59 D	16	27	43 F	23	42	65 C	20	31	51 D	28	25	53 D	26	39	65 C	33	47	80 A	479	59.88	Fail	5.71	5.57
31	234M1E0033	39	44	83 A	37	52	89 A	37	46	83 A	37	50	87 A	40	47	87 A	35	49	84 A	39	54	93 S	40	60	100 S	706	88.25	Pass	9.14	9.29
32	234M1E0034	36	39	75 B	33	44	77 B	27	35	62 C	33	45	78 B	32	41	73 B	27	36	63 C	35	38	73 B	35	48	83 A	584	73.00	Pass	7.79	7.75
33	234M1E0036	32	31	63 C	32	43	75 B	26	36	62 C	32	41	73 B	29	31	60 C	28	35	63 C	27	45	72 B	31	50	81 A	549	68.53	Pass	7.50	7.07
34	234M1E0037	31	42	73 B	28	44	72 B	26	52	78 B	29	52	81 A	28	38	66 C	28	47	75 B	28	48	76 B	34	57	91 S	612	76.50	Pass	8.14	7.89
35	234M1E0038	37	38	75 B	34	46	80 A	32	41	73 B	34	43	77 B	40	52	92 S	30	36	66 C	38	47	85 A	36	58	94 S	642	80.25	Pass	8.50	8.39
36	234M1E0039	31	31	62 C	28	44	72 B	27	45	72 B	34	47	81 A	36	45	81 A	28	41	69 C	38	51	89 A	31	54	85 A	611	76.38	Pass	8.14	8.14
37	234M1E0040	37	36	73 B	34	45	79 B	30	48	78 B	35	45	80 A	39	43	82 A	28	46	74 B	36	47	83 A	35	55	90 S	639	79.88	Pass	8.50	8.46
38	234M1E0041	38	44	82 A	38	51	89 A	38	53	91 S	40	53	93 S	40	53	93 S	34	52	86 A	39	52	91 S	40	60	100 S	725	90.63	Pass	9.57	9.43
39	234M1E0042	27	36	63 C	26	48	74 B	27	47	74 B	30	50	80 A	32	36	68 C	26	46	72 B	28	48	76 B	31	49	80 A	587	73.38	Pass	7.93	7.54
40	234M1E0043	34	34	68 C	32	44	76 B	34	38	72 B	31	43	74 B	36	40	76 B	28	34	62 C	33	46	79 B	35	57	92 S	599	74.88	Pass	7.86	7.79
41	234M1E0044	38	33	71 B	38	46	84 A	32	43	75 B	34	49	83 A	40	57	97 S	31	44	75 B	38	46	84 A	38	59	97 S	666	83.25	Pass	8.79	8.61
42	234M1E0045	36	41	77 B	34	42	76 B	29	40	69 C	35	46	81 A	38	48	86 A	28	44	72 B	34	46	80 A	37	53	90 S	631	78.88	Pass	8.36	8.11
43	234M1E0046	38	48	86 A	37	50	87 A	37	53	90 S	40	53	93 S	40	55	95 S	31	44	75 B	39	54	93 S	36	55	91 S	710	88.75	Pass	9.43	9.21
44	234M1E0047	38	48	86 A	34	51	85 A	39	46	85 A	40	50	90 S	39	55	94 S	33	49	82 A	39	49	88 A	38	58	96 S	706	88.25	Pass	9.36	9.04
45	234M1E0048	33	37	70 B	33	45	78 B	26	37	63 C	28	47	75 B	32	41	72 B	30	44	74 B	30	47	77 B	34	47	81 A	591	73.88	Pass	7.93	7.36
46	234M1E0049	36	39	75 B	37	50	87 A	30	50	80 A	38	50	88 A	39	48	87 A	28	46	74 B	38	49	87 A	36	51	87 A	665	83.13	Pass	8.71	8.71
47	234M1E0050	37	41	78 B	37	52	89 A	35	49	84 A	40	53	93 S	39	46	85 A	31	52	83 A	37	52	89 A	38	56	94 S	695	86.88	Pass	9.07	9.11
48	234M1E0051	37	46	83 A	38	51	89 A	36	52	88 A	40	53	93 S	39	42	81 A	31	51	82 A	39	52	91 S	37	58	95 S	702	87.75	Pass	9.29	9.00
49	234M1E0052	39	47	86 A	38	51	89 A	37	53	90 S	40	54	94 S	39	47	86 A	32	50	82 A	38	50	88 A	38	57	95 S	710	88.75	Pass	9.36	9.25
50	234M1E0053	37	44	81 A	38	49	87 A	35	49	84 A	38	52	90 S	39	46	85 A	29	47	76 B	37	53	90 S	40	60	100 S	693	86.63	Pass	9.14	9.07
51	234M1E0054	37	46	83 A	38	48	86 A	38	47	85 A	40	53	93 S	40	50	90 S	33	49	82 A	39	51	90 S	40	60	100 S	709	88.63	Pass	9.43	9.21
52	234M1E0055	36	37	73 B	33	44	77 B	27	38	65 C	33	47	80 A	36	39	75 B	29	40	69 C	30	47	77 B	30	48	78 B	594	74.25	Pass	7.86	7.46
53	234M1E0056	35	37	72 B	27	43	70 B	26	30	56 D	33	46	79 B	38	45	83 A	28	41	69 C	37	47	84 A	31	51	82 A	595	74.38	Pass	7.86	7.36
54	234M1E0057	39	45	84 A	38	50	88 A	39	46	85 A	38	51	89 A	40	54	94 S	32	50	82 A	39	49	88 A	40	60	100 S	710	88.75	Pass	9.21	9.04
55	234M1E0058	38	45	83 A	37	50	87 A	35	47	82 A	40	54	94 S	40	47	87 A	29	53	82 A	38	52	90 S	40	59	99 S	704	88.00	Pass	9.29	9.14
56	234M1E0059	34	28	62 C	33	43	76 B	34	31	65 C	37	42	79 B	38	45	83 A	30	44	74 B	37	45	82 A	37	55	92 S	613	76.63	Pass	8.07	7.96
57	234M1E0060	27	39	66 C	34	48	82 A	33	49	82 A	37	48	85 A	38	51	89 A	28	51	79 B	36	48	84 A	31	51	82 A	649	81.13	Pass	8.57	8.39
58	234M1E0061	30	31	61 C	31	38	69 C	26	33	59 D	34	45	79 B	32	47	79 B	28	39	67 C	27	43	70 B	33	53	86 A	570	71.25	Pass	7.36	7.36
59	234M1E0062	27	39	66 C	30	49	79 B	28	42	70 B	29	44	73 B	26	48	74 B	28	48	76 B	30	47	77 B	34	50	84 A	599	74.88	Pass	7.93	8.11
60	234M1E0063	38	40	78 B	38	49	87 A	38	45	83 A	38	52	90 S	40	52	92 S	34	49	83 A	39	51	90 S	40	60	100 S	703	87.88	Pass	9.29	9.14
61	234M1E0064	39	39	78 B	37	48	85 A	34	50	84 A	40	52	92 S	40	50	90 S	30	43	73 B	38	47	85 A	39	55	94 S	681	85.13	Pass	9.07	8.96

Branch : MBA

S.No.	Hall Ticket No.	FM		MM		HRM		BRM		OR		OM		E-B		DA LAB		Total Marks	Perc. %	Result	SGPA	CGPA
		Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr					
62	234M1E0065	30	40	70	B	36	50	86	A	30	50	80	A	38	51	89	A	673	84.13	Pass	8.86	8.57
63	234M1E0066	38	47	85	A	37	52	89	A	39	54	93	S	40	54	94	S	722	90.25	Pass	9.64	9.43
64	234M1E0067	26	36	62	C	28	45	73	B	26	45	71	B	28	46	74	B	591	73.88	Pass	7.93	7.68
65	234M1E0068	35	32	67	C	35	46	81	A	29	36	65	C	38	46	84	A	616	77.00	Pass	8.14	8.00
66	234M1E0069	38	45	83	A	36	44	80	A	26	50	76	B	39	51	90	S	663	82.88	Pass	8.93	8.46
67	234M1E0070	34	39	73	B	36	44	80	A	26	46	72	B	38	49	87	A	635	79.38	Pass	8.50	8.25
68	234M1E0071	38	43	81	A	36	46	82	A	31	46	77	B	37	51	88	A	646	80.75	Pass	8.57	8.07
69	234M1E0072	34	25	59	D	33	39	72	B	28	41	69	C	36	46	82	A	605	75.63	Pass	8.00	7.39
70	234M1E0073	32	37	69	C	36	44	80	A	26	48	74	B	36	45	81	A	616	77.00	Pass	8.21	7.89
71	234M1E0074	34	42	76	B	32	49	81	A	32	46	78	B	39	53	92	S	678	84.75	Pass	8.86	8.39
72	234M1E0075	37	36	73	B	33	46	79	B	26	44	70	B	36	44	80	A	634	79.25	Pass	8.50	7.89

Average SGPA : 8.11
Average CGPA : 7.96

S.No.	SubCode	ShortName	Sub Name
1	23MBBA07T	FM	Financial Management
2	23MBBA08T	MM	Marketing Management
3	23MBBA09T	HRM	Human Resource Management
4	23MBBA10T	BRM	Business Research Methods
5	23MBBA11T	OR	Operations Research
6	23MBBA12T	OM	Operations Management
7	23MBBA13T	E-B	E-Business
8	23MBBA03P	DA LAB	Data Analytics Lab

CONTROLLER OF EXAMINATIONS

PRINCIPAL
Venu Institute of Technology
P. KOTHAKOTA - 517 11?



VEMU INSTITUTE OF TECHNOLOGY::P.KOTHAKOTA
NEAR PAKALA, CHITTOOR-517112
(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)
Department of Computer Science & Engineering

AY: 2023-2024
Batch: 2020-2024

IV-II SEM


S.No	Hall Ticket Number	Internship & Project work	External Mark	Total Mark	Percentage
1	204M1A0501	58	136	194	97
2	204M1A0502	59	136	195	97.5
3	204M1A0503	60	138	198	99
4	204M1A0504	60	137	197	98.5
5	204M1A0505	58	134	192	96
6	204M1A0506	58	135	193	96.5
7	204M1A0507	57	129	186	93
8	204M1A0508	57	134	191	95.5
9	204M1A0510	58	135	193	96.5
10	204M1A0511	55	129	184	92
11	204M1A0512	58	134	192	96
12	204M1A0513	60	137	197	98.5
13	204M1A0514	60	138	198	99
14	204M1A0515	58	135	193	96.5
15	204M1A0516	58	136	194	97
16	204M1A0517	59	134	193	96.5
17	204M1A0518	57	132	189	94.5
18	204M1A0519	57	131	188	94
19	204M1A0520	60	137	197	98.5
20	204M1A0521	60	138	198	99
21	204M1A0522	57	136	193	96.5
22	204M1A0523	60	137	197	98.5
23	204M1A0524	58	134	192	96
24	204M1A0525	57	137	194	97
25	204M1A0526	56	134	190	95
26	204M1A0527	58	134	192	96
27	204M1A0528	58	136	194	97
28	204M1A0529	59	137	196	98
29	204M1A0530	60	137	197	98.5
30	204M1A0531	56	135	191	95.5
31	204M1A0532	60	138	198	99
32	204M1A0533	60	138	198	99
33	204M1A0534	55	135	190	95
34	204M1A0535	58	133	191	95.5
35	204M1A0537	57	136	193	96.5
36	204M1A0538	57	132	189	94.5
37	204M1A0539	59	135	194	97
38	204M1A0540	58	132	190	95
39	204M1A0541	56	132	188	94
40	204M1A0542	58	134	192	96
41	204M1A0544	57	136	193	96.5
42	204M1A0545	60	134	194	97
43	204M1A0547	57	132	189	94.5
44	204M1A0548	55	134	189	94.5
45	204M1A0549	58	132	190	95
46	204M1A0550	56	134	190	95
47	204M1A0551	56	129	185	92.5
48	204M1A0552	60	138	198	99

49	204M1A0553	59	135	194	97
50	204M1A0554	57	130	187	93.5
51	204M1A0555	57	134	191	95.5
52	204M1A0556	60	138	198	99
53	204M1A0557	57	133	190	95
54	204M1A0558	59	135	194	97
55	204M1A0559	60	138	198	99
56	204M1A0560	57	133	190	95
57	204M1A0561	58	134	192	96
58	204M1A0562	56	130	186	93
59	204M1A0563	58	137	195	97.5
60	204M1A0565	57	130	187	93.5
61	204M1A0566	59	136	195	97.5
62	204M1A0567	60	137	197	98.5
63	204M1A0568	60	138	198	99
64	204M1A0569	59	134	193	96.5
65	204M1A0570	60	136	196	98
66	204M1A0571	58	132	190	95
67	204M1A0572	56	135	191	95.5
68	204M1A0573	57	130	187	93.5
69	204M1A0574	59	137	196	98
70	204M1A0575	60	138	198	99
71	204M1A0576	57	137	194	97
72	204M1A0577	60	138	198	99
73	204M1A0578	58	135	193	96.5
74	204M1A0579	59	137	196	98
75	204M1A0580	60	138	198	99
76	204M1A0581	59	137	196	98
77	204M1A0582	59	136	195	97.5
78	204M1A0583	58	134	192	96
79	204M1A0584	57	135	192	96
80	204M1A0585	56	136	192	96
81	204M1A0586	55	136	191	95.5
82	204M1A0588	60	137	197	98.5
83	204M1A0589	60	138	198	99
84	204M1A0590	60	138	198	99
85	204M1A0591	59	135	194	97
86	204M1A0592	58	133	191	95.5
87	204M1A0593	59	136	195	97.5
88	204M1A0595	58	135	193	96.5
89	204M1A0596	60	138	198	99
90	204M1A0598	58	135	193	96.5
91	204M1A0599	59	138	197	98.5
92	204M1A05A0	57	129	186	93
93	204M1A05A1	60	137	197	98.5
94	204M1A05A2	56	127	183	91.5
95	204M1A05A3	58	135	193	96.5
96	204M1A05A4	60	130	190	95
97	204M1A05A5	60	132	192	96
98	204M1A05A6	58	130	186	93
99	204M1A05A7	58	136	194	97
100	204M1A05A8	60	134	194	97
101	204M1A05A9	60	138	198	99
102	204M1A05B0	60	130	190	95
103	204M1A05B1	59	137	196	98
104	204M1A05B2	58	137	195	97.5
105	204M1A05B3	58	136	194	97
106	204M1A05B4	59	130	190	95
107	204M1A05B5	58	134	190	95
108	204M1A05B6	58	135	191	95.5

109	204M1A05B7	55	130	185	92.5
110	204M1A05B8	58	132	190	95
111	204M1A05B9	60	137	197	98.5
112	204M1A05C0	57	136	193	96.5
113	204M1A05C1	57	128	185	92.5
114	204M1A05C2	57	135	192	96
115	204M1A05C3	58	135	193	96.5
116	204M1A05C4	58	131	189	94.5
117	204M1A05C5	58	130	188	94
118	204M1A05C6	57	130	187	93.5
119	204M1A05C7	59	136	195	97.5
120	204M1A05C8	56	134	190	95
121	214M5A0502	56	130	186	93
122	214M5A0503	59	130	189	94.5
123	214M5A0504	59	138	197	98.5
124	214M5A0505	56	130	186	93
125	214M5A0506	60	137	197	98.5
126	214M5A0507	58	132	190	95
127	214M5A0508	57	134	191	95.5
128	214M5A0509	58	132	190	95
129	214M5A0510	58	133	191	95.5
130	214M5A0511	58	130	188	94
131	194M1A0545	55	128	183	91.5



Incharge



HOD

DEPARTMENT OF CSE
Vemu Institute of Technology
P. Kothakota-517112



VEMU INSTITUTE OF TECHNOLOGY::P.KOTHAKOTA

NEAR PAKALA, CHITTOOR-517112

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Anantapuramu)


Department of Computer Science & Engineering

AY: 2023-2024

Batch: 2020-2024

IV - II Sem.

S. No	Name of the Subject	No. of Students Reg	No. of Students passed	No. of Distinctions	No. of First Classes	No. of Second Classes	Pass Percentage
1	Project	131	131	131	0	0	100%



Total No. of Students Registered:	131
Total No. of Students Passed:	131
Total Pass Percentage:	100%

Asst. N
Incharge.

Ni - P
HOD
HEAD
DEPARTMENT OF CSE
Vemu Institute of Technology
P. Kothakota-517112



VEMU INSTITUTE OF TECHNOLOGY:: P.KOTHAKOTA

Chittoor-Tirupati National Highway, P.Kothakota, Near Pakala, Chittoor (Dt.), AP - 517112
(Approved by AICTE New Delhi, Affiliated to JNTUA, Ananthapuramu, Accredited by NAAC,&
NBA (EEE, CSE & ECE), Recognized Under 2(f) & 12(B) of UGC Act, An ISO 9001:2015 Certified Institute)

Department of Electrical & Electronics Engineering


Academic Year: 2023-24

Batch: 2020-24

Sem:II

Year:IV

S.No	Name of the subject	No of regd.	No. students Passed	No. of distinctions	No. of First Classes	No. of Sec. Classes	Pass %
1	Project	61	61	61	0	0	100




Total No of Students Registered : 61

Total No of Students All Cleared : 61

Overall Pass Percentage : 100%


INCHARGE


HOD
DEPT. OF EEE
Vemu Institute of Technology
P. KOTHAKOTA-517112





VEMU INSTITUTE OF TECHNOLOGY

Chittoor-Tirupati National Highway, P. Kothakota, Near Pakala, Chittoor (Dt.), AP - 517112

(Approved by AICTE New Delhi, Affiliated to JNTUA, Ananthapuramu)

ACADEMIC YEAR:2023-2024

BATCH :2020-2024

YEAR/SEM: IV-II SEM

S.NO	ROLL.NO	PROJECT		TOTAL	%
		I	E		
1	204M1A0201	53	123	176	88.00
2	204M1A0202	54	127	181	90.50
3	204M1A0203	51	138	189	94.50
4	204M1A0204	56	129	185	92.50
5	204M1A0205	51	110	161	80.50
6	204M1A0206	60	128	188	94.00
7	204M1A0208	52	138	190	95.00
8	204M1A0209	52	126	178	89.00
9	204M1A0210	60	134	194	97.00
10	204M1A0212	30	126	156	78.00
11	204M1A0213	35	100	135	67.50
12	204M1A0214	57	125	182	91.00
13	204M1A0215	53	123	176	88.00
14	204M1A0216	42	100	142	71.00
15	204M1A0217	35	123	158	79.00
16	204M1A0218	60	139	199	99.50
17	204M1A0219	52	124	176	88.00
18	204M1A0220	58	135	193	96.50
19	204M1A0221	AB	AB	AB	AB
20	204M1A0222	AB	AB	AB	AB
21	204M1A0223	50	124	174	87.00
22	204M1A0224	54	109	163	81.50
23	204M1A0225	60	133	193	96.50
24	204M1A0226	57	129	186	93.00
25	204M1A0227	60	133	193	96.50
26	204M1A0228	60	134	194	97.00
27	204M1A0229	52	129	181	90.50
28	204M1A0230	53	134	187	93.50
29	204M1A0231	53	132	185	92.50
30	204M1A0232	54	125	179	89.50
31	204M1A0233	54	115	169	84.50
32	204M1A0234	60	139	199	99.50
33	204M1A0235	55	125	180	90.00
34	204M1A0236	52	100	152	76.00
35	204M1A0238	60	139	199	99.50
36	204M1A0239	54	124	178	89.00
37	204M1A0240	51	103	154	77.00
38	204M1A0241	54	135	189	94.50
39	204M1A0242	41	104	145	72.50
40	204M1A0243	60	126	186	93.00
41	204M1A0244	52	134	186	93.00

42	204M1A0245	35	128	163	81.50
43	204M1A0246	55	135	190	95.00
44	204M1A0247	47	133	180	90.00
45	204M1A0248	50	104	154	77.00
46	204M1A0249	53	102	155	77.50
47	204M1A0250	52	115	167	83.50
48	204M1A0251	52	110	162	81.00
49	204M1A0252	53	126	179	89.50
50	204M1A0253	37	106	143	71.50
51	214M5A0201	59	134	193	96.50
52	214M5A0202	60	139	199	99.50
53	214M5A0203	60	134	194	97.00
54	214M5A0204	60	139	199	99.50
55	214M5A0205	55	129	184	92.00
56	214M5A0206	56	139	195	97.50
57	214M5A0207	60	125	185	92.50
58	214M5A0208	60	139	199	99.50
59	214M5A0209	60	132	192	96.00
60	214M5A0210	35	115	150	75.00
61	214M5A0212	60	135	195	97.50
62	214M5A0213	60	139	199	99.50
63	214M5A0214	60	130	190	95.00

A. H. S.

HOD

HOD

DEPT. OF EEE

Vemu Institute of Technology
P. KOTHAKOTA-517112



VEMU INSTITUTE OF TECHNOLOGY:: P.KOTHAKOTA

Chittoor-Tirupati National Highway, P.Kothakota, Near Pakala, Chittoor (Dt.), AP - 517112
(Approved by AICTE New Delhi, Affiliated to JNTUA, Ananthapuramu, Accredited by NAAC, &
NBA (EEE, CSE & ECE), Recognized Under 2(f) & 12(B) of UGC Act, An ISO 9001:2015 Certified Institute)

Department of Electrical & Electronics Engineering


Academic Year: 2023-24

Batch: 2020-24

Sem:I

Year:IV

S.No	Name of the subject	No of regd.	No. students Passed	No. of distinctions	No. of First Classes	No. of Sec. Classes	Pass %
1	Electrical Distribution System & Automation	63	49	23	5	26	77.41
2	Software Engineering	63	39	24	3	22	61.29
3	Principles of Cellular & Mobile Communications	63	54	19	2	37	85.43
4	Power System Operation & Control	63	57	18	21	26	90.32
5	Linear & Digital IC Applications	63	49	12	18	24	77.41
6	Management Science	63	55	20	22	31	87.09




Total No of Students Registered : 62

Total No of Students All Cleared : 28

Overall Pass Percentage : 45.16%


INCHARGE


HOD
HOD
DEPT. OF EEE
Vemu Institute of Technology
P. KOTHAKOTA-517112





VEMU INSTITUTE OF TECHNOLOGY

Chittoor-Tirupati National Highway, P. Kothakota, Near Pakala, Chittoor (Dt.), AP - 517112
(Approved by AICTE New Delhi, Affiliated to JNTUA, Ananthapuramu)

Department of Electrical & Electronics Engineering

ACADEMIC YEAR:2023-2024

BATCH :2020-2024

YEAR/SEM: IV-I SEM

S.NO	ROLL NO	EDSA			MS			PSOC			EOII			ECA			SE			LDICA			PCMC			TOTAL	%
		I	E	T	I	E	T	I	E	T	I	E	T	I	E	T	I	E	T	I	E	T	I	E	T		
1	204M1A0201	18	13	31	17	34	51	20	43	63	0	85	85	25	60	85	15	26	41	22	12	34	29	31	60	450	48.39
2	204M1A0202	20	14	34	19	43	62	20	31	51	0	80	80	24	60	84	0	AB	AB	23	16	39	28	27	55	405	43.55
3	204M1A0203	17	10	27	22	36	58	20	40	60	0	82	82	24	61	85	20	36	56	22	27	49	28	30	58	475	51.08
4	204M1A0204	23	29	52	21	45	66	25	38	63	0	85	85	24	62	86	19	26	45	22	27	49	26	33	59	505	54.30
5	204M1A0205	20	25	45	15	11	26	15	29	44	0	90	90	23	58	81	19	28	47	21	27	48	17	25	42	423	45.48
6	204M1A0206	25	31	56	21	25	46	24	40	64	0	95	95	30	70	100	26	33	59	22	47	69	29	30	59	548	58.92
7	204M1A0208	19	29	48	20	11	31	20	34	54	0	92	92	26	62	88	17	15	32	24	14	38	28	31	59	442	47.53
8	204M1A0209	18	31	49	22	38	60	23	61	84	0	98	98	26	63	89	14	11	25	23	43	66	27	40	67	538	57.85
9	204M1A0210	25	36	61	25	41	66	27	54	81	0	100	100	29	67	96	28	43	71	26	37	63	29	35	64	602	64.73
10	204M1A0212	16	AB	16	15	AB	15	15	AB	15	0	60	60	16	AB	AB	0	AB	AB	9	AB	AB	16	AB	AB	106	11.40
11	204M1A0213	18	11	29	17	15	32	17	26	43	0	60	60	15	50	65	14	16	30	15	4	19	17	35	52	330	35.48
12	204M1A0214	24	13	37	22	25	47	19	33	52	0	98	98	25	65	90	19	33	52	23	37	60	28	34	62	498	53.55
13	204M1A0215	17	26	43	19	16	35	19	45	64	0	85	85	20	51	71	17	11	28	21	26	47	27	31	58	431	46.34
14	204M1A0216	12	14	26	18	11	29	16	8	24	0	55	55	22	AB	AB	10	15	25	10	10	20	20	6	26	205	22.04
15	204M1A0217	15	25	40	23	26	49	21	25	46	0	85	85	21	55	76	8	24	32	23	25	48	26	18	44	420	45.16
16	204M1A0218	24	33	57	24	34	58	25	47	72	0	100	100	30	65	95	23	33	56	24	42	66	28	34	62	566	60.86
17	204M1A0219	23	38	61	24	37	61	26	54	80	0	98	98	27	67	94	17	30	47	26	42	68	28	37	65	574	61.72
18	204M1A0220	23	33	56	19	29	48	24	44	68	0	95	95	26	65	91	24	39	63	24	40	64	28	31	59	544	58.49
19	204M1A0221	17	11	28	20	12	32	17	14	31	0	94	94	23	60	83	21	25	46	20	12	32	26	10	36	382	41.08
20	204M1A0222	10	25	35	15	16	31	15	AB	15	0	55	55	15	AB	AB	15	12	27	11	27	38	20	28	48	249	26.77
21	204M1A0223	16	7	23	21	26	47	23	30	53	0	94	94	19	50	69	24	18	42	22	13	35	27	10	37	400	43.01

22	204M1A0224	17	25	42	19	34	53	20	26	46	0	96	96	24	58	82	25	27	52	20	26	46	28	15	43	460	49.46
23	204M1A0225	22	34	56	26	36	62	24	49	73	0	100	100	30	70	100	28	42	70	26	28	54	28	39	67	582	62.58
24	204M1A0226	20	32	52	22	27	49	19	45	64	0	95	95	24	60	84	27	39	66	21	33	54	28	40	68	532	57.20
25	204M1A0227	20	37	57	22	39	61	25	47	72	0	98	98	26	62	88	25	43	68	22	27	49	29	40	69	562	60.43
26	204M1A0228	22	26	48	20	29	49	24	42	66	0	100	100	29	64	93	25	42	67	20	29	49	26	40	66	538	57.85
27	204M1A0229	21	26	47	19	27	46	21	46	67	0	94	94	25	61	86	25	35	60	20	31	51	26	31	57	508	54.62
28	204M1A0230	23	26	49	18	36	54	21	49	70	0	98	98	26	61	87	25	45	70	23	32	55	26	40	66	549	59.03
29	204M1A0231	20	41	61	21	26	47	22	44	66	0	90	90	26	58	84	18	30	48	26	29	55	27	40	67	518	55.70
30	204M1A0232	19	26	45	22	27	49	22	30	52	0	89	89	22	54	76	24	36	60	25	26	51	27	30	57	479	51.51
31	204M1A0233	21	40	61	22	35	57	23	50	73	0	100	100	29	68	97	17	WL	WL	28	34	62	28	36	64	514	55.27
32	204M1A0234	18	26	44	22	25	47	23	49	72	0	100	100	26	58	84	15	31	46	24	34	58	27	32	59	510	54.84
33	204M1A0235	22	37	59	22	35	57	26	48	74	0	100	100	27	65	92	25	37	62	21	31	52	28	38	66	562	60.43
34	204M1A0236	15	15	30	17	25	42	18	42	60	0	80	80	20	59	79	17	16	33	21	18	39	23	39	62	425	45.70
35	204M1A0238	25	28	53	25	40	65	26	52	78	0	96	96	27	65	92	26	43	69	21	37	58	28	31	59	570	61.29
36	204M1A0239	18	41	59	24	47	71	26	44	70	0	92	92	24	60	84	27	38	65	25	31	56	28	40	68	565	60.75
37	204M1A0240	15	27	42	18	34	52	18	44	62	0	78	78	15	55	70	16	14	30	15	36	51	18	44	62	447	48.06
38	204M1A0241	20	13	33	23	13	36	26	45	71	0	100	100	26	60	86	18	12	30	24	27	51	30	29	59	466	50.11
39	204M1A0242	15	25	40	18	13	31	18	37	55	0	57	57	15	50	65	16	17	33	20	25	45	25	28	53	379	40.75
40	204M1A0243	22	33	55	24	31	55	26	36	62	0	100	100	30	70	100	16	26	42	24	33	57	27	41	68	539	57.96
41	204M1A0244	15	26	41	18	28	46	18	26	44	0	82	82	26	60	86	16	26	42	21	18	39	21	31	52	432	46.45
42	204M1A0245	15	25	40	18	27	45	26	16	42	0	80	80	18	55	73	8	18	26	23	11	34	26	50	76	416	44.73
43	204M1A0246	21	27	48	22	29	51	28	27	55	0	95	95	27	62	89	17	14	31	25	37	62	28	31	59	490	52.69
44	204M1A0247	16	26	42	0	75	75	22	30	52	0	75	75	15	50	65	0	AB	AB	16	26	42	24	14	38	389	41.83
45	204M1A0248	16	14	30	21	31	52	23	27	50	0	80	80	24	60	84	14	11	25	21	25	46	26	38	64	431	46.34
46	204M1A0249	19	6	25	19	29	48	17	9	26	0	79	79	20	54	74	3	14	17	11	3	14	28	4	32	315	33.87
47	204M1A0250	21	39	60	23	38	61	27	35	62	0	80	80	24	59	83	20	43	63	24	28	52	29	33	62	523	56.24
48	204M1A0251	15	16	31	15	26	41	15	26	41	0	74	74	15	55	70	14	15	29	18	25	43	25	31	56	385	41.40
49	204M1A0252	20	30	50	26	32	58	27	31	58	0	92	92	26	60	86	16	18	34	25	30	55	28	32	60	493	53.01
50	204M1A0253	15	25	40	15	28	43	16	12	28	0	55	55	15	50	65	22	16	38	18	12	30	25	34	59	358	38.49
51	214M5A0201	25	33	58	21	36	57	27	31	58	0	98	98	30	68	98	24	40	64	23	32	55	29	36	65	553	59.46
52	214M5A0202	27	43	70	25	42	67	28	39	67	0	100	100	30	70	100	29	35	64	24	36	60	30	41	71	599	64.41

53	214M5A0203	27	28	55	21	44	65	27	37	64	0	100	100	30	70	100	26	33	59	24	42	66	29	42	71	580	62.37
54	214M5A0204	28	42	70	25	45	70	25	35	60	0	100	100	30	68	98	26	42	68	25	45	70	29	47	76	612	65.81
55	214M5A0205	22	31	53	19	40	59	20	30	50	0	80	80	16	58	74	18	26	44	18	32	50	26	35	61	471	50.65
56	214M5A0206	25	25	50	27	36	63	23	31	54	0	100	100	30	68	98	16	18	34	24	38	62	30	36	66	527	56.67
57	214M5A0207	21	32	53	22	35	57	22	27	49	0	100	100	27	65	92	17	14	31	22	28	50	28	34	62	494	53.12
58	214M5A0208	23	25	48	23	40	63	23	36	59	0	100	100	30	69	99	18	26	44	22	34	56	30	15	45	514	55.27
59	214M5A0209	23	31	54	24	33	57	24	36	60	0	100	100	30	70	100	26	35	61	23	44	67	29	37	66	565	60.75
60	214M5A0210	15	31	46	17	34	51	18	38	56	0	75	75	21	50	71	26	38	64	16	38	54	19	29	48	465	50.00
61	214M5A0212	23	28	51	24	29	53	25	50	75	0	100	100	29	65	94	28	33	61	23	40	63	30	35	65	562	60.43
62	214M5A0213	19	26	45	21	34	55	18	43	61	0	88	88	21	55	76	17	16	33	21	28	49	23	18	41	448	48.17
63	214M5A0214	24	34	58	24	38	62	25	44	69	0	98	98	28	68	96	27	47	74	25	47	72	28	36	64	593	63.76

S. J. R.
In-Charge

A. H. S.
HOD/EEE
HOD

DEPT. OF EEE
Vamu Institute of Technology
P. KOTHAKOTA-517412



VEMU INSTITUTE OF TECHNOLOGY:: P. KOTHA KOTA

Near Pakala, P. Kothakota, Chittoor (Dt.), A.P-517 112.

DEPARTMENT OF ELECTRONICS & COMMUNICATION ENGINEERING

2.6.3 List of students passed in the final year Examination during the AY 2023-24

S.No	Year of passing final year exam	Name of the students	Enrollment number	Status
1	2023-24	ANNAMANENI CHANDU	204M1A0401	PASS
2	2023-24	A HARI TEJA	204M1A0402	PASS
3	2023-24	A POOJA	204M1A0403	PASS
4	2023-24	A RAKESH	204M1A0404	FAIL
5	2023-24	A S JAYANTH	204M1A0405	PASS
6	2023-24	A.SWETHA	204M1A0406	PASS
7	2023-24	A.GAYATHIRI	204M1A0407	PASS
8	2023-24	A.MUNEMMA	204M1A0408	PASS
9	2023-24	A. SUPRIYA	204M1A0409	PASS
10	2023-24	B HEMANTH	204M1A0410	PASS
11	2023-24	B L BABJI	204M1A0411	PASS
12	2023-24	B SAI POOJITHA	204M1A0412	PASS
13	2023-24	B SAI THARUN	204M1A0413	PASS
14	2023-24	B NANDAKUMAR	204M1A0414	PASS
15	2023-24	B. VINAY	204M1A0417	PASS
16	2023-24	B. GEETHA	204M1A0418	PASS
17	2023-24	C BHAVANA	204M1A0419	PASS
18	2023-24	C.MAVYA	204M1A0420	PASS
19	2023-24	C. SAI DURGA	204M1A0421	PASS
20	2023-24	C V SAI KIRAN	204M1A0422	PASS
21	2023-24	C.SWATHI	204M1A0423	PASS
22	2023-24	C.LOKESH	204M1A0424	PASS
23	2023-24	C.NAVYA	204M1A0425	PASS
24	2023-24	C PARTHAVA	204M1A0426	PASS
25	2023-24	D.JOSHNA	204M1A0428	PASS
26	2023-24	D KAVYA	204M1A0429	PASS
27	2023-24	D. LASYA	204M1A0430	PASS
28	2023-24	D.PADMAPRIYA	204M1A0431	PASS
29	2023-24	D VENKATANARAYANA	204M1A0432	PASS
30	2023-24	D LOKESH	204M1A0433	PASS
31	2023-24	D.NANDINI	204M1A0434	PASS
32	2023-24	D. LAVANYA	204M1A0435	PASS
33	2023-24	D.THARUN	204M1A0436	PASS
34	2023-24	E.CHARULATHA	204M1A0437	PASS
35	2023-24	ESAMBADI PUSHPAK REDD	204M1A0438	PASS
36	2023-24	E JESWANTH	204M1A0439	PASS
37	2023-24	E VISHNU VARDHAN REDDY	204M1A0440	PASS
38	2023-24	G.DURGA PRASAD	204M1A0441	PASS
39	2023-24	G.MYTHILI	204M1A0442	PASS
40	2023-24	G SRAVAN KUMAR	204M1A0443	PASS
41	2023-24	G.VENKATA SIVA VARA PRASAD	204M1A0444	PASS
42	2023-24	G MAHESH BABU	204M1A0445	PASS
43	2023-24	G.THRISHA	204M1A0446	PASS
44	2023-24	J.SRAVYA	204M1A0447	PASS
45	2023-24	J.SURESH	204M1A0448	PASS
46	2023-24	J SAI PRASANTH	204M1A0449	PASS

47	2023-24	BRUNDHA K	204M1A0450	PASS
48	2023-24	K GNANA PRASANNA	204M1A0452	PASS
49	2023-24	K.MOUNIKA	204M1A0454	PASS
50	2023-24	K.DINESH REDDY	204M1A0456	PASS
51	2023-24	K.BHANU PRAKASH	204M1A0457	PASS
52	2023-24	K REDDY PRASAD	204M1A0458	PASS
53	2023-24	K RAMYA	204M1A0459	PASS
54	2023-24	K.THAFIM	204M1A0460	PASS
55	2023-24	K.PRAVALIKA	204M1A0461	PASS
56	2023-24	K UDAYKIRAN	204M1A0462	FAIL
57	2023-24	K . KOUSHIK KUMAR REDDY	204M1A0463	PASS
58	2023-24	K.VENUGOPAL	204M1A0464	PASS
59	2023-24	L.B ROOPA SRI	204M1A0465	PASS
60	2023-24	L POOJITHA	204M1A0466	PASS
61	2023-24	M JENILIYA	204M1A0467	PASS
62	2023-24	M PUSHPA LATHA	204M1A0468	PASS
63	2023-24	M RAKESH REDDY	204M1A0469	PASS
64	2023-24	M RANJITH KUMAR	204M1A0470	PASS
65	2023-24	M. SAI RANGA	204M1A0471	PASS
66	2023-24	M. UPENDRA	204M1A0472	PASS
67	2023-24	M. SOWMYA SREE	204M1A0473	PASS
68	2023-24	M. MANJUNADHA	204M1A0474	PASS
69	2023-24	M. PAVAN	204M1A0476	PASS
70	2023-24	M . ANIL KUMAR REDDY	204M1A0477	PASS
71	2023-24	M.SURYA NANDAN RAO	204M1A0478	PASS
72	2023-24	M SUJITHA	204M1A0479	PASS
73	2023-24	M.RAMYA	204M1A0480	PASS
74	2023-24	M.MOHAN KUMAR	204M1A0481	PASS
75	2023-24	N JYOTHISWAR REDDY	204M1A0482	PASS
76	2023-24	N.MADHURI	204M1A0483	PASS
77	2023-24	N.SAI MADHAV REDDY	204M1A0484	PASS
78	2023-24	N.THYAGARAJULU	204M1A0485	PASS
79	2023-24	N.DAYA	204M1A0486	PASS
80	2023-24	N.PADMINI	204M1A0487	PASS
81	2023-24	N VENKATA PRASAD	204M1A0488	PASS
82	2023-24	K.AJAY	204M1A0489	PASS
83	2023-24	P.M.YOGESWAR	204M1A0490	PASS
84	2023-24	P. PRATHIMA	204M1A0491	PASS
85	2023-24	P. SANDEEP	204M1A0492	PASS
86	2023-24	P.SUJITH	204M1A0493	PASS
87	2023-24	P.VAISHNAVI	204M1A0494	PASS
88	2023-24	P.GOVARDHAN REDDY	204M1A0495	PASS
89	2023-24	P RAMA KRISHNA	204M1A0496	PASS
90	2023-24	P. MADHAVI	204M1A0497	PASS
91	2023-24	P.SAI KRISHNA	204M1A0498	PASS
92	2023-24	P.SWAPNA	204M1A0499	PASS
93	2023-24	P. SANDHYA	204M1A04A0	PASS
94	2023-24	P RANJITH	204M1A04A1	PASS
95	2023-24	R.DESNEAY PREETHI	204M1A04A2	PASS
96	2023-24	R MADHAN KUMAR	204M1A04A3	PASS
97	2023-24	R.SASI KUMAR	204M1A04A4	PASS
98	2023-24	R. PRADEEP	204M1A04A5	PASS
99	2023-24	R SREENIVASU	204M1A04A6	PASS
100	2023-24	S.MAYURI	204M1A04A7	PASS

PRINCIPAL

Venu Institute of Technology

2. KOTHAKOTA - 517 117

101	2023-24	S SUHAIL	204M1A04A8	PASS
102	2023-24	S THARUN KUMAR	204M1A04A9	PASS
103	2023-24	S.VINAY	204M1A04B0	PASS
104	2023-24	S. VAMSI KRISHNA	204M1A04B1	PASS
105	2023-24	S.ARSHIYA	204M1A04B2	PASS
106	2023-24	S MAHAMMAD SAMIULLA	204M1A04B3	PASS
107	2023-24	S.THASEEN	204M1A04B4	PASS
108	2023-24	T THULASIRAM	204M1A04B5	PASS
109	2023-24	T. VISHNU VARDAN	204M1A04B6	PASS
110	2023-24	T.LAHARI	204M1A04B7	PASS
111	2023-24	TIRUTTANI BHAVITHA	204M1A04B8	PASS
112	2023-24	T.GURU CHANDANA	204M1A04B9	PASS
113	2023-24	V.SNEHA	204M1A04C0	PASS
114	2023-24	Y. LOKESHWARI	204M1A04C1	PASS
115	2023-24	G. S. GOWTHAMI	204M1A04C2	PASS
116	2023-24	KYATHI REDDY	204M1A04C3	PASS
117	2023-24	BS KARTHAYANI	214M5A0401	PASS
118	2023-24	DEVARINTI POOJITHA	214M5A0402	PASS
119	2023-24	G.LIKHITHA KUMARI	214M5A0403	PASS
120	2023-24	K.GAYATHRI	214M5A0404	PASS
121	2023-24	K.CHANDANA	214M5A0405	PASS
122	2023-24	M.LAVANYA	214M5A0406	PASS
123	2023-24	P.LOKESH	214M5A0407	PASS
124	2023-24	P.RAJESWARI	214M5A0408	PASS
125	2023-24	S TEJA	214M5A0409	PASS
126	2023-24	SHAIK ARSHIYA	214M5A0410	PASS
127	2023-24	S A SAILANI BABA	214M5A0411	PASS
128	2023-24	SHAIK REDDY BASHA	214M5A0412	PASS
129	2023-24	S.N HARINESWARI	214M5A0413	PASS
130	2023-24	T.R.SANDEEP KUMAR	214M5A0414	PASS
131	2023-24	V REDDY RAJU	214M5A0415	PASS
132	2023-24	G.DIVYA	214M5A0416	PASS
133	2023-24	V.NOMITHA	20F41A0483	PASS
134	2023-24	MANJU.R	174M1A0455	PASS

Head of the Department

PRINCIPAL

Vemu Institute of Technology
P. KOTHAKOTA - 517 117

HEAD
DEPARTMENT
VEMU
P. KOTHAKOTA - 517 117



Tabular Report with Marks

MCA I YEAR I SEMESTER R23 (R23) Regular Examinations, February 2024

Branch : MCA

S.No.	Hall Ticket No.	MFCA			OS			COA			DSC			DMS			RM&IPR			OS LAB			DS C LAB			DMS LAB			Total Marks	Perc%	Result	SGPA	CGPA
		Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr					
1	234M1F0001	37	56	93 S	29	40	69 C	30	35	65 C	29	41	70 B	28	31	59 D	33	26	59 D	37	50	87 A	36	45	81 A	35	54	89 A	672	74.67	Pass	7.79	7.79
2	234M1F0003	40	54	94 S	40	51	91 S	38	45	83 A	40	54	94 S	36	34	70 B	38	48	86 A	40	60	100 S	40	60	100 S	40	53	93 S	811	90.11	Pass	9.50	9.50
3	234M1F0004	36	32	68 C	31	38	69 C	31	32	63 C	27	29	56 D	27	26	53 D	34	28	62 C	34	55	89 A	34	54	88 A	34	52	86 A	634	70.44	Pass	7.14	7.14
4	234M1F0006	36	53	89 A	20	38	58 D	23	29	52 D	31	29	60 C	27	26	53 D	31	26	57 D	31	49	80 A	31	55	86 A	31	57	88 A	623	69.22	Pass	7.21	7.21
5	234M1F0007	37	30	67 C	30	41	71 B	33	36	69 C	31	26	57 D	32	14	46 F	38	25	63 C	33	45	78 B	33	53	86 A	33	56	89 A	626	69.56	Fail	6.36	6.36
6	234M1F0008	36	39	75 B	21	39	60 C	26	26	52 D	28	19	47 F	26	24	50 D	36	34	70 B	31	45	76 B	31	51	82 A	31	55	86 A	598	66.44	Fail	6.29	6.29
7	234M1F0009	26	49	75 B	26	31	57 D	25	25	50 D	25	30	55 D	23	25	48 F	26	0	26 F	37	55	92 S	37	49	86 A	37	54	91 S	580	64.44	Fail	5.79	5.79
8	234M1F0010	31	44	75 B	32	40	72 B	26	25	51 D	34	18	52 F	32	24	56 D	33	25	58 D	34	43	77 B	34	51	85 A	34	57	91 S	617	68.56	Fail	6.36	6.36
9	234M1F0011	39	51	90 S	34	48	82 A	30	46	76 B	33	34	67 C	26	33	59 D	37	44	81 A	35	49	84 A	35	49	84 A	35	58	93 S	716	79.56	Pass	8.36	8.36
10	234M1F0012	40	54	94 S	37	50	87 A	33	40	73 B	35	25	60 C	31	31	62 C	34	34	68 C	35	59	94 S	36	58	94 S	34	56	90 S	722	80.22	Pass	8.50	8.50
11	234M1F0013	32	52	84 A	22	38	60 C	35	44	79 B	36	41	77 B	30	36	66 C	33	49	82 A	34	58	92 S	34	55	89 A	34	55	89 A	718	79.78	Pass	8.21	8.21
12	234M1F0014	39	47	86 A	35	50	85 A	31	17	48 F	36	44	80 A	36	39	75 B	33	39	72 B	38	57	95 S	38	57	95 S	38	56	94 S	730	81.11	Fail	7.71	7.71
13	234M1F0015	39	46	85 A	36	50	86 A	29	35	64 C	31	48	79 B	28	28	56 D	31	39	70 B	38	56	94 S	38	55	93 S	37	57	94 S	721	80.11	Pass	8.29	8.29
14	234M1F0016	40	52	92 S	38	42	80 A	36	37	73 B	36	35	71 B	36	28	64 C	38	42	80 A	36	59	95 S	37	58	95 S	38	54	92 S	742	82.44	Pass	8.79	8.79
15	234M1F0017	40	51	91 S	38	47	85 A	35	38	73 B	38	39	77 B	36	44	80 A	36	46	82 A	38	55	93 S	38	55	93 S	38	58	96 S	770	85.56	Pass	9.07	9.07
16	234M1F0018	40	29	69 C	32	38	70 B	32	29	61 C	33	25	58 D	33	27	60 C	36	31	67 C	36	54	90 S	36	52	88 A	36	59	95 S	658	73.11	Pass	7.57	7.57
17	234M1F0019	39	38	77 B	31	37	68 C	26	34	60 C	31	15	46 F	26	12	38 F	33	26	59 D	35	51	86 A	35	50	85 A	32	55	87 A	606	67.33	Fail	5.50	5.50
18	234M1F0020	24	0	24 F	28	0	28 F	0	0	0 F	0	0	0 F	0	0	0 F	0	0	0 F	31	0	31 F	33	0	33 F	30	0	30 F	146	16.22	Fail	0.00	0.00
19	234M1F0021	31	50	81 A	28	43	71 B	34	36	70 B	35	35	70 B	36	38	74 B	37	32	69 C	35	58	93 S	37	59	96 S	37	57	94 S	718	79.78	Pass	8.50	8.50
20	234M1F0022	25	26	51 D	30	44	74 B	22	28	50 D	28	28	56 D	26	0	26 F	27	0	27 F	33	0	33 F	33	47	80 A	31	58	89 A	486	54.00	Fail	5.00	5.00
21	234M1F0023	40	52	92 S	36	42	78 B	37	40	77 B	37	38	75 B	35	34	69 C	37	38	75 B	39	52	91 S	38	57	95 S	37	59	96 S	748	83.11	Pass	8.57	8.57
22	234M1F0024	35	38	73 B	38	44	82 A	37	44	81 A	37	34	71 B	36	31	67 C	37	27	64 C	31	54	85 A	33	53	86 A	33	55	88 A	697	77.44	Pass	8.29	8.29
23	234M1F0025	32	36	68 C	26	34	60 C	26	25	51 D	29	46	75 B	28	33	61 C	31	25	56 D	35	47	82 A	35	52	87 A	35	53	88 A	628	69.78	Pass	7.36	7.36
24	234M1F0026	34	34	68 C	36	40	76 B	29	31	60 C	30	25	55 D	28	25	53 D	33	28	61 C	35	58	93 S	35	52	87 A	32	54	86 A	639	71.00	Pass	7.36	7.36
25	234M1F0027	16	10	26 F	16	27	43 F	9	6	15 F	27	5	32 F	27	14	41 F	15	25	40 F	35	0	35 F	35	0	35 F	30	0	30 F	297	33.00	Fail	0.00	0.00

Branch : MCA

S.No.	Hall Ticket No.	MCA			OS			COA			DSC			DMS			RM&IPR			OS LAB			DS LAB			DMS LAB			Total Marks	Percc%	Result	SGPA	CGPA
		Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr					
26	234M1F0028	37	42	79 B	27	44	71 B	29	40	69 C	28	32	60 C	28	33	61 C	35	36	71 B	35	48	83 A	34	49	83 A	34	58	92 S	669	74.33	Pass	7.86	7.86
27	234M1F0029	39	50	89 A	40	51	91 S	38	35	73 B	36	37	73 B	35	41	76 B	38	39	77 B	37	57	94 S	37	58	95 S	37	57	94 S	762	84.57	Pass	8.86	8.86
28	234M1F0030	40	27	67 C	40	37	77 B	33	34	67 C	32	29	61 C	28	27	55 D	37	33	70 B	40	60	100 S	39	54	93 S	40	59	99 S	689	76.56	Pass	7.71	7.71
29	234M1F0031	38	29	67 C	28	37	65 C	34	38	72 B	32	33	65 C	32	26	58 D	34	33	67 C	35	54	89 A	35	55	90 S	35	57	92 S	665	73.89	Pass	7.57	7.57
30	234M1F0032	37	48	85 A	36	45	81 A	28	35	63 C	31	36	67 C	33	34	67 C	37	37	74 B	36	51	87 A	36	53	89 A	36	57	93 S	706	78.44	Pass	8.14	8.14
31	234M1F0033	34	32	66 C	23	38	61 C	23	31	54 D	27	34	61 C	26	25	51 D	30	26	56 D	33	52	85 A	33	50	83 A	33	57	90 S	607	67.44	Pass	7.14	7.14
32	234M1F0035	29	39	68 C	29	42	71 B	30	26	56 D	30	37	67 C	28	38	66 C	30	33	63 C	32	49	81 A	32	52	84 A	32	58	90 S	646	71.78	Pass	7.50	7.50
33	234M1F0036	40	47	87 A	39	43	82 A	39	45	84 A	38	48	86 A	33	39	72 B	39	34	73 B	40	59	99 S	39	58	97 S	38	54	92 S	772	85.78	Pass	9.00	9.00
34	234M1F0037	38	50	88 A	38	36	74 B	37	41	78 B	37	36	73 B	34	36	70 B	35	37	72 B	40	59	99 S	40	60	100 S	39	60	99 S	753	83.67	Pass	8.57	8.57
35	234M1F0038	30	0	30 F	35	0	35 F	26	0	26 F	28	0	28 F	28	0	28 F	26	0	26 F	35	0	35 F	35	0	35 F	35	0	35 F	278	30.89	Fail	0.00	0.00
36	234M1F0039	27	42	69 C	28	41	69 C	29	25	54 D	28	39	67 C	27	30	57 D	28	15	43 F	36	51	87 A	36	56	92 S	36	56	92 S	630	70.00	Fail	6.79	6.79
37	234M1F0040	27	35	62 C	29	52	81 A	29	26	55 D	28	39	67 C	28	38	66 C	29	41	70 B	35	55	90 S	33	55	88 A	34	57	91 S	670	74.44	Pass	7.79	7.79
38	234M1F0041	31	41	72 B	31	33	64 C	24	28	52 D	27	25	52 D	26	28	54 D	26	30	56 D	36	53	89 A	36	56	92 S	36	59	95 S	626	69.56	Pass	7.21	7.21
39	234M1F0042	32	27	59 D	36	44	80 A	28	25	53 D	29	34	63 C	27	24	51 D	30	26	56 D	35	52	87 A	35	50	85 A	35	56	91 S	625	69.44	Pass	7.29	7.29
40	234M1F0043	12	25	37 F	20	32	52 D	16	25	41 F	28	25	53 D	28	25	53 D	15	15	30 F	36	46	82 A	36	47	83 A	36	55	91 S	522	58.00	Fail	4.57	4.57
41	234M1F0044	39	44	83 A	34	41	75 B	37	33	70 B	33	40	73 B	32	34	66 C	36	25	61 C	38	57	95 S	38	58	96 S	38	57	95 S	714	79.33	Pass	8.36	8.36
42	234M1F0045	38	49	87 A	30	43	73 B	29	43	72 B	27	45	72 B	26	33	59 D	36	29	65 C	38	52	90 S	37	56	93 S	37	52	89 A	700	77.78	Pass	8.14	8.14
43	234M1F0046	33	31	64 C	29	41	70 B	30	35	65 C	33	37	70 B	28	35	63 C	34	25	59 D	36	54	90 S	35	55	90 S	35	56	91 S	662	73.56	Pass	7.86	7.86
44	234M1F0047	31	25	56 D	33	30	63 C	25	25	50 D	27	34	61 C	27	32	59 D	31	26	57 D	36	55	91 S	36	56	92 S	36	55	91 S	620	68.89	Pass	7.14	7.14
45	234M1F0048	40	34	74 B	38	39	77 B	37	37	74 B	35	44	79 B	34	35	69 C	39	38	77 B	39	59	98 S	39	55	94 S	39	54	93 S	735	81.67	Pass	8.29	8.29
46	234M1F0049	40	49	89 A	30	41	71 B	28	43	71 B	31	41	72 B	26	33	59 D	37	31	68 C	36	50	86 A	36	59	95 S	36	55	91 S	702	78.00	Pass	8.14	8.14
47	234M1F0050	38	49	87 A	31	38	69 C	35	28	63 C	32	50	82 A	30	32	62 C	35	40	75 B	36	49	85 A	36	56	92 S	36	53	89 A	704	78.22	Pass	8.14	8.14
48	234M1F0051	23	43	66 C	14	33	47 F	0	29	29 F	0	38	38 F	0	34	34 F	0	13	13 F	39	50	89 A	39	52	91 S	39	54	93 S	500	55.56	Fail	3.07	3.07
49	234M1F0052	40	49	89 A	35	44	79 B	29	43	72 B	37	45	82 A	33	37	70 B	34	38	72 B	32	48	80 A	32	52	84 A	32	55	87 A	715	79.44	Pass	8.50	8.50
50	234M1F0053	37	56	93 S	39	44	83 A	37	40	77 B	30	41	71 B	33	32	65 C	37	38	75 B	31	54	85 A	31	51	82 A	31	56	87 A	718	79.78	Pass	8.50	8.50
51	234M1F0054	39	49	88 A	36	42	78 B	35	40	75 B	35	50	85 A	33	39	72 B	36	39	75 B	33	57	90 S	33	53	86 A	33	57	90 S	739	82.11	Pass	8.64	8.64
52	234M1F0055	40	51	91 S	38	41	79 B	21	37	58 D	35	48	83 A	37	34	71 B	35	33	68 C	37	55	92 S	36	52	88 A	35	59	94 S	724	80.44	Pass	8.43	8.43
53	234M1F0056	0	9	9 F	0	36	36 F	0	25	25 F	0	16	16 F	0	33	33 F	0	0	0 F	33	0	33 F	33	0	33 F	33	0	33 F	218	24.22	Fail	0.00	0.00
54	234M1F0057	20	39	59 D	12	34	46 F	18	25	43 F	12	33	45 F	28	25	53 D	16	25	41 F	34	50	84 A	34	52	86 A	35	58	93 S	550	61.11	Fail	3.71	3.71
55	234M1F0060	40	44	84 A	21	38	59 D	23	35	58 D	33	39	72 B	29	25	54 D	34	29	63 C	40	58	98 S	40	53	93 S	40	59	99 S	680	75.56	Pass	7.64	7.64

Branch : MCA

S.No.	Hall Ticket No.	MICA			OS			COA			DSC			DWIS			RIM&IPR			OS LAB			DSC LAB			DWIS LAB			Total Marks	Perc. %	Result	SGPA	CGPA
		Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr					
56	234M1F0061	25	36	61 C	22	44	66 C	25	25	50 D	24	40	64 C	28	28	56 D	26	35	61 C	32	53	85 A	32	48	80 A	32	54	86 A	609	67.67	Pass	7.14	7.14
57	234M1F0062	40	53	93 S	38	41	79 B	37	46	83 A	37	48	85 A	35	42	77 B	38	37	75 B	39	60	99 S	39	56	95 S	39	56	95 S	781	86.78	Pass	9.00	9.00
58	234M1F0063	40	42	82 A	35	42	77 B	36	35	71 B	37	45	82 A	26	33	59 D	36	39	75 B	38	48	86 A	38	50	88 A	38	53	91 S	711	79.00	Pass	8.29	8.29
59	234M1F0065	40	54	94 S	38	39	77 B	34	49	83 A	38	45	83 A	37	37	74 B	34	32	66 C	39	60	99 S	39	59	98 S	39	57	96 S	770	85.56	Pass	8.93	8.93
60	234M1F0066	39	45	84 A	30	30	60 C	29	30	59 D	35	42	77 B	34	32	66 C	32	31	63 C	39	59	98 S	39	59	98 S	39	59	98 S	703	78.11	Pass	7.93	7.93
61	234M1F0067	40	46	86 A	40	45	85 A	36	35	71 B	40	45	85 A	34	35	69 C	37	35	72 B	40	60	100 S	40	60	100 S	40	60	100 S	768	85.33	Pass	8.71	8.71
62	234M1F0068	40	38	78 B	27	42	69 C	33	38	71 B	30	43	73 B	34	33	67 C	34	36	70 B	39	59	98 S	39	56	95 S	39	55	94 S	715	79.44	Pass	8.14	8.14
63	234M1F0069	40	53	93 S	33	35	68 C	30	44	74 B	38	39	77 B	31	39	70 B	33	33	66 C	39	60	99 S	39	59	98 S	39	59	98 S	743	82.56	Pass	8.50	8.50
64	234M1F0070	30	33	63 C	30	38	68 C	21	30	51 D	34	34	68 C	27	30	57 D	34	30	64 C	35	55	90 S	35	55	90 S	35	55	90 S	641	71.22	Pass	7.36	7.36
65	234M1F0071	40	50	90 S	39	36	75 B	36	39	75 B	38	39	77 B	36	37	73 B	37	37	74 B	38	58	96 S	38	58	96 S	38	53	91 S	747	83.00	Pass	8.71	8.71
66	234M1F0072	40	53	93 S	40	42	82 A	38	41	79 B	37	38	75 B	35	33	68 C	38	35	73 B	39	55	94 S	39	55	94 S	39	60	99 S	757	84.11	Pass	8.71	8.71
67	234M1F0073	29	50	79 B	16	34	50 D	21	32	53 D	27	25	52 D	26	28	54 D	30	25	55 D	33	52	85 A	33	52	85 A	33	52	85 A	598	66.44	Pass	6.93	6.93
68	234M1F0074	38	46	84 A	30	42	72 B	30	39	69 C	34	41	75 B	31	37	68 C	36	38	74 B	36	50	86 A	36	55	91 S	36	57	93 S	712	79.11	Pass	8.21	8.21
69	234M1F0075	35	33	68 C	34	31	65 C	26	30	56 D	30	25	55 D	28	24	52 D	35	27	62 C	33	57	90 S	33	50	83 A	33	58	91 S	622	69.11	Pass	7.14	7.14
70	234M1F0076	40	46	86 A	31	40	71 B	38	41	79 B	33	47	80 A	29	40	69 C	38	40	78 B	39	59	98 S	38	56	94 S	39	59	98 S	753	83.67	Pass	8.57	8.57
71	234M1F0077	40	51	91 S	37	38	75 B	28	37	65 C	35	42	77 B	30	40	70 B	35	34	69 C	37	58	95 S	37	55	92 S	37	54	91 S	725	80.56	Pass	8.50	8.50
72	234M1F0078	19	40	59 D	20	24	44 F	24	43	67 C	28	16	44 F	28	24	52 D	26	25	51 D	33	57	90 S	33	52	85 A	33	55	88 A	580	64.44	Fail	5.14	5.14
73	234M1F0079	32	46	78 B	32	47	79 B	25	42	67 C	32	38	70 B	28	34	62 C	31	29	60 C	40	56	96 S	40	59	99 S	40	60	100 S	711	79.00	Pass	8.07	8.07
74	234M1F0080	31	43	74 B	16	26	42 F	18	34	52 D	28	16	44 F	27	24	51 D	29	8	37 F	39	48	87 A	39	58	97 S	39	57	96 S	580	64.44	Fail	4.93	4.93
75	234M1F0081	28	25	53 D	30	37	67 C	20	32	52 D	30	25	55 D	29	29	58 D	30	30	60 C	38	57	95 S	38	54	92 S	38	58	96 S	628	69.78	Pass	7.07	7.07
76	234M1F0082	32	46	78 B	25	42	67 C	24	47	71 B	32	36	68 C	27	32	59 D	31	29	60 C	39	58	97 S	39	59	98 S	39	56	95 S	693	77.00	Pass	7.79	7.79
77	234M1F0083	32	35	67 C	24	33	57 D	22	28	50 D	28	32	60 C	24	33	57 D	31	25	56 D	33	55	88 A	34	55	89 A	33	54	87 A	611	67.89	Pass	6.93	6.93
78	234M1F0084	29	47	76 B	18	32	50 D	14	29	43 F	27	30	57 D	27	27	54 D	27	25	52 D	34	50	84 A	34	50	84 A	34	55	89 A	589	65.44	Fail	6.07	6.07
79	234M1F0085	28	30	58 D	20	27	47 F	23	25	48 F	27	25	52 D	26	13	39 F	28	25	53 D	37	49	86 A	37	50	87 A	37	53	90 S	560	62.22	Fail	4.14	4.14
80	234M1F0086	31	41	72 B	32	43	75 B	26	46	72 B	28	45	73 B	27	38	65 C	32	34	66 C	38	59	97 S	38	56	94 S	38	56	94 S	708	78.67	Pass	8.21	8.21

PRINCIPAL

Vemu Institute of Technology
P. KOTHAKOTA - 517 112

S.No.	SubCode	ShortName	Sub Name
1	23MCCA01T	MICA	Mathematical Foundations of Computer Applications
2	23MCCA02T	OS	Operating Systems
3	23MCCA03T	COA	Computer Organization & Architecture
4	23MCCA04T	DSC	Data Structures using C
5	23MCCA05T	DMS	Database Management Systems
6	23MCCA01A	RM&IPR	Research Methodology and IPR
7	23MCCA01P	OS LAB	Operating Systems Laboratory
8	23MCCA02P	DS C LAB	Data Structures using C Laboratory
9	23MCCA03P	DMS LAB	Database Management Systems Laboratory

hbi

W

CONTROLLER OF EXAMINATIONS
PRINCIPAL
 Vemu Institute of Technology
 P. KOTHAKOTA - 517 112



FINAL RESULT SHEET

Branch : MCA

MCA I YEAR II SEMESTER R23 (R23) Regular Examinations, July 2024

S.No.	Hall Ticket No.	SE		DSP		CN		STM		CC		SE LAB		DS LAB		CN LAB		JP		SEMINAR		Total Marks	Perc. %	Result	SGPA	CGPA																				
		Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr																									
1	234M1F0001	35	41	76	B	26	39	65	C	35	35	70	B	34	40	74	B	34	41	75	B	35	51	86	A	36	52	88	A	37	51	88	A	24	53	87	A	84	0	84	A	793	79.30	Pass	8.21	8.00
2	234M1F0003	40	54	94	S	37	50	87	A	40	44	84	A	40	44	84	A	35	51	86	A	40	59	99	S	40	60	100	S	40	59	99	S	34	59	93	S	98	0	98	S	924	92.40	Pass	9.50	9.50
3	234M1F0004	35	44	79	B	25	26	51	D	31	41	72	B	33	29	62	C	29	31	60	C	38	56	94	S	39	55	94	S	38	56	94	S	25	57	82	A	96	0	96	S	784	78.40	Pass	8.14	7.64
4	234M1F0006	34	41	75	B	26	33	59	D	36	32	68	C	31	37	68	C	30	35	65	C	38	55	93	S	39	56	95	S	39	55	94	S	27	56	83	A	95	0	95	S	795	79.50	Pass	8.00	7.61
5	234M1F0007	40	45	85	A	29	38	67	C	40	34	74	B	35	27	62	C	34	40	74	B	40	60	100	S	40	57	97	S	40	59	99	S	31	60	91	S	99	0	99	S	848	84.80	Pass	8.61	8.05
6	234M1F0008	38	36	74	B	25	32	57	D	37	26	63	C	33	30	63	C	31	37	68	C	38	57	95	S	39	53	92	S	39	57	96	S	31	57	88	A	97	0	97	S	793	79.30	Pass	8.00	7.14
7	234M1F0009	39	21	60	F	31	23	54	F	34	25	59	D	34	15	49	F	34	22	56	F	36	54	90	S	36	56	92	S	36	54	90	S	33	56	89	A	94	0	94	S	733	73.30	Fail	4.36	6.07
8	234M1F0010	38	40	78	B	26	29	55	D	35	28	63	C	34	26	60	C	31	30	61	C	36	55	91	S	35	52	87	A	37	55	92	S	36	58	94	S	95	0	95	S	776	77.60	Pass	8.00	7.68
9	234M1F0011	40	47	87	A	26	43	69	C	36	37	73	B	36	43	79	B	34	52	86	A	36	56	92	S	37	57	94	S	38	56	94	S	36	57	93	S	96	0	96	S	863	86.30	Pass	8.82	8.59
10	234M1F0012	39	40	79	B	28	42	70	B	36	39	75	B	38	40	78	B	33	40	73	B	35	58	93	S	36	54	90	S	38	58	96	S	33	58	91	S	98	0	98	S	843	84.30	Pass	8.71	8.61
11	234M1F0013	40	54	94	S	34	46	80	A	40	46	86	A	39	41	80	A	34	48	82	A	40	60	100	S	40	59	99	S	40	60	100	S	34	59	93	S	###	0	###	S	914	91.40	Pass	9.50	8.86
12	234M1F0014	35	50	85	A	31	48	79	B	37	45	82	A	39	41	80	A	30	48	78	B	38	58	96	S	37	58	95	S	39	58	97	S	35	60	95	S	97	0	97	S	884	88.40	Pass	9.11	8.98
13	234M1F0015	38	49	87	A	28	37	65	C	37	42	79	B	35	37	72	B	31	39	70	B	37	60	97	S	37	60	97	S	37	57	94	S	34	59	93	S	98	0	98	S	852	85.20	Pass	8.71	8.50
14	234M1F0016	40	50	90	S	34	43	77	B	40	41	81	A	38	44	82	A	34	45	79	B	40	60	100	S	40	57	97	S	40	60	100	S	38	60	98	S	99	0	99	S	903	90.30	Pass	9.25	9.02
15	234M1F0017	40	47	87	A	33	47	80	A	39	41	80	A	40	42	82	A	34	52	86	A	39	59	98	S	39	57	96	S	39	59	98	S	35	59	94	S	98	0	98	S	899	89.90	Pass	9.36	9.21
16	234M1F0018	39	43	82	A	27	24	51	D	40	37	77	B	36	35	71	B	26	29	55	D	40	60	100	S	40	58	98	S	40	59	99	S	25	59	84	A	99	0	99	S	816	81.60	Pass	8.29	7.93
17	234M1F0019	36	45	81	A	25	39	64	C	36	41	77	B	33	33	66	C	28	43	71	B	36	58	94	S	38	54	92	S	37	58	95	S	34	58	92	S	96	0	96	S	828	82.80	Pass	8.61	7.91
18	234M1F0021	40	43	83	A	37	40	77	B	40	45	85	A	40	41	81	A	34	44	78	B	40	59	99	S	40	59	99	S	40	59	99	S	37	58	95	S	99	0	99	S	895	89.50	Pass	9.11	8.80
19	234M1F0022	36	38	74	B	26	29	55	D	26	42	68	C	26	28	54	D	26	34	60	C	39	57	96	S	39	56	95	S	40	57	97	S	26	58	84	A	97	0	97	S	780	78.00	Pass	7.89	6.77
20	234M1F0023	40	43	83	A	32	40	72	B	40	43	83	A	40	44	84	A	34	44	78	B	40	60	100	S	40	57	97	S	40	60	100	S	35	59	94	S	###	0	###	S	891	89.10	Pass	9.11	8.84
21	234M1F0024	38	38	76	B	25	36	61	C	32	42	74	B	32	38	70	B	28	43	71	B	34	56	90	S	33	56	89	A	35	56	91	S	28	57	85	A	96	0	96	S	803	80.30	Pass	8.43	8.36
22	234M1F0025	35	45	80	A	25	28	53	D	30	40	70	B	28	33	61	C	30	38	68	C	35	52	87	A	35	53	88	A	36	52	88	A	32	54	86	A	93	0	93	S	774	77.40	Pass	8.07	7.71
23	234M1F0026	39	47	86	A	27	30	57	D	37	32	69	C	35	26	61	C	33	42	75	B	39	55	94	S	39	54	93	S	40	55	95	S	34	56	90	S	95	0	95	S	815	81.50	Pass	8.32	7.84
24	234M1F0027	28	29	57	D	25	25	50	D	28	44	72	B	28	27	55	D	29	34	63	C	33	50	83	A	34	49	83	A	32	50	82	A	25	53	78	B	91	0	91	S	714	71.40	Pass	7.46	4.16
25	234M1F0028	40	49	89	A	27	41	68	C	38	45	83	A	36	42	78	B	35	43	78	B	39	59	98	S	39	50	89	A	40	59	99	S	34	59	93	S	97	0	97	S	872	87.20	Pass	8.79	8.32
26	234M1F0029	40	48	88	A	37	44	81	A	40	46	86	A	39	45	84	A	37	50	87	A	40	58	98	S	40	60	100	S	40	58	98	S	39	57	96	S	98	0	98	S	916	91.60	Pass	9.36	9.11

S.No.	Hall Ticket No.	SE		DSP		CN		STM		CC		SE LAB		D5 LAB		CN LAB		JP		SEMINAR		Total Marks	Perc. %	Result	SGPA	CGPA																								
		Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr																													
27	234M1F0030	40	50	90	S	31	46	77	B	40	46	86	A	37	45	82	A	36	49	85	A	40	60	100	S	40	60	100	S	40	60	100	S	40	60	100	S	35	59	94	S	99	0	99	S	912	91.20	Pass	9.36	8.54
28	234M1F0031	40	47	87	A	27	38	65	C	40	43	83	A	39	44	83	A	37	53	90	S	40	59	99	S	40	59	99	S	40	59	99	S	36	58	94	S	99	0	99	S	898	89.80	Pass	9.18	8.38				
29	234M1F0032	38	47	85	A	34	46	80	A	39	46	85	A	40	41	81	A	34	53	87	A	39	58	97	S	39	59	98	S	40	58	98	S	39	58	97	S	98	0	98	S	906	90.60	Pass	9.36	8.75				
30	234M1F0033	32	27	59	D	25	29	54	D	33	33	66	C	29	36	65	C	22	43	65	C	34	56	90	S	33	57	90	S	36	56	92	S	25	56	81	A	96	0	96	S	758	75.80	Pass	7.71	7.43				
31	234M1F0036	40	53	93	S	35	47	82	A	40	38	78	B	40	37	77	B	36	52	88	A	40	60	100	S	40	60	100	S	40	60	100	S	40	59	99	S	99	0	99	S	916	91.60	Pass	9.25	9.13				
32	234M1F0037	40	50	90	S	30	39	69	C	39	37	76	B	39	39	78	B	35	49	84	A	40	59	99	S	40	60	100	S	40	59	99	S	36	59	95	S	###	0	###	S	890	89.00	Pass	8.96	8.77				
33	234M1F0038	31	35	66	C	25	38	63	C	32	35	67	C	28	37	65	C	28	37	65	C	34	58	92	S	33	54	87	A	35	58	93	S	29	54	83	A	97	0	97	S	778	77.80	Pass	7.93	7.82				
34	234M1F0039	26	43	69	C	25	49	74	B	27	36	63	C	30	31	61	C	26	48	74	B	33	52	85	A	33	57	90	S	35	52	87	A	28	55	83	A	90	0	90	S	776	77.60	Pass	8.11	8.02				
35	234M1F0040	32	46	78	B	25	46	71	B	30	40	70	B	32	45	77	B	31	50	81	A	31	54	85	A	32	56	88	A	33	54	87	A	32	56	88	A	91	0	91	S	816	81.60	Pass	8.54	8.16				
36	234M1F0041	38	35	73	B	25	37	62	C	33	38	71	B	36	25	61	C	21	50	71	B	34	55	89	A	35	54	89	A	36	55	91	S	35	55	90	S	94	0	94	S	791	79.10	Pass	8.32	7.77				
37	234M1F0042	32	40	72	B	25	44	69	C	29	35	64	C	31	36	67	C	27	44	71	B	33	51	84	A	34	57	91	S	35	51	86	A	29	53	82	A	92	0	92	S	778	77.80	Pass	8.11	7.70				
38	234M1F0043	35	36	71	B	25	36	61	C	29	28	57	D	31	29	60	C	32	38	70	B	33	50	83	A	34	52	86	A	34	50	84	A	25	52	77	B	88	0	88	A	737	73.70	Pass	7.75	6.59				
39	234M1F0044	35	46	81	A	29	43	72	B	36	41	77	B	35	44	79	B	32	40	72	B	35	56	91	S	36	56	92	S	37	56	93	S	30	56	86	A	95	0	95	S	838	83.80	Pass	8.79	8.57				
40	234M1F0045	37	44	81	A	27	39	66	C	36	41	77	B	35	44	79	B	35	42	77	B	36	58	94	S	37	53	90	S	38	58	96	S	34	58	92	S	93	0	93	S	845	84.50	Pass	8.71	8.43				
41	234M1F0046	40	42	82	A	29	44	73	B	37	43	80	A	39	45	84	A	37	48	85	A	34	57	91	S	35	59	94	S	37	57	94	S	38	57	95	S	96	0	96	S	874	87.40	Pass	9.21	8.54				
42	234M1F0047	37	39	76	B	26	31	57	D	30	32	62	C	28	26	54	D	32	31	63	C	35	51	86	A	34	57	91	S	35	51	86	A	25	53	78	B	91	0	91	S	744	74.40	Pass	7.68	7.41				
43	234M1F0048	40	54	94	S	33	46	79	B	40	47	87	A	39	44	83	A	36	51	87	A	40	59	99	S	40	59	99	S	40	59	99	S	34	59	93	S	98	0	98	S	918	91.80	Pass	9.36	8.82				
44	234M1F0049	40	51	91	S	27	42	69	C	37	43	80	A	37	38	75	B	30	48	78	B	38	58	96	S	37	59	96	S	38	58	96	S	30	58	88	A	95	0	95	S	864	86.40	Pass	8.93	8.54				
45	234M1F0050	40	56	96	S	26	41	67	C	36	46	82	A	38	46	84	A	36	49	85	A	39	55	94	S	38	54	92	S	39	55	94	S	37	55	92	S	88	0	88	A	874	87.40	Pass	9.14	8.64				
46	234M1F0052	39	51	90	S	29	51	80	A	40	39	79	B	32	39	71	B	34	49	83	A	40	59	99	S	40	55	95	S	40	59	99	S	39	59	98	S	97	0	97	S	891	89.10	Pass	9.25	8.88				
47	234M1F0053	31	47	78	B	28	39	67	C	32	44	76	B	32	30	62	C	29	44	73	B	34	54	88	A	33	56	89	A	35	54	89	A	32	60	92	S	95	0	95	S	809	80.90	Pass	8.25	8.38				
48	234M1F0054	38	53	91	S	34	46	80	A	40	46	86	A	36	45	81	A	38	55	93	S	40	60	100	S	40	59	99	S	40	60	100	S	37	60	97	S	###	0	###	S	927	92.70	Pass	9.61	9.13				
49	234M1F0055	40	52	92	S	30	42	72	B	40	44	84	A	39	45	84	A	35	39	74	B	40	60	100	S	40	55	95	S	40	60	100	S	38	59	97	S	###	0	###	S	898	89.80	Pass	9.25	8.84				
50	234M1F0056	30	41	71	B	25	29	54	D	25	39	64	C	29	28	57	D	31	42	73	B	30	42	72	B	32	50	82	A	31	45	76	B	32	46	78	B	84	0	84	A	711	71.10	Pass	7.50	3.75				
51	234M1F0057	35	37	72	B	27	42	69	C	35	41	76	B	36	40	76	B	38	46	84	A	35	47	82	A	34	53	87	A	36	47	83	A	35	47	82	A	82	0	82	A	793	79.30	Pass	8.32	6.95				
52	234M1F0060	36	40	76	B	28	44	72	B	36	43	79	B	34	35	69	C	35	51	86	A	35	56	91	S	36	59	95	S	37	56	93	S	30	56	86	A	93	0	93	S	840	84.00	Pass	8.64	8.14				
53	234M1F0061	28	47	75	B	25	44	69	C	35	47	82	A	31	35	66	C	30	48	78	B	37	48	37	AB	35	48	35	AB	36	48	36	AB	29	48	29	AB	80	0	80	A	587	58.70	Fail	5.68	6.41				
54	234M1F0062	40	53	93	S	37	47	84	A	40	46	86	A	40	47	87	A	40	53	93	S	40	60	100	S	40	60	100	S	40	60	100	S	40	60	###	S	99	0	99	S	942	94.20	Pass	9.61	9.30				
55	234M1F0063	40	47	87	A	33	46	79	B	40	43	83	A	36	43	79	B	39	47	86	A	40	59	99	S	40	57	97	S	40	59	99	S	30	59	89	A	95	0	95	S	893	89.30	Pass	9.04	8.66				
56	234M1F0065	40	48	88	A	30	40	70	B	37	45	82	A	38	40	78	B	39	43	82	A	37	60	97	S	36	59	95	S	38	58	96	S	39	60	99	S	99	0	99	S	886	88.60	Pass	9.11	9.02				
57	234M1F0066	38	46	84	A	25	46	71	B	33	35	68	C	30	37	67	C	33	45	78	B	34	60	94	S	33	58	91	S	35	57	92	S	37	59	96	S	96	0	96	S	837	83.70	Pass	8.61	8.27				

S.No.	Roll Ticket No.	SE	DSP	CN	STM	CC	SE LAB	DS LAB	CN LAB	JP	SEMINAR	Total Marks	Perc%	Result	SGPA	CGPA
58	234M1F0067	39 54 93 S	30 48 78 B	40 42 82 A	40 46 86 A	37 51 88 A	40 59 99 S	40 59 99 S	40 60 100 S	38 59 97 S	## 0 ## 5	922	92.20	Pass	9.36	9.04
59	234M1F0068	39 51 90 S	27 47 74 B	40 38 78 B	39 43 82 A	38 49 87 A	40 58 98 S	40 58 98 S	40 59 99 S	40 58 98 S	99 0 99 S	903	90.30	Pass	9.21	8.68
60	234M1F0069	37 47 84 A	29 47 76 B	30 39 69 C	32 45 77 B	33 49 82 A	39 59 98 S	39 60 99 S	40 56 96 S	40 59 99 S	96 0 96 S	876	87.60	Pass	8.82	8.66
61	234M1F0070	31 46 77 B	25 38 63 C	30 33 63 C	32 36 68 C	32 46 78 B	34 55 89 A	34 57 91 S	35 55 90 S	28 55 83 A	94 0 94 S	796	79.60	Pass	8.18	7.77
62	234M1F0071	40 56 96 S	33 57 90 S	40 39 79 B	40 47 87 A	37 58 95 S	40 59 99 S	40 58 98 S	40 59 99 S	38 58 96 S	99 0 99 S	938	93.80	Pass	9.61	9.16
63	234M1F0072	40 55 95 S	36 52 88 A	40 38 78 B	39 47 86 A	38 56 94 S	40 59 99 S	40 60 100 S	40 59 99 S	37 59 96 S	99 0 99 S	934	93.40	Pass	9.46	9.09
64	234M1F0073	30 48 78 B	25 44 69 C	28 33 61 C	28 34 62 C	26 44 70 B	30 52 82 A	32 53 85 A	33 52 85 A	27 54 81 A	89 0 89 A	762	76.20	Pass	7.96	7.45
65	234M1F0074	32 52 84 A	31 45 76 B	32 35 67 C	32 25 57 D	30 48 78 B	39 54 93 S	39 60 99 S	39 54 93 S	29 55 84 A	92 0 92 S	823	82.30	Pass	8.43	8.32
66	234M1F0075	31 37 68 C	25 30 55 D	32 26 58 D	31 25 56 D	30 46 76 B	34 53 87 A	33 55 88 A	35 53 88 A	35 56 91 S	93 0 93 S	760	76.00	Pass	7.57	7.36
67	234M1F0076	40 56 96 S	31 49 80 A	40 39 79 B	33 48 81 A	25 56 81 A	40 58 98 S	40 59 99 S	40 59 99 S	25 57 82 A	98 0 98 S	893	89.30	Pass	9.29	8.93
68	234M1F0077	32 52 84 A	36 53 89 A	38 35 73 B	38 38 76 B	35 56 91 S	35 58 93 S	36 55 91 S	38 58 96 S	39 58 97 S	97 0 97 S	887	88.70	Pass	9.21	8.86
69	234M1F0078	28 42 70 B	23 44 67 C	32 31 63 C	35 44 79 B	32 52 84 A	33 56 89 A	34 52 86 A	35 56 91 S	27 56 83 A	95 0 95 S	807	80.70	Pass	8.32	7.66
70	234M1F0079	40 48 88 A	31 47 78 B	40 32 72 B	39 37 76 B	33 52 85 A	40 60 100 S	40 58 98 S	40 59 99 S	40 60 ## S	99 0 99 S	895	89.50	Pass	8.96	8.52
71	234M1F0080	38 43 81 A	26 41 67 C	35 27 62 C	34 32 66 C	30 43 73 B	35 57 92 S	33 55 88 A	36 57 93 S	33 57 90 S	98 0 98 S	810	81.00	Pass	8.39	8.09
72	234M1F0081	40 41 81 A	30 37 67 C	39 32 71 B	37 26 63 C	34 41 75 B	40 58 98 S	39 56 95 S	39 58 97 S	33 58 91 S	97 0 97 S	835	83.50	Pass	8.61	7.84
73	234M1F0082	40 42 82 A	34 45 79 B	40 35 75 B	40 43 83 A	37 51 88 A	40 59 99 S	40 59 99 S	40 59 99 S	38 59 97 S	96 0 96 S	897	89.70	Pass	9.07	8.43
74	234M1F0083	37 47 84 A	33 40 73 B	32 36 68 C	35 43 78 B	32 51 83 A	37 55 92 S	36 59 95 S	38 55 93 S	27 56 83 A	94 0 94 S	843	84.30	Pass	8.75	7.84
75	234M1F0084	39 36 75 B	33 29 62 C	32 21 53 F	34 35 69 C	28 46 74 B	34 54 88 A	33 55 88 A	35 54 89 A	36 55 91 S	91 0 91 S	780	78.00	Fail	7.11	6.59
76	234M1F0085	24 36 60 C	23 32 55 D	20 25 45 F	13 27 40 F	20 27 47 F	30 49 79 B	32 55 87 A	31 49 80 A	27 52 79 B	85 0 85 A	657	65.70	Fail	4.93	4.96
77	234M1F0086	32 54 86 A	25 50 75 B	32 35 67 C	31 10 41 F	32 48 80 A	40 52 92 S	40 58 98 S	39 52 91 S	32 54 86 A	86 0 86 A	802	80.20	Fail	7.82	8.02

Average SGPA : 8.52

Average CGPA : 8.08

S.No.	SubCode	ShortName	Sub Name
1	23MCCA06T	SE	Software Engineering
2	23MCCA07T	DSP	Data Science with python
3	23MCCA08T	CN	Computer Networks
4	23MCCA09T	STM	Software Testing Methodologies
5	23MCCS01T	CC	Cloud Computing
6	23MCCA04P	SE LAB	Software Engineering lab
7	23MCCA05P	DS LAB	Data Science lab
8	23MCCA06P	CN LAB	Computer Networks lab
9	23MCSK01P	JP	Java Programming
10	23MCCA01S	SEMINAR	SEMINAR

PRINCIPAL

Vemu Institute of Technology
P. KOTHAKOTA - 517 112



M.TECH I YEAR I SEMESTER R23 (R23) Regular Examinations, February 2024

S.No.	SubCode	ShortName	Sub Name
1	23MTEE01T	SMPC	Switched Mode Power Converters
2	23MTEE2T	MMBA	Machine Modelling and Analysis
3	23MTEE04T	MCT	Modern Control Theory
4	23MTEE08T	SGT	Smart Grid Technologies
5	23MTHS01M	IPR	RESEARCH METHODOLOGY & IPR
6	23MTEE01P	PEC LAB	Power Electronic Circuit Lab
7	23MTEE02P	RES LAB	Renewable Energy Sources Lab

1/23/21

PRINCIPAL
Vemu Institute of Technology
P. KOTHAKOTA - 517 112



FINAL RESULT SHEET

Branch : PEED

M.TECH I YEAR II SEMESTER R23 (R23) Regular Examinations, July 2024

S.No.	Hall Ticket No.	MPE			FACTS			AED			PQ			ED LAB			FACTS LAB			TS			YOGA			Total Marks	Perc. %	Result	SGPA	CGPA
		Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr	Int	Ext	Tot Gr					
1	234M1D5401	31	41	72 B	29	37	66 C	26	41	67 C	32	40	72 B	40	59	99 S	39	59	98 S	97	0	97 S	30	0	30 B	601	81.22	Pass	8.33	8.56
2	234M1D5402	32	38	70 B	28	34	62 C	28	36	64 C	31	31	62 C	39	58	97 S	38	58	96 S	96	0	96 S	32	0	32 A	579	78.24	Pass	8.17	8.08

Average SGPA : 8.25

Average CGPA : 8.32

S.No.	SubCode	ShortName	Sub Name
1	23MTE09T	MPE	Modern Power Electronics
2	23MTE10T	FACTS	FACTS Controllers
3	23MTE11T	AED	Advanced Electric Drives
4	23MTE14T	PQ	Power Quality
5	23MTE03P	ED LAB	Electric Drives Lab
6	23MTE04P	FACTS LAB	FACTS Devices & Simulation Lab
7	23MTE03S	TS	Technical seminar
8	23MTHS04A	YOGA	Stress Management for Yoga

CONTROLLER OF EXAMINATIONS

PRINCIPAL

PRINCIPAL

Vemu Institute of Technology
P. KOTHAKOTA - 517 112